

**Primary Package Label**

**[Ultra-small (1ml or gm to 50 ml or gm)] & [small (51 ml or gm to 250 ml or gm)]**

**Read leaflet before use:**

**Common Name:**

Ametryn 80% WP

**BRAND NAME: -**

**Chemical Composition :**

**Content % w/w**

Total	100 % w/w
Ametryne	80 % w/w
Sodium lauryl sulfate	1.0 % w/w
Sodium polycarboxylate	4.0 % w/w
Sodium lignosulfonate	2.7 % w/w
Talc	q.s. to make % w/w

**Total: 100.00%**

**Please refer leaflet for details**

**Antidote**

there is no specific antidote. treat symptomatically and give supportive therapy.

**Manufactured by**

P. O. B. 262, Ashdod, Israel

**Supplied by**

**Imported and Repacked by**

ADAMA India Pvt. Ltd.  
Plot No: DS-13, IKP Knowledge Park, Sy. No. 542/2, Genome Valley, Turkapally, Shameerpet, Ranga Reddy District Hyderabad Hyderabad Telangana 500078

**Premises Address**

**Ametryn 80% WP**

వర్షానికి సున్నితమైనది !

**Selective Herbicide**

అపరిచిత కీటకాలను నిర్మూలన చేస్తుంది



పాతబాటిలో నిల్వ చేయవద్దు

Keep out of reach of children.

పాతబాటిలో నిల్వ చేయవద్దు

Keep in cool, dry place away from heat and open flame.

Regn. No. 111111

Mfg. Lic. No. 23456789

Batch No. 000001

Mfg Date 23/10/2023

Exp. Date 23/10/2025

Net Content / Volume 500g

Max. Retail Price మరచిపోకండి

Customercare

Ametryn 80% WP

వర్షానికి సున్నితమైనది !

అపరిచిత కీటకాలను నిర్మూలన చేస్తుంది

పాతబాటిలో నిల్వ చేయవద్దు

—μ

వర్షానికి

పరిశుభ్రతను నిర్ధారించుకోండి

పరిశుభ్రత

అపరిచిత కీటకాలను నిర్మూలన చేస్తుంది

పరిశుభ్రతను నిర్ధారించుకోండి

అపరిచిత కీటకాలను నిర్మూలన చేస్తుంది

అపరిచిత కీటకాలను నిర్మూలన చేస్తుంది

3 TM - TSSISS

3 TM - TSSISS

3 TM - TSSISS

3 TM - TSSISS

3 TM - TSSISS

3 TM - TSSISS

3 TM - TSSISS

3 TM - TSSISS

3 TM - TSSISS

3 TM - TSSISS

3 TM - TSSISS

3 TM - TSSISS

3 TM - TSSISS

3 TM - TSSISS

3 TM - TSSISS

3 TM - TSSISS

3 TM - TSSISS

3 TM - TSSISS

3 TM - TSSISS

3 TM - TSSISS

3 TM - TSSISS

3 TM - TSSISS

3 TM - TSSISS

3 TM - TSSISS

3 TM - TSSISS

3 TM - TSSISS

500078

Ametryn 80% WP

(1). Plot No. 227/1, GIDC Estate, Panoli-394116, Gujarat State.  
Gujarat

(2). D-II/CH/1, G.I.D.C. Estate, Dahej, Tal. Vagra, Dist. Baruch,  
Gujarat-392130  
Gujarat

(3). Plot No 905 , GIDC Estate, Anklehswar  
Gujarat

(4). 228, G.I.D.C. Estate, Panoli,Anklehswar, Bharuch - 394 116,  
Gujarat State  
Gujarat

(5). D-2/CH-51, Dahej, GIDC, Ta: Vagra, Dist.: Bharuch392130,  
Gujarat

(1).

(2).

(3).

(4).

(5).

**Customer Care Details**

Address: ADAMA India Pvt. Ltd., Plot No: DS-13, IKP Knowledge  
Park, Sy. No. 542/2, Genome Valley, Turkapally, Shameerpet,  
Ranga Reddy District,  
Email: arpita.roy@adama.com  
Contact no: 09652341115

»—« ± μ . . . . .

©—' m« 2 ' o | 3 ' Q μ 2 α| Ž öμ α' --' DS-13, IKP – μ j ' ®—Š Sy –  
542/2Ž j – 2 ' š α Ž ©—Ryμ Ž , 2 ®αŽ '™' ' | ' j μ Ž  
p² μ -' arpita.roy@adama.com  
° ®—| –° ' ' 09652341115

**Safety Pictograms:**



**Secondary Package Label**

**[Ultra-small (1ml or gm to 50 ml or gm)] & [small (51 ml or gm to 250 ml or gm)]**

**Read leaflet before use:**

**Common Name:**

Ametryn 80% WP

**BRAND NAME: -**

**Crops and Pest Groups: Please refer leaflet for details**

Dosage, Direction for use and Manner and time of application : Please refer leaflet for details

**Purpose:**

for agriculture use

**Re-entry:**

24 hours

**Chemical Composition :**

**Content % w/w**

Total	100 % w/w
Ametryne	80 % w/w
Sodium lauryl sulfate	1.0 % w/w
Sodium polycarboxylate	4.0 % w/w
Sodium lignosulfonate	2.7 % w/w
Talc	q.s. to make % w/w

**Total: 100.00%**

Safety Precautions, Symptom of Poisoning and First Aid : Please refer leaflet for details.

**Antidote Statement:**

there is no specific antidote. treat symptomatically and give supportive therapy.

**Cautionary statement:**

**Ametryn 80% WP**

वर्षा-सुरक्षा [S] का प्रयोग ! !

**Selective Herbicide**

कृषि-निर्माण के लिए सुरक्षित



कृषि-निर्माण के लिए सुरक्षित

Keep out of reach of children.

कृषि-निर्माण के लिए सुरक्षित

Keep in cool, dry place away from heat and open flame.

Regn. No. \_\_\_\_\_

Mfg. Lic. No. \_\_\_\_\_

Batch No. \_\_\_\_\_

Mfg Date \_\_\_\_\_

Exp. Date \_\_\_\_\_

Net Content / Volume \_\_\_\_\_

कृषि-निर्माण के लिए सुरक्षित

वर्षा-सुरक्षा [S] का प्रयोग ! !

कृषि-निर्माण के लिए सुरक्षित

कृषि-निर्माण के लिए सुरक्षित

UWS का

कृषि-निर्माण के लिए सुरक्षित

कृषि-निर्माण के लिए सुरक्षित

कृषि-निर्माण के लिए सुरक्षित

कृषि-निर्माण के लिए सुरक्षित

कृषि-निर्माण के लिए सुरक्षित

कृषि-निर्माण के लिए सुरक्षित

कृषि-निर्माण के लिए सुरक्षित

कृषि-निर्माण के लिए सुरक्षित

कृषि-निर्माण के लिए सुरक्षित

कृषि-निर्माण के लिए सुरक्षित

कृषि-निर्माण के लिए सुरक्षित

कृषि-निर्माण के लिए सुरक्षित



**Big Label**

(> 250 mL Primary and Secondary Package Label)

**Read leaflet before use:**

**Common Name:**

Ametryn 80% WP

**BRAND NAME: -**

**Crops and Pest Groups: Please refer leaflet for details**

Dosage, Direction for use and Manner and time of application : Please refer leaflet for details

**Purpose:**

for agriculture use

**Re-entry:**

24 hours

**Chemical Composition :**

**Content % w/w**

Total	100 % w/w
Ametryne	80 % w/w
Sodium lauryl sulfate	1.0 % w/w
Sodium polycarboxylate	4.0 % w/w
Sodium lignosulfonate	2.7 % w/w
Talc	q.s. to make % w/w
<b>Total:100.00%</b>	

**Safety Precautions:**

1. keep away from foodstuff, empty foodstuff containers and animal feed. 2. avoid contact with mouth, eyes and skin. 3. avoid inhalation of spray mist. spray in the direction of wind. 4. wash thoroughly the contaminated clothes and parts of the body after spraying. 5. do not eat, drink and smoke during spraying. 6. wear full protective clothing while mixing and spraying.

**Symptom of Poisoning:**

**Ametryn 80% WP**

वर्षा-सुरक्षा [सुरक्षा] ! !

**Selective Herbicide**

कार्य-कारण [सुरक्षा] ! !



कार्य-कारण [सुरक्षा] ! !

Keep out of reach of children.

कार्य-कारण [सुरक्षा] ! !

Keep in cool, dry place away from heat and open flame.

Regn. No. [ ] ! !

Mfg. Lic. No. 2-3 1 1 1 ! !

Batch No. 0 0 0 ! !

Mfg Date 2-3 1 1 1 ! !

Exp. Date [ ] ! !

Net Content / Volume [ ] ! !

Max. Retail Price [ ] ! !

कार्य-कारण [सुरक्षा] ! !

वर्षा-सुरक्षा [सुरक्षा] ! !

कार्य-कारण [सुरक्षा] ! !

कार्य-कारण [सुरक्षा] ! !

UWS 2

TSSIS

[ ] ! !

TIS

WS

[ ] ! !

UIZ

[ ] ! !

w/w

TIS 3 2 [ ] ! !

UI 2 [ ] ! !

mö [ ] ! !

[ ] ! !

0 2 3 [ ] ! !

3 2 [ ] ! !

irritating to eyes. piloerection and emaciation may occur.

**First Aid:**

If ingested: if person is conscious and alert, rinse mouth with water and give 1 or 2 glass of water to drink. Never give anything by mouth to an unconscious person. Call the doctor. Do not induced vomiting until and unless desired by attending physician.

If inhaled: Take the patient to fresh air and take care of body temperature. If patient is not breathing or breathing with difficulty, give artificial respiration, Consult a physician.

In case of skin contact: Wash thoroughly the affected part of body with soap and plenty of water including hairs and under fingernails.

If pain, redness or irritation persists, consult a doctor. All contaminated clothes should be segregated and thoroughly washed with soap and water separately before use.

In case of eye contact: Rinse gently with plenty of water at least for 15 minutes. If pain, irritation, redness or photophobia persists. Consult eye specialist

**Antidote**

there is no specific antidote. treat symptomatically and give supportive therapy.

**Cautionary statements:**

- 1. toxic to fish, aquatic organisms hence should not be used near water bodies, aquaculture or pisciculture.
- 2. Not to be used for any purpose other than those subscribed on label and leaflets.
- 3. Destroy the container after use as directed on leaflet.

**Manufactured by**

P. O. B. 262, Ashdod, Israel

**Supplied by**

**Imported and Repacked by**

ADAMA India Pvt. Ltd.  
Plot No: DS-13, IKP Knowledge Park, Sy. No. 542/2, Genome Valley, Turkapally, Shameerpet, Ranga Reddy District Hyderabad Hyderabad Telangana 500078

n 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67 68 69 70 71 72 73 74 75 76 77 78 79 80 81 82 83 84 85 86 87 88 89 90 91 92 93 94 95 96 97 98 99 100

m 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67 68 69 70 71 72 73 74 75 76 77 78 79 80 81 82 83 84 85 86 87 88 89 90 91 92 93 94 95 96 97 98 99 100

3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67 68 69 70 71 72 73 74 75 76 77 78 79 80 81 82 83 84 85 86 87 88 89 90 91 92 93 94 95 96 97 98 99 100

n 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67 68 69 70 71 72 73 74 75 76 77 78 79 80 81 82 83 84 85 86 87 88 89 90 91 92 93 94 95 96 97 98 99 100

n 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67 68 69 70 71 72 73 74 75 76 77 78 79 80 81 82 83 84 85 86 87 88 89 90 91 92 93 94 95 96 97 98 99 100

1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67 68 69 70 71 72 73 74 75 76 77 78 79 80 81 82 83 84 85 86 87 88 89 90 91 92 93 94 95 96 97 98 99 100

1! 2 Y 3 Z 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67 68 69 70 71 72 73 74 75 76 77 78 79 80 81 82 83 84 85 86 87 88 89 90 91 92 93 94 95 96 97 98 99 100

q n 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67 68 69 70 71 72 73 74 75 76 77 78 79 80 81 82 83 84 85 86 87 88 89 90 91 92 93 94 95 96 97 98 99 100

1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67 68 69 70 71 72 73 74 75 76 77 78 79 80 81 82 83 84 85 86 87 88 89 90 91 92 93 94 95 96 97 98 99 100

n 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67 68 69 70 71 72 73 74 75 76 77 78 79 80 81 82 83 84 85 86 87 88 89 90 91 92 93 94 95 96 97 98 99 100

**Premises Address**

- (1). Plot No. 227/1, GIDC Estate, Panoli-394116, Gujarat State. Gujarat
- (2). D-II/CH/1, G.I.D.C. Estate, Dahej, Tal. Vagra, Dist. Baruch, Gujarat-392130 Gujarat
- (3). Plot No 905 , GIDC Estate, Ankleshwar Gujarat
- (4). 228, G.I.D.C. Estate, Panoli,Ankleshwar, Bharuch - 394 116, Gujarat State Gujarat
- (5). D-2/CH-51, Dahej, GIDC, Ta: Vagra, Dist.: Bharuch-392130, Gujarat

© 2011 - 2012

- (1).
- (2).
- (3).
- (4).
- (5).

**Customer Care Details**

Address: ADAMA India Pvt. Ltd., Plot No: DS-13, IKP Knowledge Park, Sy. No. 542/2, Genome Valley, Turkapally, Shameerpet, Ranga Reddy District, Email: arpita.roy@adama.com Contact no: 09652341115

»—« ± μ . . . . .

© 2011 - 2012 DS-13, IKP - μ . . . . . Sy . . . . .  
 542/2Z j - 2 š ² ©—®yμ Ž , ² ®²Ž ™ . . . . . j μ Ž  
 p² μ . . . . . arpita.roy@adama.com  
 ° ®—j - ° . . . . . 09652341115

**Safety Pictograms:**



W<sup>2</sup> - 3 - [S<sup>2</sup> | qu! j !

fi œ³ - r² - f! @. - , - fi

W<sup>2</sup> - 3 - [S<sup>2</sup> | qu! j ! | w- » Ž j ° - ° œ- 2 W<sup>2</sup> - 3 - [S<sup>2</sup> | ff! @ | fl » Q o° - ° q®³ TM TMö - - š ° f! @. - f! w œ j ! ® . μ f! @. - f! - a 2 » © - 3 j © » Q  
° 3 - - ° œ- -

W <sup>2</sup> - 3 -	[S <sup>2</sup>   w/w
°   3 2   μ   3 μ   ° y - α	TIS <sup>2</sup>   w/w
°   3 2   μ <sup>TM</sup>   ° y - α	UZ <sup>2</sup>   w/w
°   3 2   @ μ - ° ä ° μ α	WS <sup>2</sup>   w/w
α y -	®³ b®²   ° - -   w/w
- μ	TSSIS <sup>2</sup>   w/w
	3 TM - TSSISS <sup>2</sup>   ±   ±

° μ	- α   - 2	° » ä α³   2		® -   - 2   μ !	° μ   m - a	® -   - μ	®   ° μ	n .
		°   ° ħ 2	°   œ- 2 μ! μ !					
TMö -	© -   Ž - ° Ž 3 ö² 2   2 - ä³ - Ž m j   °² - - j 3   ° Ž j   μ   œ μ p	UIS	UX	XSS	UZV <sup>2</sup>   ° -   a ©	UWŞ α	VTT	w- μ   n . « -

Note:-

\_\_\_\_\_

q®³ TM - μ w - « -

m-, ° © f! @. - f! q®³ TM - Q | f! @. - f! n . 3 - 2 | 2 | ° - - f! @ μ | - f!

2 ° 2 | - | a ©

° ° © Ž » . | f! TM2 | - ® - f! m- - f! - « - | - | -

2 | α | f! @ -

3 » | ° ° o! | ® | n . « - | μ w » | f! m-, ° © f! @. - f! q®³ TM - w j - | ® | ° - | - p | © - μ | ± | - » » Q j μ 3 | - 1 | - | ® ° | q®³ TM - f! - ° ° œ

° μ | m - a

UZV<sup>2</sup> | ° - | a ©

n . « - | © - -

® | n . « - | qœ - y α | ° 3 | f! w w ® p ž v œ α ® | ® . f! 3 | - | q®³ TM - f! - μ α ® - 3 | ° E j α | - j μ | - ° a | μ TM3 | j | © » Q

\_\_\_\_\_

+ μ α | - f! + μ j | Ä α | - j μ | - ° a | - - ® - | 3 | Q

\_\_\_\_\_

Caution: í Not to Be Used on Crops Other Than Specified on This Label/Leaflet! " "



Ametryne 80% WG

\_\_\_\_\_

Ametryne 80% WG is used to control of grassy weeds and broadleaf weeds on Sugarcane @ a.i 2.0 gm / ha, formulation 2.5 kg / ha, diluted in 500 L of water.

\_\_\_\_\_

Ametryne 80% WG is used to control of grassy weeds and broadleaf weeds on Sugarcane @ a.i 2.0 gm / ha, formulation 2.5 kg / ha, diluted in 500 L of water.

Ametryne 80% WG

\_\_\_\_\_

Ametryne 80% WG is used to control of grassy weeds and broadleaf weeds on Sugarcane @ a.i 2.0 gm / ha, formulation 2.5 kg / ha, diluted in 500 L of water.

Ametryne 80% WG

Ametryne 80% WG

\_\_\_\_\_

Ametryne 80% WG

\_\_\_\_\_

Ametryne 80% WG

\_\_\_\_\_

Ametryne 80% WG

Ametryne 80% WG

Ametryne 80% WG

Ametryne 80% WG

Ametryne 80% WG

\_\_\_\_\_

Ametryne 80% WG is used to control of grassy weeds and broadleaf weeds on Sugarcane @ a.i 2.0 gm / ha, formulation 2.5 kg / ha, diluted in 500 L of water.

Ametryne 80% WG is used to control of grassy weeds and broadleaf weeds on Sugarcane @ a.i 2.0 gm / ha, formulation 2.5 kg / ha, diluted in 500 L of water.

Ametryne 80% WG is used to control of grassy weeds and broadleaf weeds on Sugarcane @ a.i 2.0 gm / ha, formulation 2.5 kg / ha, diluted in 500 L of water.

Ametryne 80% WG is used to control of grassy weeds and broadleaf weeds on Sugarcane @ a.i 2.0 gm / ha, formulation 2.5 kg / ha, diluted in 500 L of water.

\_\_\_\_\_

Caution: Not to Be Used on Crops Other Than Specified on This Label/Leaflet

—p' . . . a' . 1— . —'»'»Qμ¼" —° ' 'om j' —' | ' '° » 3—' œ—ñ° ' «Q

° »' —' . ©'

TI' '®Q. '— . —' |ø' —' mō³ '®« a | | ' '° —' ' ' 3 '®« a | ° » ©' —W»W—2 ' '3 ' j' TM» '° ' « ' Ž mμ TM' —2 ' '2 '3 ' mμ TM' j' TM» ®' '3 ' . © ' mμ² ' '2 '© μ ' œ° '2 '° « ' ' Q UI' j' ° —2 ' '3 ' j' TM» '2 '— — . —' —' ± δ | ' ' —' —' » ' . »' mçY ' ©' » '° —' » n ' ° —' Ž . « ' Ž — . 2 3 ' ©' '® b° μ ú° ' œ | ' » —' œ » 3 Q j' ° ° ± ®' « 1 ' ' » —' —' ± 3 ' —' » Q

\_\_\_\_\_:

TI' ' 3° 2 ' Ž ' 3° 2 ' —' —' μ ' ° © | | ' '® { ' —' œ ' '° « ' ' ' Q UI' 2 » Ž ñ œ | ' ' n ' —' —' ° ú @—' ° ' ° œ³ Q V! ' Y Ê— . ' —' . ' ® —' ° ° ' ' ' mō« ' j' —' ° ' ° œ³ Q » . —' —' « . ' 2 ' Y Ê—' —' —' Q W Y Ê—' —' —' ° « ' « 1 © —' —' | ' ' ' ' ' —' m TM' —' mçY ' ©' » ' —' v Q X! ' Y Ê—' —' —' ° 2 3 ' —' ® — Ž —' —' Ž @ —' | ' ' —' Y ' œ —' —' » ' œ » v Q Y! ' Y Ê—' —' —' ° 3 ' 2 μ ' ° ° 2 3 ' ® ' | ° '¼ ñ —' —' ® Ê ' ® » —' Q

\_\_\_\_\_:

1! 2 Y μ³ Ž j μ³ j' . . . —' μ w mñ³ —' j » μ ' » ° μ w j μ ' —' —' 3 Ž j μ³ —' —' —' ® ° ' o ° 2 μ ' —' » ' —' —' œ » v Q

2! μ° μ' μ' μ' μ' 2 ' —' « | a' —' 3 ' TM' ' —' μ ' —' mμ . ' mō³ ' —' ° μ ' ® ' o ° 2 μ ' —' —' Q

3! q®³ TM' —' ° « ' —' μ ' |ø' —' —' μ Ó μ' 2 ' « 3 ' TM' ' —' « . ' —' m —' ° ' —' —' a' —' Q

TI' 3 » —' —' . —' qñ® « — Ž ' —' ú³ μ' ° | ° a ' y ' °' a° | —' —' © j³ ' ' TM' —' —' |ø' '3 ' ° œ » p' ° 2 ' 3 ' | ' ' —' —' —' —' ® a —' ° '¼ ©' —' —' ° ' —' —' © —' . © . ' ' ' 3 ' —' ® —' « 1 © —' —' » Q UI' ' μ ' |ø' —' —' μ ' 2 ' —' » ' —' —' œ » v Ž ° —' q —' —' « ° ' ' o ° 2 μ ' —' —' » Q V! ' |ø' —' —' © Ê —' Ê —' —' » 3 . ' ° ° ' ° « ' j' 2 —' 2 ' TM' Ê ' « 3 ' j' —' —' œ » v Q

qñ® « —' ® ' ° ' —' .

ñ 3 ' ©' | ' ' ® —' ® —' TM' —' © |

500078

» —' « ' ± μ ' . . . ' ' —' .

arpita.roy@adama.com

° '¼' œ ' μ ' ®—



Caution: Í Not to Be Used on Crops Other Than Specified on This Label/Leaflet! "

**Ametryn 80% WP**

**( Selective Herbicide )**

Ametryne 80% WG is a Wettable Granule containing Ametryne 80% (a.i) in the formulation. It is used for the control of grassy weeds and broadleaf weeds on Sugarcane.

<b>Chemical Composition:</b>	<b>Ingredient</b>	<b>%W/W</b>
	Ametryne	80 % w/w
	Sodium lauryl sulfate	1.0 % w/w
	Sodium lignosulfonate	2.7 % w/w
	Sodium polycarboxylate	4.0 % w/w
	Talc	q.s. to make % w/w
	Total	100 % w/w
<b>Total:</b>		<b>100.00% w/w</b>

**Recommendation**

<b>Crop(s)</b>	<b>Common Name of Pest</b>	<b>Dosage/HA</b>		<b>Dilution in Water Litre</b>	<b>Crop Stage</b>	<b>Re-entry Period</b>	<b>Pre Harvest</b>	<b>Frequency</b>
		<b>AI grams</b>	<b>Formulation ml.</b>					
Sugarcane	Digitaria sanguinalis Cynodon dactylon, Trianthema monogyna, Ageratum conyzoides, Dactyloctenium aegyptium	2.0	2.5	500	GA leaf stage of weeds	24 hours	311 days	single application

**Note:-** .

**Good Practices relating to pesticide application techniques**

**Direction of Use**

use recommended dose. Dilute the formulation in required quantity of water

**Weather Condition(in general):**

Do not spray during rainy, windy and hot sunny period

**Soil & Water(when ever applicable):**

This Herbicide is for foliar application and has no adverse effect when used at recommended dose . Avoid using near aquaculture

**Crop Stage for application:**

GA leaf stage of weeds

**Application Technique**

Foliar application using high volum sprayers and ASPEE-HTP power sprayer fitted with flat fan or flood jet nozzle.

**Equipment Type:**

**knapsack sprayer with flat fan/ flood jet nozzle.**

**NozzleType:**

**flat fan/ flood jet nozzle.**

**Dosage:**

**Caution: Not to Be Used on Crops Other Than Specified on This Label/Leaflet "**

Ametryne 80% WG is used to control of grassy weeds and broadleaf weeds on Sugarcane @ a.i 2.0 gm / ha, formulation 2.5 kg / ha, diluted in 500 L of water.

**Instruction for Mixing:**

Shake the bottle before use measure out requisite quantity of the herbicide and mix it well with small quantity of water. Add the remaining quantity of water as specified with thorough agitation for total coverage of crop with suitable sprayer.

**Re-entry Period**

24 hours

**Manner and Time of Application**

Measure out required quantity of Ametryne 80 % WG and mix it well with required quantity of water and spray by using Knapsack sprayer fitted with flat fan nozzle with spray volume @ 500 L/ha. Apply at 25 days after planting.

**Application Timing**

Preferably in the morning and evening hours.

**Frequency**

single application

**Stages during which pesticides should not be applied on any crop :**

**Follow the above instructions as mentioned in time of application**

**Precautions to be taken to avoid harm to the beneficial insects like honey bees and natural enemies of pests :**

**Symptoms Of Poisoning**

Irritating to eyes. Piloerection and emaciation may occur.

**First Aid**

If ingested: if person is conscious and alert, rinse mouth with water and give 1 or 2 glass of water to drink. Never give anything by mouth to an unconscious person. Call the doctor. Do not induced vomiting until and unless desired by attending physician.

If inhaled: Take the patient to fresh air and take care of body temperature. If patient is not breathing or breathing with difficulty, give artificial respiration, Consult a physician.

In case of skin contact: Wash thoroughly the affected part of body with soap and plenty of water including hairs and under fingernails. If pain, redness or irritation persists, consult a doctor. All contaminated clothes should be segregated and thoroughly washed with soap and water separately before use.

In case of eye contact: Rinse gently with plenty of water at least for 15 minutes. If pain, irritation, redness or photophobia persists. Consult eye specialist

**Antidote**

There is no specific antidote. Treat symptomatically and give supportive therapy.

**Phytotoxicity**

The product is not phytotoxic when used as per recommendation.

**Storage Conditions**

1. The package containing pesticide shall be stored in separate rooms or premises away from storing other articles or shall be in separate almirahs under lock and key depending upon the quantity and nature of the pesticide. 2. The rooms or premises means for storing pesticides shall be well built, dry, well-lit and ventilated and sufficient dimension to prevent environmental contamination with vapour of pesticides.

**Safety Precaution:**

1. Keep away from foodstuff, empty foodstuff containers and animal feed. 2. Avoid contact with mouth, eyes and skin. 3. Avoid Inhalation of spray mist. Spray in the direction of wind. 4. Wash thoroughly the contaminated clothes and parts of the body after spraying. 5. Do not eat, drink and smoke during spraying. 6. Wear full protective clothing while mixing and spraying.

**Cautionary Statement:**

**Caution: Not to Be Used on Crops Other Than Specified on This Label/Leaflet "**

**1. toxic to fish, aquatic organisms hence should not be used near water bodies, aquaculture or pisciculture.**

**2. Not to be used for any purpose other than those subscribed on label and leaflets.**

**3. Destroy the container after use as directed on leaflet.**

**Disposal of used containers, washing from equipment and surplus material :**

1.It shall be the duty of manufacturers, formulators of insecticides and operators to dispose packages or surplus materials and washing in a safe manner so as to prevent environmental or water pollution. 2. The used packages shall not be left outside to prevent their re-use. 3. The packages shall be broken and buried away from habitation.

**Manufacturer Premises :**

228, G.I.D.C. Estate, Panoli, Ankleshwar, Bharuch - 394 116,  
Gujarat State  
Telangana

D-2/CH-51, Dahej, GIDC, Ta: Vagra, Dist.: Bharuch-392130,  
Gujarat  
Telangana

D-II/CH/1, G.I.D.C. Estate, Dahej, Tal. Vagra, Dist. Baruch,  
Gujarat-392130  
Telangana

Plot No 905 , GIDC Estate, Ankleshwar  
Telangana

Plot No. 227/1, GIDC Estate, Panoli-394116, Gujarat State.  
Telangana

**Imported and Repacked by**

ADAMA India Pvt. Ltd.  
Plot No: DS-13, IKP Knowledge Park, Sy. No. 542/2, Genome  
Valley, Turkapally, Shameerpet, Ranga Reddy District Hyderabad  
Telangana 500078

**Customer Care Details:**

arpita.roy@adama.com

**Safety Pictograms:**



**Caution: Not to Be Used on Crops Other Than Specified on This Label/Leaflet**