











μ™ -»

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

μ™ -»

—p'°'®μ'—'m@'μ

μ™ -»

\_\_\_\_\_

μ™ -»

n·«—'—'°23

μ™ -»

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

qñ®«'2ÿμ'—'μw·1â©'»| 'o°—'o ©2 μ'vâ· —yœ'—'n °@°'—»' —3'j'—'œ»wQÿμ'—'μw·1â©—' { Ž©μ°Ž  
j μ2™'n «'—'«1©'—'Q

·1'—'μ¼''

° ««Ë qyα Ž 2 ©μ Ž ®° — Ž œ—'n —Ž m—É—| '®α'«l—', —3©'»'° —©'»Q

\_\_\_\_\_:

3 «'—™μ' μ3'©—'™'°©—| '»', '2'»'©'®—'—° a'2'»'n'μ' | '®—'—' μwT'3'U'™μ'°'®—'«Q°»', 'y3'â©'—'±'2'»  
°'—ÿ'±'—'«Q©'©'j'âα'—'° μ wQ qyα'—' μw' '©'—'—'j'°'©—'w'—'œ—'f°—'—'x°'—'—'—'«'—'» Qm™'°°'°'—'—'°š'  
μ3'©—'™'—'©'j'»', '2'»' | '»', '®2'—'—'â3'μ'—'Q3'«'°°'m—3'2'©3'°«'»'©'—'2'—'°'—'«'—'œ»3'j'°2'2'»'  
°'2'»'2'—'2'—'—'°'—'«'—'», '2'μ'—'—'°'—'Qw'—'œ—'f°—'—'®'2', l—'Q3'«'ñ'œ'«1©'»'j'3'©—'©'°°'±'«1©'—'®É'q©'«Q  
°°'—| '®—'—'° a'«1©'ñ'œ'—'μQ3'«'ñ'œ'—'«Ë μ μ '3'j'μ'—'—'°'—'©'»Ž©'—'œ—'f°—'—'° μ »'μQ'°°'±'«1©'—'®É'mçÿ'  
©'»'°°'μμ™'—' | 'q®™'—'—'°®μ'°°'—| '®—'—'°μμ™'°'—'—'œ»wQ3'«'n'—'«1©'»'j'3'©'—'n'—'—'2'—'2'°'—'®—'  
°'μ™±™'TS'°°'TX'2'—'α'©—'n vQ«Ë j μ—Ž μ μ '3'—', —'—'m°»—3©'°°'—'»©'»'©'—'—', 1½'°'®'2', l—'Q

\_\_\_\_\_

1fl ± ·.©'y3'â©'—'©'©'w'®—'«'—'œ»wQ| 'o°—'2-4'2! 'l'©—'—'—'—'—'5-10'2'—'α'°'«'—'m©'μ'®'—'p'š'α'©'—'«©'—'—'  
œ»wQ3'«'j'»'°š'—'—'μ¼''°2'ö©'—'»w'»'©'w'®—'«'—'j'—'—'3Qw'—'«'—'2'25'°'50'2!'—'2'w'®—'—'j'—'©'®É'°—'©'—'»Q  
w'®—'—'—'—'—'—'œ©'—'—'2'—'α'—'—'μ'μ'—'—'2'—'—'ö3'—'2'—'—'j'—'°°'—'©'—'»Q

° »'—'—'©'

Т!-м-, -±| μ™-2 2 3 'x° 'i™' 2-3 'i x'j »'®'mō3'. ©x', 1©- 3®« a| -±| 'm-» Q3 -м-, -  
|ø' -q-2 | -m-° '©μ°ō«'mμ² 2 2 Q  
U!-м-, -±| μ™'mçY'©»'» Q, -Z, ©μZ - 3â©| '»' «'»'©³ b©'μú° | 'æ| '» -'æ» x'© -  
-м-, -±| ° ®' : ©' «1©'» -±| '» Q

®«®'n . 1 μ©

μ™ -»

Т!-м-° 2 -Z-м-° 2 -±| μ°©-| '®, { -æ'° «'» Q»Zñ æ'| 'n -±| °-°e³ Q 3™ -±| ° «' «1©'  
-®| | '», 'm™-mçY'©»'» wQ 3™ -° 2 3 'i ®-Z- -Z-®-| ' -Y'æ' -» 'æ» wQ 3™ -° 2 3 'i® |  
° ¼ñ² -®|â®»-°°'ф μZ - «3 Z®' | 'i μ' -3 2 -» '°» -'æ» wQ

'°' μ° μ'® -®' - «|м-мμ' mō3'° μ'®'q®³™ -°Q° μ' -° «'o ©² μ' -°Q° μ' -м- -° q®³™ -°  
'©' -» Qqñ®«² Yμ' -μw' 1â©'» | '° -° ©² μ'wâ' -yæ' -n° ®° -» -³ 'i -'æ» wQ' { Z©μ° Zj μ²™'n «'  
-«1©' -Q

- 1!³» -м-, -±| -2 ® { Zy ®'м-| ' 2 μм- -y³»™' -®³ | ' 3 'i μ' «1™ -±| - μw-° ¼©' -°  
®-³ 'm 1° 2 | ' -®-° Q
- 2!q®³™ -³»w'®- μ² - Y È'© -q-®- ®³™ -³ 'i -Q
- 3!®-° È' -n° «'° «'i² -±| -æ™È' «Q

qñ®«-®'°' n 3 © | '®-®-™-®|

500003

»-«' ± μ' . . .

-² | μ' оа', -μ' μ² м-² | μ' » r° : \$Z%\$#Z° '«'®μ'  
'|Z° -«'° «

° ¼' æ' μ®-



**Benfuracarb Technical 90% w/w Min.**

( Insecticide )

-

<b>Chemical Composition:</b>	<b>Ingredient</b>	<b>%W/W</b>
Benfuracarb	-	90.00% w/w (min) -
Benfuracarb-disulfide	-	0.85% w/w (max) -
Benfuracarb-polysulfide	-	0.15% w/w (max) -
Bis[N-(2(ethoxycarbonyl)ethyl(N-iso propylamino))disulfide	-	0.55% w/w (max) -
Bis[N-(2(ethoxycarbonyl)ethyl(N-iso propylamino))pentasulfide	-	0.30% w/w (max) -
Bis[N-(2(ethoxycarbonyl)ethyl(N-iso propylamino))Tetrasulfide	-	1.00% w/w (max) -
Bis[N-(2(ethoxycarbonyl)ethyl(N-iso propylamino))trisulfide	-	1.30% w/w (max) -
Biscarbofuran-disulfide	-	0.40% ww (max) -
Biscarbofuran-polysulfide	-	0.10% w/w (max) -
Biscarbofuran-sulfide	-	0.50% w/w (max) -
Carbofuran	-	0.95% w/w (max) -
Solvent (Cyclohexane)	-	2.50% w/w (max) -
<b>Total:</b>		<b>100.000% w/w</b>

Good Practices relating to pesticide application techniques

**Direction of Use**

The product shall be used to make its approved formulations.

**Weather Condition(in general):**

NA

**Soil & Water(where ever applicable):**

NA

**Crop Stage for application:**

NA

**Application Technique**

NA

**Equipment Type:**

**NA**

**NozzleType:**

**NA**

**Dosage:**

**Instruction for Mixing:**

**Caution: Not to Be Used on Crops Other Than Specified on This Label/Leaflet**

**Re-entry Period**

NA

**Pre-Harvesting Interval**

NA

**Manner and Time of Application**

NA

**Application Timing**

NA

**Frequency**

**Stages during which pesticides should not be applied on any crop :**

**Precautions to be taken to avoid harm to the beneficial insects like honey bees and natural enemies of pests :**

Product is toxic to fish and not be used around aquaculture. Toxic for fish. Do not contaminate lakes, ponds and water bodies.

**Symptoms Of Poisoning**

headache, vomiting, nausea, sweating, dizziness, convulsion and stomach ache may occur.

**First Aid**

If ingestion: If person is conscious and alert, rinse mouth with water and give 1 or 2 glass of water to drink. Never give anything by mouth to an unconscious person. Call the doctor. Do not induce vomiting until and unless desired by attending physician. If inhaled: Take the patient to fresh air and take care of body temperature. If patient is not breathing or breathing with difficulty, give artificial respiration, preferably with mouth breathing. Consult a physician. In case of skin contact: Take off immediately all contaminated clothing. Wash with soap and plenty of water. If pain, redness or irritation persists, consult a doctor. All the contaminated clothes should be segregated and thoroughly washed with soap and water separately before use. In case of eye contact: Rinse gently with plenty of water at least 15 minutes. If pain, irritation, redness or photophobia persists, consult eye specialist.

**Antidote**

1) Atropinise the patient immediately and maintain full atropinisation by repeated doses of 2-4 mg at 5 to 10 minutes interval for hours together. The need of further atropine administration is indicated by the continuance of salivation. As much as 25 to 50 mg may be required in a day. The extent of salivation is a useful criterion to follow in adjusting the dosage of atropine.

**Phytotoxicity**

NA

**Safety Precaution:**

1. keep away from foodstuffs, empty foodstuff containers and animals feed. avoid contact with mouth, eyes and skin and avoid inhalation of the insecticide. wash thoroughly the contaminated clothes and part of the body after handling. do not smoke, drink, eat and chew anything while handling. wear full protective clothing while handling. do not discharge into lakes, streams, ponds and water bodies.

**Storage Conditions**

1. The packages containing the insecticide shall be stored in separate room or premises away from the rooms or premises used for storing other articles particularly articles of food or shall be kept in separate almirahs under lock and keys depending upon the quantity and nature of the insecticide. 2. The rooms or premises meant for storing the insecticide shall be well built, dry, cool, well lit and ventilated and of sufficient dimension to avoid contamination with vapor.

**Cautionary Statement:**

**Caution: Not to Be Used on Crops Other Than Specified on This Label/Leaflet**

**Not to be used on crops other than specified on this label/leaflet. Not to be used for post-harvest application. Dangerous to re-use empty containers. This product is toxic to fish and not be used around aquaculture.. Do not contaminate lakes, ponds and water bodies.**

**Disposal of used containers, washing from equipment and surplus material :**

1. It shall be the duty of manufactures, formulators of insecticides and operators to dispose packages or surplus material and washings in a safe manner so as to prevent environmental or water pollution.
2. The used packages shall not be left outside to prevent their re-use.
3. The packages shall be broken and buried away from habitation.

**Manufacturer Premises :**

Unit 1- Pesticides Division Ranipet N.A. Distric, Tamil Nadu Unit2-  
Lane No.4, Phase 1, Sidco Industrial Estate, Baribrahamana,  
Jammu  
Telangana

**Imported and Repacked by**

Coromandel International Limited  
Coromandel House 1-2-10, Sardar Patel Road, Secunderabad  
Hyderabad Telangana 500003

**Customer Care Details**

Coromandel International Limited Coromandel House 1-2-10,  
Sardar Patel Road, Secunderabad

**Safety Pictograms:**



**Caution: Not to Be Used on Crops Other Than Specified on This Label/Leaflet**