

° o - - V ' f ' âµ '®³ '° 'VS' '± '± 'pl° !

fi ' - - - - - fl

-

° o - - V ' f ' âµ '®³ '° 'VS' 'pl° ! w - - - - - 2 ' ' » ° o - - q®³ TM ' - - - - - µ ' 2 ' © - ' Y « - ' © ' 2 Ê - - - - - 3 ' ' 2 ' » © ' » :

° 3 - - - - - ° 'œ- ' -

° o - - - - - !©	° 3 ' ş - - - - -	VIS ' - - - - - w/w
âµ '®³ '° '° !©!	° 3 ' ş - - - - -	VSISS ' - - - - - w/w
oúµ ° - - - - - µ õ ! ' { - - - - - y° 3 2 ' mý - - - - - om ' mõ³ ' ş - - - - -		[!S ' - - - - - w/w
° õ ! - - - - - y - - - - - ş mý - - - - - om ' - - - - - µ ' oª - - - - - â, µ ' °		
°ª ' - - - - - ş - - - - - µ ' oª - - - - - â, µ ' °		
o® â° o ! ' ° 3 ' ° - - - - - ©µ	mõ³ ' ş - - - - -	XIS ' - - - - - w/w
° y. õª° ž	mõ³ ' ş - - - - -	®³ b®² ' - - - - - w/w
3 TM - TSSISS ' ± ' ± ' -		

° µ ' - - - - -	- - - - - 2	© ' » âª³ ' 2		® - - - - - 2 ' µ ' - - - - -	° µ ' m - - - - - a	® - - - - - µ	® I - - - - - µ	n .
		° ! ' ©ñ 2	° 'œ- ' 2 µ					
- - - - -	© - ' Y « - ' © ' 2 Ê - - - - -	fUWf ' UWšfI ž	[SSZTSSS	XSS ' µ ' - - - - -	. - - - - - ® - - - - - ° ' j - - - - - œ''	VŲ ' š õª	UT ' « - - - - -	VW - - - - - °ª ' n . 3 - - - - - © ' ® ! - - - - - ® ' ® - - - - - 3 TM ' - - - - -

Note:- -

q®³ TM - - - - - µW - - - - - « - - - - -

° o - - V ' f ' âµ '®³ '° 'VS' 'pl° ! - - - - - q®³ â®² ' µ j 3 ' | ' ' o² 'ª Ê ' ° ' ® - - - - - 2 µ o³ ' o° ' mçY ' © ' » ' ş µWž ' - - - - - o² ' 1 ' ® - - - - - mçY ' © ' » » µ © ' »W 2 µ o³ ' » . - - - - - « ' 2 ' Y Ê - - - - - Ž o° - - - - - . ® ' © ' - - - - - »

2 ° 2 ' - - - - - a ©

- - - - - µ ' n ° 2 - - - - - ° 2 3 ' 3 TM - - - - - ® ! ' » . ' oµ - - - - - a © ' 2 ' Y Ê - - - - - - - - - - Q

2 ' - - - - - | ' ® - - - - -

»y - - - - - ° ' ± ' 2 ' - - - - - - - - - - ® - - - - -

- - - - - ° µ ' m - - - - - a

. - - - - - ® - - - - - ° ' j - - - - - œ''

n . « - - - - - © - - - - -

q®³ TM 2 ' n - - - - - µ ' 3 õ ! . Á.®ª - - - - - 3 ' ž - - - - - ® - - - - - ® . ' 3 ' ž 2 ' ş oé ! ' - - - - - ® - - - - - 3 ' - - - - - 2 ' | ş ž - - - - - ú , - - - - - ® - - - - - 3 ' ž - - - - - ú , - - - - - ® - - - - - °ª ' 3 ' ž y» µ ' ° ' 3 ' ®ª ' wcdª ! ® ! ' ® . ' 3 ' !

- - - - - j µ ' - - - - - - - - - - » µ ' - - - - - - - - - - j µ

Caution:Í Not to Be Used on Crops Other Than Specified on This Label/LeafletÍ "

q@3 TM 2 n - : μ 3 0 . Á @ - 3 Ž - @ - . 3 Ž 2 a oé | - @ - 3 - 2 | a Ž - ú , - - @ - 3 Ž - ú , - - @ - a
3 Ž ý μ - 3 @ w a ! @ . 3 !

— — — i μ

800-1000 ml

o - - V - i á μ r @ 3 - o VS - pl o ! - q @ a @ 2 - μ j 3 | - o 2 a Ê - o - 2 μ o 3 o m ç Y - @ - š μ w Ž - o 2 , 1
@ - m ç Y - @ - » μ @ - w 2 μ o 3 » - « , 2 Y Ê - Ž o - - @ - »

W ž š o a

n . « - - o 2 3

2 ā 3 @ - o . 3 , 2 - o 2 3

w - @ n . 3 - @ - @ - @ - 3 TM -

. 1 - μ ¼ :

o - - a , - o o ú @ - - @ 2 o , 3 2 x - - Ž , 2 S μ @ - Ž o « Ž o - - Ž 2 @ μ Ž q y a Ž - j - - μ @ - Ž @ -
n - Ž m - n o - TM - Ž μ - a @ - Ž ħ œ - 2 @ - Ž j o ħ œ - μ μ - Ž o - - Ž j μ - - 3 o o » a » - @ - Q 3 « - - o
o @ 2 μ - » - 3 TM @ 2 - 3 2 @ μ o 3 @ - » - @ - Q

@ « @ n . 1 μ @

o ç . - 2 - m - o 3 TM - - @ 3 » - a , - @ - , a @ - » :

_____:

Caution: Not to Be Used on Crops Other Than Specified on This Label/Leaflet

T! '3 »' qñ® «' 2 -2 ā - 3 ' - μ w mñ³ - - . 1 ā®' »' o° μ w o° - q®³ TM 2 -2 ā - 3 ' - o° 3 ' m. a ' - «' - - »' - - ' œ » w Q
 U! '3 »' qñ® «' 2 Ÿ μ | | ' i μ 3 ' i ' - μ w ± ' mñ³ - - . 1 ā®' »' o° μ w i μ 3 ' - 1 ' 2 ' o° - q®³ TM - »' - - ' œ » w Q
 V! μ° μ' μ' μ' μ' 2 ' - «' | κ' - 3 ' TM 3 ' o° μ' - μ μ' - mō³ ' o° μ' ®' o° ©² μ' - - Q
 W q®³ TM - o° «' - μ' | ø' - - μ o μ' 2 ' «' 3 ' TM 3 ' - «' - - m- o° - - κ' - - Q

T! '3 »' - κ- , - 2 ©' ©² ' q®³ TM - © | - - © y³ ' »' - - »' | ø' - - ' 3 ' o° œ' » p' - κ- , - ©² ' o° - - - - - © κ' ' o° ' ¼ ©'
 § TM o° - - ' œ » w © - - ®³ | - - i μ' «' 1 ' - - »!
 U! q®³ TM - 3 ' TM 3 ' @ - ' o° »' - - Ÿ É' © - - q- - «' o° ' q®³ TM - ' »!
 V! q®³ TM - W TM 3 ' @ - ' - © É- ' n ° «' o° «' i 2 ' 2 ' TM É- ' œ » w!

qñ® «' - ®' o° -

qñ® «' -

3 - κ' T- pžVWŸ ' - o! 3 μ' w' 3 Ž œ® - Ž i μ ž' mμ' - žVSTZSZ'
 fi j a - fl

110033

3 - κ' U- pžVWŸ ' - o! 3 μ' w' 3 Ž œ® - Ž i μ ž' mμ' - žVSTZSZ'
 fi j a - fl

3 - κ' V- W\ žVWŠŽ ' - o! 3 μ' w' 3 Ž œ® - Ž i μ ž' mμ' - žVSTZSZ'
 fi j a - fl

3 - κ' W- Ÿ μ κ' - !- o° vœ' UT' i ! n p! i ! o! 3 μ' w κκŽ «' j Ž
 ©»° μ' - TM Ž i μ - ± œž\UWTS

3 - κ' X- o! 3 μ' a ' o° oκ' Ž° ú° Ž fj ú² ' wō! - 2 ' fl

3 - κ' Y- n p! n p! i ! o° oκ' Ž° μ' o° ý μ n - Ž q- 2 ®'

»- «' ± μ' - -

oō° ā κ° o° ' o' o! 3 ' μ 2 κ! '
 μ° ' κ- Ž n Ā «' - - 2 , p μ' - - ú Ÿ ā° Ž «' ý μ ' žTTSSW'
 011-27679700
 soumen@iilindia.co.in

° ¼ ' œ ' μ ®-



Caution: í Not to Be Used on Crops Other Than Specified on This Label/Leaflet! "

Bifenthrin 3% Chlorpyrifos 30% w/w EC

(Insecticide)

-

Bifenthrin 3% + Chlorpyrifos 30% EC is an insecticidal combination, used for the control of Stem borer and Leaf Folder in Paddy crop.

Chemical Composition:	Ingredient	%W/W
Bifenthrin a.i.	active ingredient	3.0 % w/w
Chlorpyrifos a.i.	active ingredient	30.00 % w/w
Emulsifier : Blend of calcium alkyl Benzene sulphonate, alkyl phenol ethoxylates and styrenated phenol ethoxylates	other ingredient	8.0 % w/w
Epoxydised soyabean oil	other ingredient	5.0 % w/w
Solvent C IX	other ingredient	Q.S % w/w
Total:		100.00% w/w

Recommendation

Crop(s)	Common Name of Pest	Dosage/HA		Dilution in Water litre	Crop Stage	Re-entry Period	Pre Harvest	Frequency
		AI gram	Formulation ml					
Paddy	Stem borer and Leaf folder	(24 + 240) - (30 + 300)	800-1000	500 L	Vegetative to reproductive stage.	48 hours	21 days	One and and repeat application as necessary.

Note:- -

Good Practices relating to pesticide application techniques

Direction of Use

Take the measured quantity of Bifenthrin 3% + Chlorpyrifos 30% w/w EC, add to it a small quantity of water, mix thoroughly and then add the remaining quantity of water while stirring vigorously. Do not spray facing the wind.

Weather Condition(in general):

Apply during clear sky and do not spray during windy conditions.

Soil & Water(where ever applicable):

Light to heavy soil & clean water

Crop Stage for application:

Vegetative to reproductive stage.

Application Technique

EQUIPMENT USED IN APPLICATION: Knapsack power sprayer, motorized knapsack sprayer cum duster, compression Knapsack sprayer, compression Knapsack battery sprayer, wheel barrow sprayer and HTP power sprayer.
NOZZLE TYPE: Hollow Cone

Equipment Type:

EQUIPMENT USED IN APPLICATION: Knapsack power sprayer, motorized knapsack sprayer cum duster, compression Knapsack sprayer, compression Knapsack battery sprayer, wheel barrow sprayer and HTP power sprayer.

NozzleType:

Hollow Cone

Dosage:

Caution: Not to Be Used on Crops Other Than Specified on This Label/Leaflet "

800-1000 ml

Instruction for Mixing:

Take the measured quantity of Bifenthrin 3% + Chlorpyrifos 30% w/w EC, add to it a small quantity of water, mix thoroughly and then add the remaining quantity of water while stirring vigorously. Do not spray facing the wind.

Re-entry Period

48 hours

Manner and Time of Application

-

Application Timing

Preferably in the morning or evening hours.

Frequency

One and repeat application as necessary.

Stages during which pesticides should not be applied on any crop :

=

Precautions to be taken to avoid harm to the beneficial insects like honey bees and natural enemies of pests :

Symptoms Of Poisoning

early symptoms of poisoning may be muscle tremors, tonic convulsion, headache, giddiness, vertigo, nausea, vomiting, sweating, excessive lacrimation and salivation, contact with may this occasionally produce skin sensations such as rashes, numbing, burning or tingling. may cause delayed polyneuropathy in human beings if not handled properly.

First Aid

If ingested: If person is conscious and alert, rinse mouth with water and give 1 to 2 glass of water to drink. Never give anything by mouth to an unconscious person. Call the doctor. Do not induced vomiting until and unless desired by attending physician.

If inhaled: Take the patient to fresh air and take care of body temperature. If patient is breathing with difficulty, give artificial respiration, preferably with mouth to mouth breathing. Consult a physician.

In case of skin contact: Wash thoroughly the affected part of body with soap and plenty of water including hairs and under fingernails. If pain, redness or irritation persists, consult a doctor. All the contaminated clothes should be segregated and thoroughly washed with soap and water separately before use.

In case of eye contact: Rinse gently with plenty of water at least for 15 minutes. If pain, irritation, redness or photophobia persists. Consult eye specialist.

Antidote

Atropine

For adults-2-4 mg i.v repeated every 15 min until pulmonary secretions are controlled.

For children- 0.05-0.1 mg/kg body weight, with maximum dose of 0.1 mg, repeated every 15 min until pulmonary secretions are controlled.

2- PAM (Pralidoxime)

Adults-1-2 g by i.v infusion at rate of not more than 0.2 g per minute.

Children- 20-50 mg/kg body weight i.v

Antidote requirement to be decided by medical practitioner as per the condition of the patient.

The extent of salivation is a useful criterion to follow in adjusting the dosage of atropine.

Phytotoxicity

The product is not phytotoxic when used as per recommendation.

Storage Conditions

Caution: Not to Be Used on Crops Other Than Specified on This Label/Leaflet "

1. The package containing insecticides formulation shall be stored in separate rooms or premises away from the rooms or premises used for storing other articles particularly articles of food or shall be kept in separate almirahs under lock and key depending upon the quantity and nature of pesticides.
2. The rooms or premises meant for storing the insecticides formulation shall be well built, airy, well lit and ventilated and of sufficient dimension to prevent environmental contamination with vapour of insecticides formulation.

Safety Precaution:

1. Keep away from foodstuffs, empty foodstuff containers and animals food.
2. Avoid contact with mouth, eyes and skin.
3. Avoid inhalation the spray mist. Spray in the direction of wind.
4. Wash thoroughly the contaminated clothes and parts of the body after spraying.
5. Do not smoke, drink, eat and chew anything while spraying.
6. Wear full protective clothing while mixing and spraying.

Cautionary Statement:

- i. product is toxic to honey bees, and thus their applications may strictly be avoided during the active foraging period of bees.**
- ii. product is highly toxic to fish and aquatic organisms and thus may be avoided near aquaculture.**
- iii. not to be used for any purpose other than those subscribed on label and leaflets.**
- iv. destroy the container after use as directed on leaflet.**

Disposal of used containers, washing from equipment and surplus material :

1. It shall be the duty of manufacturers, formulators of insecticides and operators to dispose packages or surplus materials and washing in a safe manner so as to prevent environmental or water pollution.
2. The used packages shall not be left outside to prevent their re-use.
3. Dangerous to re-use empty containers. Packages shall be broken and buried away from habitation.

Manufacturer Premises :

Unit No.1: E-442, RIICO Industrial Area, Chopanki, Distt.-
Alwar-301707 (Rajasthan)
Delhi

Unit No.2: E- 443, RIICO Industrial Area, Chopanki, Distt.-
Alwar-301707 (Rajasthan)
Delhi

Unit No.3: E-439-440, RIICO Industrial Area Chopanki, Distt.-
Alwar-301707 (Rajasthan)
Delhi

Unit No.4: Plot No. CH/21, G.I.D.C Industrial Estate, Dahej, Ta-
Vagra, Distt.: Bharuch 392130
Delhi

Unit No.5: Industrial Growth Centre Samba (J & K)
Delhi

Unit No.6: I.I.D. Battal Ballian, Udhampur
Delhi

Manufactured by

Insecticides India Limited
Lusa Tower, Azadpur Commercial Complex, Delhi-110033
Delhi 110033

Customer Care Details:

Insecticides India Limited
Lusa Tower, Azadpur Commercial Complex, Delhi-110033
011-27679700
soumen@iilindia.co.in

Safety Pictograms:



Caution: Not to Be Used on Crops Other Than Specified on This Label/Leaflet "

Atropine

For adults-2-4 mg i.v repeated every 15 min until pulmonary secretions are controlled.

For children- 0.05-0.1 mg/kg body weight, with maximum dose of 0.1 mg, repeated every 15 min until pulmonary secretions are controlled.

2- PAM (Pralidoxime)

Adults-1-2 g by i.v infusion at rate of not more than 0.2 g per minute.

Children- 20-50 mg/kg body weight i.v

Antidote requirement to be decided by medical practitioner as per the condition of the patient.

The extent of salivation is a useful criterion to follow in adjusting the dosage of atropine.

Manufactured by

Insecticides India Limited
Lusa Tower, Azadpur Commercial Complex, Delhi-110033 Delhi
New Delhi Delhi 110033

Premises Address

m @ (Atropine)

. 3 —'—' μwž2-4' 2 μ 2'
-° 2' fō . -° fl »' 15' 2 -α' 2' « »' wj °' ©—'—' Ê '—' . . 3 ©'
-» ' »' j 3 l

° çœ'—' μwž' 0.05-0.1' 2 μ 2' " —' : j -ž m —©2' —'—' 0.1'
2 μ 2 ž »' 15' 2 -α' 2' « »' wj °' ©—'—' Ê '—' . . 3 ©' -» ' »' j 3 l

2- PAM (Pralidoxime) . 3 —'—' μwž' 1-2' 2' -° 2' fō . -° fž
m —©2' 0.2' 2' ©' 2 -α' —' «' °

° çœ'—' μwž' 20-50' 2 μ 2' " —' : j —' -° —' . . 3 ©'
fō . -° fl

. 1 »' | 1 —'—' 2' —'—' TM'—'—' a ©'—' m-° '—' œ-f° —' . —'—' j —'—'
œ »w

2 »'—' μ —'—' 2' —'—' m-° '—' . 1 »' | 1 —'—' —'—' ©3' —'—' j —'—'
œ »w

qñ® «—

110033

® ° —'—' ©C -

(1). Unit No.6: I.I.D. Battal Ballian, Udhampur

(2). Unit No.1: E-442, RIICO Industrial Area, Chopanki, Distt.- Alwar-301707 (Rajasthan)

(3). Unit No.3: E-439-440, RIICO Industrial Area Chopanki, Distt.- Alwar-301707 (Rajasthan)

(4). Unit No.4: Plot No. CH/21, G.I.D.C Industrial Estate, Dahej, Ta-Vagra, Distt.: Bharuch 392130

(5). Unit No.5: Industrial Growth Centre Samba (J & K)

(6). Unit No.2: E- 443, RIICO Industrial Area, Chopanki, Distt.- Alwar-301707 (Rajasthan)

Customer Care Details

Insecticides India Limited
Lusa Tower, Azadpur Commercial Complex, Delhi-110033
011-27679700
soumen@iilindia.co.in

Safety Pictograms:



(1). ????? ? : ?? .?? .?? .?????, ?????? ????????, ??????

(2). ????? ? : ?-???, ??? ???? ?????????? ??????, ????????, ????- ??? -????? (?????????).

(3). ??????:??-???, ??? ????????????? ??????, ????????, ???- ??? -????? (?????????).

(4). ????? ? : ?????? ??: ?????/? ??.???.???. ????????????? ??????, ?????, ??????: ?????, ????: ???-?????

(5). ????? ? : ????????????? ?????? ??????, ??????, (????? ??? ??????).

(6). ????? ? : ?-???, ??? ????????????? ??????, ????????, ???- ??? -????? (?????????).

»—« ± μ

oõ° àπ° o ° o | 3 . . . μ ² π | .
μ° Ž n Ā «@ ² , P μ —úâμ á° Ž «ýμ TSSW
011-27679700
soumen@iilindia.co.in

(1). Unit No.6: I.I.D. Battal Ballian, Udhampur

(2). Unit No.1: E-442, RIICO Industrial Area, Chopanki, Distt.- Alwar-301707 (Rajasthan)

(3). Unit No.3: E-439-440, RIICO Industrial Area Chopanki, Distt.- Alwar-301707 (Rajasthan)

(4). Unit No.4: Plot No. CH/21, G.I.D.C Industrial Estate, Dahej, Ta-Vagra, Distt.: Bharuch 392130

(5). Unit No.5: Industrial Growth Centre Samba (J & K)

(6). Unit No.2: E- 443, RIICO Industrial Area, Chopanki, Distt.- Alwar-301707 (Rajasthan)

(1). ????? ? : ?? . ?? . ?? . ??????, ?????? ????????, ???????

(2). ????? ? : ?-???, ????, ?????????????? ??????, ????????, ????- ????, -?????? (?????????).

(3). ??????:??-???, ????, ?????????????? ??????, ????????, ????- ????, -?????? (?????????).

(4). ????? ? : ?????? ??: ?????/? ??.???.???. ?????????????? ???????, ?????, ??????: ??????, ????: ?????-???????

(5). ????? ? : ?????????????? ?????? ???????, ???????, (????? ????, ???????).

(6). ????? ? : ?-???, ????, ?????????????? ??????, ????????, ????- ????, -?????? (?????????).

Customer Care Details

Insecticides India Limited
Lusa Tower, Azadpur Commercial Complex, Delhi-1 10033
011-27679700
soumen@iilindia.co.in

»—« ± μ · · ·

oō° âπ° o ° · · · o | ³ · · · μ ² π | ·
μ ° · · · n · Ž n Ā «@ · · · — ² , ð μ · · · —üöµâ° Ž «ýµ · · · ŽITSSW
011-27679700
soumen@iilindia.co.in

Safety Pictograms:



1. keep away from foodstuffs, empty foodstuff containers and animal's food.
2. avoid contact with mouth, eyes and skin.
3. avoid inhalation the spray mist. spray in the direction of wind.
4. wash thoroughly the contaminated clothes and parts of the body after spraying.
5. do not smoke, drink, eat and chew anything while spraying.
6. wear full protective clothing while mixing and spraying.

Symptom of Poisoning:

early symptoms of poisoning may be muscle tremors, tonic convulsion, headache, giddiness, vertigo, nausea, vomiting, sweating, excessive lacrimation and salivation, contact with may this occasionally produce skin sensations such as rashes, numbing, burning or tingling. may cause delayed polyneuropathy in human beings if not handled properly.

First Aid:

if ingested: if person is conscious and alert, rinse mouth with water and give 1 to 2 glass of water to drink. never give anything by mouth to an unconscious person. call the doctor. do not induced vomiting until and unless desired by attending physician.

if inhaled: take the patient to fresh air and take care of body temperature. if patient is breathing with difficulty, give artificial respiration, preferably with mouth to mouth breathing. consult a physician.

in case of skin contact: wash thoroughly the affected part of body with soap and plenty of water including hairs and under fingernails. if pain, redness or irritation persists, consult a doctor. all the contaminated clothes should be segregated and thoroughly washed with soap and water separately before use.

in case of eye contact: rinse gently with plenty of water at least for 15 minutes. if pain, irritation, redness or photophobia persists. consult eye specialist

Antidote

Atropine

For adults-2-4 mg i.v repeated every 15 min until pulmonary secretions are controlled.

For children- 0.05-0.1 mg/kg body weight, with maximum dose of 0.1 mg, repeated every 15 min until pulmonary secretions are controlled.

2- PAM (Pralidoxime)

Adults-1-2 g by i.v infusion at rate of not more than 0.2 g per minute.

Children- 20-50 mg/kg body weight i.v

Antidote requirement to be decided by medical practitioner as per the condition of the patient.

The extent of salivation is a useful criterion to follow in adjusting the dosage of atropine.

Cautionary statements:

1. Keep away from foodstuffs, empty foodstuff containers and animal's food.
 2. Avoid contact with mouth, eyes and skin.
 3. Avoid inhalation the spray mist. spray in the direction of wind.
 4. Wash thoroughly the contaminated clothes and parts of the body after spraying.
 5. Do not smoke, drink, eat and chew anything while spraying.
 6. Wear full protective clothing while mixing and spraying.

Symptom of Poisoning:
 early symptoms of poisoning may be muscle tremors, tonic convulsion, headache, giddiness, vertigo, nausea, vomiting, sweating, excessive lacrimation and salivation, contact with may this occasionally produce skin sensations such as rashes, numbing, burning or tingling. may cause delayed polyneuropathy in human beings if not handled properly.

First Aid:
 if ingested: if person is conscious and alert, rinse mouth with water and give 1 to 2 glass of water to drink. never give anything by mouth to an unconscious person. call the doctor. do not induced vomiting until and unless desired by attending physician.
 if inhaled: take the patient to fresh air and take care of body temperature. if patient is breathing with difficulty, give artificial respiration, preferably with mouth to mouth breathing. consult a physician.
 in case of skin contact: wash thoroughly the affected part of body with soap and plenty of water including hairs and under fingernails. if pain, redness or irritation persists, consult a doctor. all the contaminated clothes should be segregated and thoroughly washed with soap and water separately before use.
 in case of eye contact: rinse gently with plenty of water at least for 15 minutes. if pain, irritation, redness or photophobia persists. consult eye specialist

Antidote
Atropine
 For adults-2-4 mg i.v repeated every 15 min until pulmonary secretions are controlled.
 For children- 0.05-0.1 mg/kg body weight, with maximum dose of 0.1 mg, repeated every 15 min until pulmonary secretions are controlled.

2- PAM (Pralidoxime)
 Adults-1-2 g by i.v infusion at rate of not more than 0.2 g per minute.
 Children- 20-50 mg/kg body weight i.v

Antidote requirement to be decided by medical practitioner as per the condition of the patient.

The extent of salivation is a useful criterion to follow in adjusting the dosage of atropine.

Cautionary statements:

(1). Unit No.6: I.I.D. Battal Ballian, Udhampur

(2). Unit No.1: E-442, RIICO Industrial Area, Chopanki, Distt.- Alwar-301707 (Rajasthan)

(3). Unit No.3: E-439-440, RIICO Industrial Area Chopanki, Distt.- Alwar-301707 (Rajasthan)

(4). Unit No.4: Plot No. CH/21, G.I.D.C Industrial Estate, Dahej, Ta-Vagra, Distt.: Bharuch 392130

(5). Unit No.5: Industrial Growth Centre Samba (J & K)

(6). Unit No.2: E- 443, RIICO Industrial Area, Chopanki, Distt.- Alwar-301707 (Rajasthan)

(1). ????? ? : ?? .?? .?? .?????, ?????? ????????, ???????

(2). ????? ? : ?-???, ??? ? ?????????? ?????, ????????, ???- ??? -????? (?????????).

(3). ??????:??-???, ??? ?????????? ?????, ???????, ???- ??? -????? (?????????).

(4). ????? ? : ????? ??: ???/? ??.???.???. ?????????? ??????, ????, ?????: ?????, ????: ???-?????

(5). ????? ? : ?????????? ????? ??????, ??????, (???? ???? ??????).

(6). ????? ? : ?-???, ??? ?????????? ?????, ???????, ???- ??? -????? (?????????).

Customer Care Details

Insecticides India Limited
Lusa Tower, Azadpur Commercial Complex, Delhi-110033
011-27679700
soumen@iilindia.co.in

»—« ± μ

oō° âπ° o ° μ ² π | .
μ° Ž n Ā «@ μ úçμ â° Ž «ýμ ŽTSSW
011-27679700
soumen@iilindia.co.in

Safety Pictograms:

