

Primary Package Label

[Ultra-small (1ml or gm to 50 ml or gm)] & [small (51 ml or gm to 250 ml or gm)]

Read leaflet before use:

Common Name:

BOSCALID 25.2% PYRACLOSTROBIN 12.8% WG

BRAND NAME: -

Chemical Composition :

Content % w/w

Sodium salt of condensation product of naphthalenesulfonic acid with formaldehyde	Other Ingredient	7.04	w/w %
Water	Other Ingredient	1.0	w/w %
Total		100.00	w/w %
Pyraclostrobin a.i.	Active Ingredient	12.8	w/w %
Precipitated Silicic acid	Other Ingredient	12.8	w/w %
Sodium alkylnaphthalenesulfonate	Other Ingredient	1.28	w/w %
Tallow fatty acid, sodium salt	Other Ingredient	0.32	w/w %
Ammonium Sulphate	Other Ingredient	12.8	w/w %
Sodium lignosulfonate	Other Ingredient	11.5	w/w %
Condensate of alkylnaphthalenesulfonic acid and formaldehyde sodium salt	Other Ingredient	10.8	w/w %
Aluminium silicate	Other Ingredient	Q.S.	w/w %
Boscalid a.i.	Active Ingredient	25.2	w/w %
Total:		100.00%	

BOSCALID 25.2% PYRACLOSTROBIN 12.8% WG

— μ₁'UXIU' '†'®³' āμ ° -'TU.[~ '†'øý³'†

Broad Spectrum Systemic Fungicide

°q®³ TM' m©† » '†'† « - , -



°çœ' —'®œ°° '« '†'†

Keep out of reach of children.

° - '†'† '†'†'† '†'™'®'††'™'®'†'†'†

Keep in cool, dry place away from heat and open flame.

Regn. No.	'†'†'†'†	_____
Mfg. Lic. No.	2 -3†'†'†'†'†'†	_____
Batch No.	°œ' -!	_____
Mfg Date	2 -3†'†'†'†'†'†	_____
Exp. Date	†'†'†'†'†'†'†'†'†'†'†	_____
Net Content / Volume	, '†'†'†'†'†'†'†'†	_____
Max. Retail Price	m -†'†'†'†'†'†'†'†'†'†'†	_____
Customercare		_____

q®³ TM' ®'®'μ'® —'®†-

° — μ₁'UXIU' '†'®³' āμ ° -'TU.[~ '†'øý³'†

		7.04	w/w %
Water	Other Ingredient	1.0	w/w %
Total		100.00	w/w %
Pyraclostrobin a.i.	Active Ingredient	12.8	w/w %
Precipitated Silicic acid	Other Ingredient	12.8	w/w %
Sodium alkylnaphthalenesulfonate	Other Ingredient	1.28	w/w %
Tallow fatty acid, sodium salt	Other Ingredient	0.32	w/w %
Ammonium Sulphate	Other Ingredient	12.8	w/w %
Sodium lignosulfonate	Other Ingredient	11.5	w/w %
Condensate of alkylnaphthalenesulfonic acid and formaldehyde sodium salt	Other Ingredient	10.8	w/w %
Aluminium silicate	Other Ingredient	Q.S.	w/w %
Boscalid a.i.	Active Ingredient	25.2	w/w %

Secondary Package Label

[Ultra-small (1ml or gm to 50 ml or gm)] & [small (51 ml or gm to 250 ml or gm)]

Read leaflet before use:

Common Name:

BOSCALID 25.2% PYRACLOSTROBIN 12.8% WG

BRAND NAME: -

Crops and Pest Groups: Boscalid 25.2% + Pyraclostrobin 12.8% WG is a broad spectrum fungicide with prophylactic action for the control of Downy Mildew and Powdery mildew diseases in Grapes, Powdery Mildew disease in Chilli, Powdery Mildew disease in Apple, Purple Blotch in Onion and Early blight in Tomato.

Dosage, Direction for use and Manner and time of application : Please refer leaflet for details

Purpose:

For agriculture use.

Re-entry:

After 24 hours of the spray

Chemical Composition :

Content % w/w

Sodium salt of condensation product of naphthalenesulfonic acid with formaldehyde	Other Ingredient	7.04 w/w %
Water	Other Ingredient	1.0 w/w %
Total		100.00 w/w %
Pyraclostrobin a.i.	Active Ingredient	12.8 w/w %
Precipitated Silicic acid	Other Ingredient	12.8 w/w %
Sodium alkyl naphthalenesulfonate	Other Ingredient	1.28 w/w %
Tallow fatty acid, sodium salt	Other Ingredient	0.32 w/w %
Ammonium Sulphate	Other Ingredient	12.8 w/w %
Sodium lignosulfonate	Other Ingredient	11.5 w/w %

BOSCALID 25.2% PYRACLOSTROBIN 12.8% WG

Broad Spectrum Systemic Fungicide



Keep out of reach of children.

Keep in cool, dry place away from heat and open flame.

Regn. No. _____

Mfg. Lic. No. _____

Batch No. _____

Mfg Date _____

q®³ TM' ° ' ®µ ' ® — ®É-

° — µ | ' UXIU' ' ' ®³ ' âµ ° — ' TU[' ' ' | øý³ ' i

— Á

— 0

— 1

— 2

— 3

— 4

— 5

— 6

— 7

— 8

— 9

— 10

— 11

— 12

— 13

— 14

— 15

— 16

— 17

— 18

— 19

— 20

— 21

— 22

— 23

Condensate of alkyl-naphthalenesulfonic acid and formaldehyde sodium salt	Other Ingredient	10.8 w/w %
Aluminium silicate	Other Ingredient	Q.S. w/w %
Boscalid a.i.	Active Ingredient	25.2 w/w %

Exp. Date
 Net Content / Volume
 Max. Retail Price

m ²	m ³	12.8 w/w %
°	m ³	11.5 w/w %
-0	m ³	10.8 w/w %

m ²	m ³	12.8 w/w %
°	m ³	11.5 w/w %
-0	m ³	10.8 w/w %

Total: 100.00%

Safety Precautions, Symptom of Poisoning and First Aid
 :Please refer leaflet for details.

Antidote Statement:

there is no known specific antidote. treat the patient according to the symptoms .

Cautionary statement:

- 1.Dangerous to reuse empty container.
- 2.Toxic to aquatic organisms hence should not be used near water bodies or pisciculture area.
- 3.not to be used on crops other than mentioned on this label/ leaflet.

Manufactured by

Highway 41 North, 14284 Sparks, GA, 31647, USA

Supplied by

BASF Corporation
 Highway 41 North, 14284 Sparks, GA, 31647, USA

Imported and Repacked by

BASF INDIA LIMITED
 BASF INDIA LIMITED, Plot No. 37, Chandivali Farm Road,
 Chandivali, Andheri (East) Mumbai - 400072 MUMBAI Mumbai
 Maharashtra 400072

Premises Address

3TM - TSS!SS^T

Q² - A¹ - q@e¹ μ^{1/4} - °¹ - Q

qñ® «—

(1) W¹ w¹ - °¹ -

(2) 3¹ | °¹ | °¹ - @¹ - @¹ - T¹ - °¹ |

400072

— « ± μ¹ . .¹

(1). Plot 5008, GIDC Estate, Ankleshwar, Dist. Bharuch, Gujarat . Ā
393 001
Gujarat

(2). Unit No. 4 ,Village Nimbua, P. O Mubarakpur -140201 ,Tehsil
Dera Bassi, Distt. Mohali , Punjab
Punjab

Customer Care Details

Address: BASF INDIA LIMITED, BASF INDIA LIMITED, Plot No. 37,
Chandivali Farm Road, Chandivali, Andheri (East) Mumbai . Ā
400072,
Contact No: 022-67127827
Email: anirban.gangopadhyay@basf.com

© - BASF INDIA LIMITED, BASF INDIA LIMITED, Plot No. 37,
Chandivali Farm Road, Chandivali, Andheri (East) Mumbai . Ā400072
p² μ - anirban.gangopadhyay@basf.com
Contact No: 022-67127827

Safety Pictograms:



Big Label

(> 250 mL Primary and Secondary Package Label)

Read leaflet before use:

Common Name:

BOSCALID 25.2% PYRACLOSTROBIN 12.8% WG

Brand Name: -

Crops and Pest Groups: Boscalid 25.2% + Pyraclostrobin 12.8% WG is a broad spectrum fungicide with prophylactic action for the control of Downy Mildew and Powdery mildew diseases in Grapes, Powdery Mildew disease in Chilli, Powdery Mildew disease in Apple, Purple Blotch in Onion and Early blight in Tomato.

Dosage, Direction for use and Manner and time of application : Please refer leaflet for details

Purpose:

For agriculture use.

Re-entry:

After 24 hours of the spray

Chemical Composition :

Table with 3 columns: Ingredient, Type, and Content % w/w. Includes Sodium salt of condensation product of naphthalenesulfonic acid with formaldehyde (7.04 w/w %), Water (1.0 w/w %), Pyraclostrobin a.i. (12.8 w/w %), Precipitated Silicic acid (12.8 w/w %), Sodium alkyl naphthalenesulfonate (1.28 w/w %), Tallow fatty acid, sodium salt (0.32 w/w %), and Ammonium Sulphate (12.8 w/w %).

BOSCALID 25.2% PYRACLOSTROBIN 12.8% WG

... ..

Broad Spectrum Systemic Fungicide

... ..



Keep out of reach of children.
Keep in cool, dry place away from heat and open flame.
Regn. No.
Mfg. Lic. No.
Batch No.
Mfg Date
Exp. Date
Net Content / Volume
Max. Retail Price

... ..

... ..

... ..

... ..

... ..

... ..

... ..

... .. 7.04 w/w %

... ..

... ..

... .. 2 µ l » ol

... .. 1.0 w/w %

... .. 100.00 w/w %

... .. 12.8 w/w %

... ..

... .. 12.8 w/w %

... ..

... .. 1.28 w/w %

... ..

... ..

Sodium lignosulfonate	Other Ingredient	11.5 w/w %
Condensate of alkyl-naphthalenesulfonic acid and formaldehyde sodium salt	Other Ingredient	10.8 w/w %
Aluminium silicate	Other Ingredient	Q.S. w/w %
Boscalid a.i.	Active Ingredient	25.2 w/w %

Total: 100.00%

Safety Precautions:

1. wear chemical-resistant gloves when mixing and when spraying.
2. wear long sleeved shirts and long trousers when mixing and when spraying.
3. wear covered footwear (boots or covered shoes) when mixing and when spraying.
4. wear eye protection (face shield, goggles or safety glasses) when mixing.
5. avoid contact with skin or eyes.
6. do not eat, drink or smoke during work.
7. wash your whole body with soap and water after work.
8. pregnant women should avoid contact with epoxiconazole formulations.
9. do not enter the area until the spray is completely dry.

Symptom of Poisoning:

harmful if swallowed (no specific poisoning symptoms). eye irritation may occur. irritating to the skin. there is no evidence of skin sensitizing potential.

First Aid:

If ingested: if person is conscious and alert, rinse mouth with water and give 1 or 2 glass of water to drink. Never give anything by mouth to an unconscious person. Call the doctor. Do not induce vomiting until and unless desired by attending physician.

If inhaled: Take the patient to fresh air and take care of body temperature. If patient is not breathing or breathing with difficulty, give artificial respiration, Consult a physician.

In case of skin contact: Wash thoroughly the affected part of body with soap and plenty of water including hairs and under fingernails. If pain, redness or irritation persists, consult a doctor. All contaminated clothes should be segregated and thoroughly washed with soap and water separately before use.

In case of eye contact: Rinse gently with plenty of water at least for 15 minutes. If pain, irritation, redness or photophobia persists. Consult eye specialist

Antidote

there is no known specific antidote. treat the patient according to the symptoms .

0.32 w/w %	
12.8 w/w %	
11.5 w/w %	
10.8 w/w %	
25.2 w/w %	

3 TM - TSSISS

T: 11.5 w/w %
 U: 10.8 w/w %

V: 0.32 w/w %
 W: 12.8 w/w %

X: 11.5 w/w %
 Y: 10.8 w/w %

Z: 25.2 w/w %
 Total: 100.00%

0.32 w/w %
 12.8 w/w %

Cautionary statements:

- 1.Dangerous to reuse empty container.
- 2.Toxic to aquatic organisms hence should not be used near water bodies or pisciculture area.
- 3.not to be used on crops other than mentioned on this label/ leaflet.

Manufactured by

????? ?? ????? ????? ?????????? ????????? ??????, ??,??,?.
Highway 41 North, 14284 Sparks, GA, 31647, USA

Supplied by

BASF Corporation
Highway 41 North, 14284 Sparks, GA, 31647, USA

Imported and Repacked by

BASF INDIA LIMITED
BASF INDIA LIMITED, Plot No. 37, Chandivali Farm Road,
Chandivali, Andheri (East) Mumbai - 400072 MUMBAI Mumbai
Maharashtra 400072

m™:2 » · ° · -™µ · µ³ · »-3 « 'y³ á@° ° œ@ | ' ° °-Ź Ž © · @ - ° ·
2 » -ýµ · -³ · | ' ° °-µ w 1³ · 2'™µ ° · @ - ' « Q w - ° » ,
y³ á@ - '2 » · ° · -Ÿ ± ' - ± ' - » ' « Q | á ¢ ' - ° µ vQ ° - ' q@ ° a @ ·
œ-ñ° - - ° µ » ' qý ¢ ' - ' -³ · Q

3 « ' ° ° · 2 · µ³ · j - ' @ ' - '™' - ' ° @ j ' » · ' 2 · µ · j w | ' ° , ' ° ' -
© ®² - - ' á³ µ · ' ° Q³ « ' °™' ° ° · - » ' µ · ' » ' · 3 · - ¥ - p · ° ° ° · µ
' » ' » Ž © - 2 · ' ° · - ' « Ž w - ' œ-ñ° - - ° · @ ' 2 , l - ° Q

ñ œ ' - ° @ - l - 2 2 µ · 2 · ' , ' ° ' - ± · @ ' » ° · - ' mçŸ ' ' © ' ° ·
° · ° · - ° · n w | ' ° ° µ · | ' ° - - ° ° » © · @ - - ' ° · ° · @² µ · - ' Q³ «
« Ž µ µ² · 3 · j µ - ° - ' » © ' » Ž © | á ¢ ' ° · @ ' 2 , l - ° Q ° ± ' « 1 © ·
- @ Ē ' - ' mµ™ -³ · j - ' ' œ » w | ' ° q@³™' ° · @ µ · ° ° · - | ' ° @ - ° ·
mçŸ ' ' © ' » ° · n - ' œ » vQ

n - ' - ° @ - l - 2 2 µ · 2 · - 2 ° · - 2 · 15' 2 - ¢ ' - µ w ° » © · ° ' ° -
° · n ' ž · ' n vQ³ « ' « Ž j µ - Ž µ µ² · 3 · ' - ¢ ' - ° 3 · ° - ' » © ' » · © ·
- ' °™' · , 1 ½' ° ° µ » ' µ Q

· 1 - , - ' -
- p · ' , , ¢ ' · 1 · - - ' ° - » ' » Q² ' Á ' - ' q@œ ' µ ¼ ' - ° ' - ° Q

T! · µ · | ° · - ' @ - ' q@³™' - µ w - ° · - - Q
U! j µ³ · j · - ' µ w » - - ' - » - ' - - ' ° · j µ , 3 ' mª · ' 2 Ÿ µ ·
qñ@ « - ' · µ · ¼ · ' 2 · 3™' - ' - ° Q
V! µ ° µ · | ' ° œ · @ ' q ý µ - ' © · - ' » - - ' ° a · © · 2 Ž ° - - ' 3™' - ° µ ·
@ · - ' - ° Q

qñ@ « -
° wŸ w · - ' @ ' , -
» p · ' w · - a | TWU [W @ - p b · j · j ß VTYVZŽ³ ! wŸ ! wŸ

@ · - ° Q †
° wŸ w · - ' @ ' , -
» p · ' w · - a | TWU [W @ - p b · j · j ß VTYVZŽ³ ! wŸ ! wŸ

n 3 © · | ' ° @ - @ -™' - ° Q †

Premises Address

(1). Plot 5008, GIDC Estate, Ankleshwar, Dist. Bharuch, Gujarat .
393 001
Gujarat

(2). Unit No. 4 ,Village Nimbua, P. O Mubarakpur - 140201, Tehsil
Dera Bassi, Distt. Mohali , Punjab
Punjab

Customer Care Details

Address: BASF INDIA LIMITED, BASF INDIA LIMITED, Plot No. 37,
Chandivali Farm Road, Chandivali, Andheri (East) Mumbai .
400072,
Contact No: 022-67127827
Email: anirban.gangopadhyay@basf.com

Safety Pictograms:



© BASF INDIA LIMITED

(1).

(2).

© BASF INDIA LIMITED

© BASF INDIA LIMITED, BASF INDIA LIMITED, Plot No. 37,
Chandivali Farm Road, Chandivali, Andheri (East) Mumbai .
400072
Email: anirban.gangopadhyay@basf.com
Contact No: 022-67127827

Please refer leaflet for details

Antidote

there is no known specific antidote. treat the patient according to the symptoms (decontamination, vital function).

Manufactured by

???? ?? ????? ????? ??????????? ??????????? ??????, ??,???.?. Highway 41 North, 14284 Sparks, GA, 31647, USA

Supplied by

BASF Corporation
Highway 41 North, 14284 Sparks, GA, 31647, USA

Imported and Repacked by

BASF INDIA LIMITED
BASF INDIA LIMITED, Plot No. 37, Chandivali Farm Road,
Chandivali, Andheri (East) Mumbai - 400072 MUMBAI Mumbai
Maharashtra 400072

Premises Address

(1). Unit No. 4 ,Village Nimbua, P. O Mubarakpur - 140201, Tehsil Dera Bassi, Distt. Mohali , Punjab
Punjab

(2). Plot 5008, GIDC Estate, Ankleshwar, Dist. Bharuch, Gujarat . 393 001
Gujarat

Customer Care Details

Address: BASF INDIA LIMITED, BASF INDIA LIMITED, Plot No. 37, Chandivali Farm Road, Chandivali, Andheri (East) Mumbai . 400072,
Contact No: 022-67127827
Email: anirban.gangopadhyay@basf.com

Safety Pictograms:



1 - 2 -
— p · · · · · » Q ² ‘ Á ‘ q@œ ‘ ‘ μ ¼ ‘ ‘ ° ‘ ‘ — Q
° wwP w ‘ ‘ ‘ @ ‘ ‘ — Z
» p · ‘ W ‘ ‘ — a ‘ ‘ TWU[W ® — P b ‘ i ‘ i P VTYVZŽ ³ ! wP ! wP
® © ‘ — © †
° wwP w ‘ ‘ ‘ @ ‘ ‘ — Z
» p · ‘ W ‘ ‘ — a ‘ ‘ TWU[W ® — P b ‘ i ‘ i P VTYVZŽ ³ ! wP ! wP
ñ ³ © ‘ | ‘ ‘ @ — ® — ™ — © †

400072
® ‘ ° ‘ ‘ — ‘ @ — ‘ — ‘ © —

- (1).
- (2).

» — ‘ ‘ ± μ ‘ ‘ · · ‘ ‘ ‘ ‘
Address: BASF INDIA LIMITED, BASF INDIA LIMITED, Plot No. 37,
Chandivali Farm Road, Chandivali, Andheri (East) Mumbai . 400072,
Contact No: 022-67127827
Email: anirban.gangopadhyay@basf.com

Secondary Package Label

[Ultra-small (1ml or gm to 50 ml or gm)] & [small (51 ml or gm to 250 ml or gm)]

Read leaflet before use:

Common Name:

BOSCALID 25.2% PYRACLOSTROBIN 12.8% WG

BRAND NAME: -

Crops and Pest Groups: Boscalid 25.2% + Pyraclostrobin 12.8% WG is a fungicide which is used for the control of downy mildew and powdery mildew diseases in Grapes, powdery mildew disease in Chilli, powdery mildew disease in Apple, purple blotch in Onion and early blight in Tomato.

Dosage, Direction for use and Manner and time of application : Please refer leaflet for details

Purpose:

For agriculture use.

Re-entry:

After 24 hours of the spray

Chemical Composition :

Table with 3 columns: Ingredient, Content % w/w, and other details. Includes Ammonium Sulphate, Sodium lignosulfonate, Condensate of alkyl-naphthalenesulfonic acid and formaldehyde sodium salt, Sodium salt of condensation product of naphthalenesulfonic acid with formaldehyde, Water, Tallow fatty acid, sodium salt, Total, and Precipitated Silicic acid.

BOSCALID 25.2% PYRACLOSTROBIN 12.8% WG

Fungicide



Keep out of reach of children.

Keep in cool, dry place away from heat and open flame.

Table with 2 columns: Label field and value. Fields include Regn. No., Mfg. Lic. No., Batch No., Mfg Date, and Exp. Date.

Table with 3 columns: Ingredient, Content % w/w, and other details. Includes Ammonium Sulphate, Sodium lignosulfonate, Condensate of alkyl-naphthalenesulfonic acid and formaldehyde sodium salt, Sodium salt of condensation product of naphthalenesulfonic acid with formaldehyde, Water, Tallow fatty acid, sodium salt, Total, and Precipitated Silicic acid.

Pyraclostrobin a.i.	Active Ingredient	12.80 % w/w
Sodium alkylnaphthalenesulfonate	Other ingredient	1.28 % w/w
Aluminium silicate	Other ingredient	Q.S. % w/w
Boscalid a.i.	Active Ingredient	25.20 % w/w
Total: 100.00%		

Net Content / Volume
 Max. Retail Price

		12.80 % w/w
		12.80 % w/w
		1.28 % w/w
		25.20 % w/w
Total: 100.00%		

Safety Precautions, Symptom of Poisoning and First Aid
 :Please refer leaflet for details.

Antidote Statement:

there is no known specific antidote. treat the patient according to the symptoms (decontamination, vital function).

Cautionary statement:

- 1.dangerous to reuse empty container.
- 2.toxic to aquatic organisms hence should not be used near water bodies or pisciculture area.
- 3.not to be used on crops other than mentioned on this label/ leaflet.

Manufactured by

Highway 41 North, 14284 Sparks, GA, 31647, USA

Supplied by

BASF Corporation
 Highway 41 North, 14284 Sparks, GA, 31647, USA

Imported and Repacked by

BASF INDIA LIMITED
 BASF INDIA LIMITED, Plot No. 37, Chandivali Farm Road,
 Chandivali, Andheri (East) Mumbai - 400072 MUMBAI Mumbai
 Maharashtra 400072

Premises Address

3 TM - TSSISS

—p' . , s . 1' » Q 2 ' Á ' — q @ e ' ' μ ¼ ' — ° ' ' — Q

T! ' μ ' ' | ø ' ' — @ — q @ 3 TM — μ w ' ' © ' — — Q

U! i μ 3 ' i μ w » — — ' — » — ' — — ' ' i μ , 3 ' m a . ' 2 Ÿ μ ' ' q ñ @ « — ' . μ ' ¼ ' 2 ' 3 TM — ' — Q

V! μ ° μ ' | ' ' @ e ' ' q Ÿ μ ' ' © ' — ' — ' — ' a © 2 Ž o ° — ' 3 TM — ° μ ' @ ' ' — ' — Q

q ñ @ « —

° v w Ÿ w ' — ' @ ' , — Ž

» p . ' W ' — a | T V W [W @ — P b ' i j ß V T Y V Z Ž 3 ! w Ÿ ! w

@ © ' — © †

° v w Ÿ w ' — ' @ ' , — Ž

» p . ' W ' — a | T V W [W @ — P b ' i j ß V T Y V Z Ž 3 ! w Ÿ ! w

ñ 3 © ' | ' ' @ — @ — TM — © †

400072

@ ' ° ' ' — ' @ © —

(1). Unit No. 4 ,Village Nimbua, P. O Mubarakpur -140201 ,Tehsil Dera Bassi, Distt. Mohali , Punjab Punjab

(2). Plot 5008, GIDC Estate, Ankleshwar, Dist. Bharuch, Gujarat . Á 393 001 Gujarat

Customer Care Details

Address: BASF INDIA LIMITED, BASF INDIA LIMITED, Plot No. 37, Chandivali Farm Road, Chandivali, Andheri (East) Mumbai . Á 400072, Contact No: 022-67127827 Email: anirban.gangopadhyay@basf.com

Safety Pictograms:



(1).

(2).

»—« ± μ · · · »

Address: BASF INDIA LIMITED, BASF INDIA LIMITED, Plot No. 37, Chandivali Farm Road, Chandivali, Andheri (East) Mumbai . Á 400072, Contact No: 022-67127827 Email: anirban.gangopadhyay@basf.com

Big Label

(> 250 mL Primary and Secondary Package Label)

Read leaflet before use:

Common Name:

BOSCALID 25.2% PYRACLOSTROBIN 12.8% WG

BRAND NAME: -

Crops and Pest Groups: Boscalid 25.2% + Pyraclostrobin 12.8% WG is a fungicide which is used for the control of downy mildew and powdery mildew diseases in Grapes, powdery mildew disease in Chilli, powdery mildew disease in Apple, purple blotch in Onion and early blight in Tomato.

Dosage, Direction for use and Manner and time of application : Please refer leaflet for details

Purpose:

For agriculture use.

Re-entry:

After 24 hours of the spray

Chemical Composition :

Content % w/w

Ammonium Sulphate	Other Ingredient	12.80 % w/w
Sodium lignosulfonate	Other Ingredient	11.50 % w/w
Condensate of alkyl-naphthalenesulfonic acid and formaldehyde sodium salt	Other Ingredient	10.80 % w/w
Sodium salt of condensation product of naphthalenesulfonic acid with formaldehyde	Other ingredient	7.04 % w/w
Water	Other ingredient	1.0 % w/w
Tallow fatty acid, sodium salt	Other ingredient	0.32 % w/w
Total	-	100.00 % w/w

BOSCALID 25.2% PYRACLOSTROBIN 12.8% WG

° — μ|UXU'†@³'âμ ° — TU[~|ø³'i

Fungicide



° çœ'—'®œ° '«'»

Keep out of reach of children.

° — | '¥ð| 'i TM'®'n TM° '«'»

Keep in cool, dry place away from heat and open flame.

Regn. No. _____

Mfg. Lic. No. _____

Batch No. _____

Mfg Date 2_3|'µ|—|

Exp. Date 2_3|'µ|—|

Net Content / Volume _____

Max. Retail Price _____

q®³ TM° '®µ'® —'®E-

° — μ|UXU'†@³'âμ ° — TU[~|ø³'i

—'A

° — μ|UXU'†@³'âμ ° — TU[~|ø³'i

—'q®³ TM' —'µw

YÊ—'—'UWšµ° «Q

° 3 —'° çœ' —

.....2 ' ± "±

m² —32'° ý' — mō³ 'š — 12.80 % w/w

° |32'µ ä-° ý' — mō³ 'š — 11.50 % w/w

—ð|—° µ' mō³ 'š — 10.80 % w/w

mý—µž-+ª µ-° ý'

—'w° |' | 'i

- 2 µ | » o| '° |32'

° ýµ

° |32'° ýµ' mō³ 'š — 7.04 % w/w

—ð|—° , —' |âµ'

-+ª µ-° ý' —'

w° |'° — 2 µ | » o|

® — mō³ 'š — 1.0 % w/w

µµ —'µ'w° |ž mō³ 'š — 0.32 % w/w

° |32'° ýµ

Precipitated Silicic acid	Other Ingredient	12.80 % w/w
Pyraclostrobin a.i.	Active Ingredient	12.80 % w/w
Sodium alkylnaphthalenesulfonate	Other ingredient	1.28 % w/w
Aluminium silicate	Other ingredient	Q.S. % w/w
Boscalid a.i.	Active Ingredient	25.20 % w/w

Total:100.00%

Safety Precautions:

1. wear chemical-resistant gloves when mixing and when spraying.
2. wear long sleeved shirts and long trousers when mixing and when spraying.
3. wear covered footwear (boots or covered shoes) when mixing and when spraying.
4. wear eye protection (face shield, goggles or safety glasses) when mixing.
5. avoid contact with skin or eyes.
6. do not eat drink or smoke during work.
7. wash your whole body with soap and water after work. Keep away from foodstuffs, empty foodstuffs containers and animals food.

Symptom of Poisoning:

harmful if swallowed. eye and skin irritation may occur. headache, dizziness, nausea, vomiting, irritation to bronchial tubes.

First Aid:

if ingestion: if person is conscious and alert, rinse mouth with water and give 1 or 2 glass of water to drink. never give anything by mouth to an unconscious person. call the doctor.do not induce vomiting until and unless desired by attending physician. if inhaled: take the patient to fresh air and take care of body temperature. if patient is not breathing or breathing with difficulty give artificial respiration, preferably with mouth to mouth breathing. consult a physician. in case of skin contact: wash with soap and plenty of water. if pain, redness or irritation persists, consult a doctor. all the contaminated clothes should be segregated and thoroughly washed with soap and water separately before use. in case of eye contact: rinse gently with plenty of water at least 15 minutes. if pain, irritation, redness or photophobia persists. consult eye specialist.

Antidote

there is no known specific antidote. treat the patient according to the symptoms (decontamination, vital function).

Cautionary statements:

—μ	-	100.00 % w/w
° ® μ ° μ ° —	mō³ ' ' š α—	12.80 % w/w
w°		
@³ ' â μ ° — ' ff 3 ' ° 3 ' š α—		12.80 % w/w
š α—fl		
° 3 2 ' °	mō³ ' š α—	1.28 % w/w
mý—μ ž—+ª μ—° ý—		
—° ° ý— —α		
ý³ 2 —3 2 ' ° μ —α	mō³ ' š α—	®³ b©'2 ' ' ' ' w/w
° — μ ' ff 3 ' š α—fl ° 3 ' š α—		25.20 % w/w

3 TM - TSSISS'

T! ' š μ ' ° — © ° 2 3 ' w ' — ' © ° 2 3 ' ° 3 — ' © ' n ' « © —'®—Q
U! ' š μ ' ° — © ° 2 3 ' w ' — ' © ° 2 3 ' μ ° ° j . μ —'© ' | ' ' ® ' —
® 3 j 2 ' '®—Q
V! ' š μ ' ° — © ° 2 3 ' w ' — ' © ° 2 3 ' ® ' —' š —' . μ ' j ' © '®—' Q
W' n —' —' ° ' ¼ ' —' μ w —' —' 3 ' ° ' ¼ © ' ' 2 ' '®—' ' š μ ' ° — wQ
X! ' š μ ' ° — © ° 2 3 ' n ' œ | ' ' n ' —' ° ' ° @—' μ Q
Y! ' —' —' © ° 2 3 ' —' ž '®—' | ' ' n ' ®—' —' —' Q
Z! ' —' 3 | ° 2 ' ö' » —' —' ® ' œ©'®' —' —' —' ° ' ° —' | ' '®—' ° ' n 3 ' Q
[! ' —' —' —' œ j ' ° ' « ž ' —' μ ' ° © ' —' ° ' mμ™ | ' ' j ' —' —' —' œ ' ° ' ° mμ™

—TMμ—'3 ' ° š—'®' » —' —' » ° —©' »Q n —' —' n ' œ 2 ' j μ—' » ' ° —©' »Q ° «ž œ—' n —ž ' 2 ©μ ž qýª ž ° ° —μ ' 2 ' j μ—Q
—TMμ—'®' ž 2 ' j ' ° j '™ » ' © ž 2 »'®—' ° ' n w | ' ' TžU'™ μ ' ° ®—' '®w° » , —' —' μ © ' 2 ' 2 »' ° —ý' —' «Q©'©' | âª' —' ° μ w | âª' —' ° μ » ' ° ' qýª' —' —' wQ° š ' μ—'®' ž 2 ' j ' —'©' j ' » . ' 2 ' μ ' j wQ q° —' —' —' ©® 2 —' —' 3 μ ' —' Q m™' . ' ° ' ° —' » ' μ ' » ' » ' 3 ' ° ° ' μ—' 2 ' ©—μ ' —' » ' © —' 2 ' . ° —' «Q m n —'®' 2 »' 2 ' —' 2 ' —' » , ' 2 ' μ—' —' —' , ' 1 ' —' | âª' —' ° μ » ' μQ n ' œ —' ° @—' 2 ' n —'®' ž ° ' ° —' | ' '®—' ° ' mçÝ ' ©' » —' wQ m™' «I μ μ 2 ' | ' ' ç ç μ »ª' » ' © ' | âª' —' ° μ » ' μQ « 1 ©' —'®' mμ™ —' —' μ—' ° ' ° —' | ' '®—' ° ' mçÝ ' ©' »' ° ' n —' » ' ° © 2 μ ' —' Q n —' —' ° @—' 2 ' n —'®' ž '®—' ° » μ—' ° ' TX' 2 —'ª' ©—' n wQ «ž μ μ 2 ' | ' ' n ' —' 3 ' » ' © ' n —' —' | âª' —' ° μ » ' μQ

- 1. dangerous to reuse empty container.
- 2. toxic to aquatic organisms hence should not be used near water bodies or pisciculture area.
- 3. not to be used on crops other than mentioned on this label/ leaflet.

Manufactured by

????? ?? ????? ????? ?????????? ?????????? ?????, ??..???.
Highway 41 North, 14284 Sparks, GA, 31647, USA

Supplied by

BASF Corporation
Highway 41 North, 14284 Sparks, GA, 31647, USA

Imported and Repacked by

BASF INDIA LIMITED
BASF INDIA LIMITED, Plot No. 37, Chandivali Farm Road,
Chandivali, Andheri (East) Mumbai - 400072 MUMBAI Mumbai
Maharashtra 400072

Premises Address

(1). Unit No. 4 ,Village Nimbua, P. O Mubarakpur - 140201, Tehsil
Dera Bassi, Distt. Mohali , Punjab
Punjab

(2). Plot 5008, GIDC Estate, Ankleshwar, Dist. Bharuch, Gujarat . Á
393 001
Gujarat

Customer Care Details

.....
-p.....»Q²'Á'qœ'¼'-'Q

T! µ' |ø'-'®-q®³™-'µw'®-'-Q
U! µ³' i'-'µw»-'-'-'µ,³'mª'·²Ýµ'
qñ®«-'µ'¼'²'³™-'-'Q
V!µ°µ' |'®œ'®'q ýµ'-'-'-'ª'®²Žo°-'³™-'°µ'
®'-'-'Q

qñ®«—
°ww'w'-'®'s-ž
»p'w'-'ªTWU[W®-Pb'i'j'pVTYVZŽ³!w'!w'
®©'—©†
°ww'w'-'®'s-ž
»p'w'-'ªTWU[W®-Pb'i'j'pVTYVZŽ³!w'!w'
ñ³©' |'®-®™-'—©†

400072

®'®'—®©-

- (1).
- (2).

»-«±µ'..'»
Address: BASF INDIA LIMITED, BASF INDIA LIMITED, Plot No. 37,
Chandivali Farm Road, Chandivali, Andheri (East) Mumbai . Á00072,
Contact No: 022-67127827
Email: anirban.gangopadhyay@basf.com

Address: BASF INDIA LIMITED, BASF INDIA LIMITED, Plot No. 37,
Chandivali Farm Road, Chandivali, Andheri (East) Mumbai . Á
400072,
Contact No: 022-67127827
Email: anirban.gangopadhyay@basf.com

Safety Pictograms:

