



Address: PEST CONTROL (INDIA) PVT. LTD, No.36/2,  
Sriramanahalli, , Near Rajankunte, Dobaballapur  
Road, Arakere Post, Bangalore: 561 203,  
EMail ID: sanket.mudur@gaiacconnect.com,  
Contact No. 080-28468843

Address: PEST CONTROL (INDIA) PVT. LTD, No.36/2,  
Sriramanahalli, , Near Rajankunte, Dobaballapur  
Road, Arakere Post, Bangalore: 561 203,  
EMail ID: sanket.mudur@gaiacconnect.com,  
Contact No. 080-28468843

**Safety Pictograms:**















-  
\_\_\_\_\_

-  
\_\_\_\_\_

-  
\_\_\_\_\_

-  
\_\_\_\_\_

-  
\_\_\_\_\_

-  
\_\_\_\_\_

-  
\_\_\_\_\_

n · « - - ° 2 3

° j | - @ ° 3 - @ - . . m a ° a - @ ° æ

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

-  
\_\_\_\_\_

® ¥ « « Ž @ 2 ' « « Ž q y « ' » - | ' - - ° - - ° - » - ' 3 » ' μ ¼ ' ' μ ú ° ° 2 3 ' @ - ' m @ - ' ± . ' « ' ' © ' » Q

® « ® ' n . 1 μ ©

-  
\_\_\_\_\_

**Caution: Not to Be Used on Crops Other Than Specified on This Label/Leaflet**



»—«±µ· ·· ··» -

Address: PEST CONTROL (INDIA) PVT. LTD, No.36/2,  
Sriramanahalli, , Near Rajankunte, Dobaballapur  
Road, Arakere Post, Bangalore: 561 203,  
EMail ID: sanket.mudur@gaiacconnect.com,  
Contact No. 080-28468843

°¼·œ·µ®-



Caution: Not to Be Used on Crops Other Than Specified on This Label/Leaflet

**BROMADIOLONE 0.005% RB****( Rodenticide )**

It is a new single dose anticoagulant rodenticide. It controls field and commensal rats when consumed by causing haemorrhage in the blood system. Place the bait in the burrows and at places frequented by the rodents and one application provides good control. Pre-baiting is not necessary.

<b>Chemical Composition:</b>	<b>Ingredient</b>	<b>%W/W</b>
Bromadiolone a.i.	Bromadiolone a.i.	0.005% w/w
Suitable bait material like Broken cereals like wheat	Suitable bait material like Broken cereals like wheat	99.995% w/w
<b>Total:</b>		<b>100.00% w/w</b>

**Recommendation**

<b>Crop(s)</b>	<b>Common Name of Pest</b>	<b>Dosage/HA</b>		<b>Dilution in Water</b>	<b>Crop Stage</b>	<b>Re-entry Period</b>	<b>Pre Harvest</b>	<b>Frequency</b>
		<b>AI (%)</b>	<b>Formulation</b>					
Poultry Farm	Indian house rat, House mouse, Large bandicota	0.005						
Sugarcane	Field rat, Large bandicota	0.005						
Wheat	Field rat , Indian house rat	0.005						
Residential Premises	Field rat, Large bandicota, Indian house rat, House mouse	0.005						
Gram	Field rat, Indian house rat	0.005						
Paddy	Field rat , Large bandicota, Indian house rat, Indian field mouse	0.005						
Coconut/Bamboo	Indian house rat	0.005						
Groundnut	Field rat, Large bandicota	0.005						

**Note:-**Good Practices relating to pesticide application techniques**Direction of Use**

It is a new single dose anticoagulant rodenticide. It controls field and commensal rats when consumed by causing haemorrhage in the blood system. Place the bait in the burrows and at places frequented by the rodents and one application provides good control. Pre-baiting is not necessary.

**Weather Condition(in general):**

-

**Soil & Water(where ever applicable):**

-

**Crop Stage for application:****Application Technique**

-

**Equipment Type:****Caution: Not to Be Used on Crops Other Than Specified on This Label/Leaflet "**

=

**Nozzle Type:**

=

**Dosage:**

-

**Instruction for Mixing:**

-

**Re-entry Period**

**Manner and Time of Application**

-

**Application Timing**

Place the bait near the burrows or at the places frequented by the rodents

**Frequency**

**Stages during which pesticides should not be applied on any crop :**

=

**Precautions to be taken to avoid harm to the beneficial insects like honey bees and natural enemies of pests :**

-

**Symptoms Of Poisoning**

Back pain, abdominal pain, vomiting and nose bleeding are the prolonged durational effect.

**First Aid**

If ingested: if person is conscious and alert, rinse mouth with water and give 1 or 2 glass of water to drink. Never give anything by mouth to an unconscious person. Call the doctor. Do not induced vomiting until and unless desired by attending physician.

If inhaled: Take the patient to fresh air and take care of body temperature. If patient is not breathing or breathing with difficulty, give artificial respiration, Consult a physician.

In case of skin contact: Wash thoroughly the affected part of body with soap and plenty of water including hairs and under fingernails. If pain, redness or irritation persists, consult a doctor. All contaminated clothes should be segregated and thoroughly washed with soap and water separately before use.

In case of eye contact: Rinse gently with plenty of water at least for 15 minutes. If pain, irritation, redness or photophobia persists. Consult eye specialist

**Antidote**

vitamin K1 given orally  
adults- 15-25 mg (2-4 times per day)  
children- 5-10 mg (2-4 times per day)  
until normalization of prothrombin time.

Antidote requirement to be decided by medical practitioner as per the condition of the patient.

**Phytotoxicity**

-

**Storage Conditions**

**Caution: Not to Be Used on Crops Other Than Specified on This Label/Leaflet "**

1. The packages containing the rodenticide shall be stored in separate rooms or premises, away from the room or premises used for storing other articles or shall be kept in separate almirahs under lock and key depending upon the quantity and nature of the rodenticide. 2. The room or premises meant for storing the rodenticide shall be well built, well lit, dry well ventilated and of sufficient dimension to avoid contamination with vapour.

**Safety Precaution:**

1. Keep out of reach of children. 2. Do not ingest. If swallowed or if symptoms of poisoning occur, call a physician immediately.

**Cautionary Statement:**

- 1. not to be used for any purpose other than those subscribed on label and leaflets.**
- 2. destroy the container after use as directed on leaflet.**
- 3. toxic to fish, aquatic organisms hence should not be used near water bodies, aquaculture or pisciculture.**

**Disposal of used containers, washing from equipment and surplus material :**

1. It shall be the duty of manufacturers, formulators of insecticides and operators to dispose packages or surplus material and washings in a safe manner so as to prevent environmental or water pollution.
2. The used packages shall not be left outside to prevent their re-use.
3. The packages shall be broken and buried away from habitation.

**Manufacturer Premises :**

Plot No. B 46 and B 47, Sathariya Industrial Estate, Jaunpur. A  
222202, Uttar Pradesh, India  
Karnataka

**Manufactured by**

PEST CONTROL (INDIA) PVT. LTD  
No. 36/2, Sriramanahalli, , Near Rajankunte, Dobaballapur Road,  
Arakere Post, Bangalore: 561 203 Bangalore Karnataka 561203

**Customer Care Details:**

Address: PEST CONTROL (INDIA) PVT. LTD, No.36/2,  
Sriramanahalli, , Near Rajankunte, Dobaballapur  
Road, Arakere Post, Bangalore: 561 203,  
EMail ID: sanket.mudur@gaiacconnect.com,  
Contact No. 080-28468843

**Safety Pictograms:**



**Caution: Not to Be Used on Crops Other Than Specified on This Label/Leaflet**