

Call the doctor immediately

If ingested: if person is conscious and alert, rinse mouth with water and give 1 or 2 glass of water to drink. Never give anything by mouth to an unconscious person. Call the doctor. Do not induced vomiting until and unless desired by attending physician.

If inhaled: Take the patient to fresh air and take care of body temperature. If patient is not breathing or breathing with difficulty, give artificial respiration, Consult a physician.

In case of skin contact: Wash thoroughly the affected part of body with soap and plenty of water including hairs and under fingernails. If pain, redness or irritation persists, consult a doctor. All contaminated clothes should be segregated and thoroughly washed with soap and water separately before use.

In case of eye contact: Rinse gently with plenty of water at least for 15 minutes. If pain, irritation, redness or photophobia persists. Consult eye specialist

Antidote

vitamin K1 given orally

adults- 15-25 mg (2-4 times per day)

children- 5-10 mg (2-4 times per day)

until normalization of prothrombin time.

Antidote requirement to be decided by medical practitioner as per the condition of the patient.

Cautionary statements:

not to be used for any purpose other than those subscribed on label and leaflets. destroy the container after use as directed on the leaflet.

Manufactured by

PEST CONTROL (INDIA) PVT. LTD

No. 36/2, Sriramanahalli, , Near Rajankunte, Dobaballapur Road, Arakere Post, Bangalore: 561 203 Bangalore Karnataka 561203

© 2013 PCTI

ಮೈಸೂರು ವಿಶ್ವವಿದ್ಯಾನಿಲಯ
ವಿಜ್ಞಾನ ವಿಭಾಗ
ಕೆ.ಆರ್.ಪೇಟೆ
ಕರ್ನಾಟಕ

ಪ್ರತಿ 15-25 ಮಿ.ಗ್ರಾಂ (2-4 ಬಾರಿ ದಿನಕ್ಕೆ)
ಮಕ್ಕಳಿಗೆ 5-10 ಮಿ.ಗ್ರಾಂ (2-4 ಬಾರಿ ದಿನಕ್ಕೆ)

ನೋಂದಣಿ ಸಂಖ್ಯೆ: 15/2013
ವಿಷಯ: ಕೀಟನಾಶಕ

ಪ್ರತಿ 15-25 ಮಿ.ಗ್ರಾಂ (2-4 ಬಾರಿ ದಿನಕ್ಕೆ)
ಮಕ್ಕಳಿಗೆ 5-10 ಮಿ.ಗ್ರಾಂ (2-4 ಬಾರಿ ದಿನಕ್ಕೆ)

Antidote

vitamin K1 given orally

adults- 15-25 mg (2-4 times per day)

children- 5-10 mg (2-4 times per day)

until normalization of prothrombin time.

Antidote requirement to be decided by medical practitioner as per the condition of the patient.

Cautionary statements:

not to be used for any purpose other than those subscribed on label and leaflets. destroy the container after use as directed on the leaflet.

Manufactured by
PEST CONTROL (INDIA) PVT. LTD

Premises Address

(1), Plot No. B 46 and B 47, Sathariya Industrial Estate, Jaunpur. A
222202, Uttar Pradesh, India

Customer Care Details

PEST CONTROL (INDIA) PVT. LTD
No. 36/2, Sriramanahalli, , Near Rajankunte, Dobaballapur Road,
Arakere Post, Bangalore: 561 203

Safety Pictograms:



© 2011 - 2012

(1) ????? ?????? ?? ?? ?? ??, ?????? ?????????? ??????,
?????? - ??????, ?????? ??????, ??????

»—« ± μ . . .

—α' -3 " " f0 |3 fl o α' μ 2 π|
° " 36/2Ž " 2 -»ýμ Ž " i —α μ '—'° Ž | °° μ @ " " | Ž m'—'° π Ž
° μ μ ' - 561 203

n . « - ' © — —

-

-

-

Given in the table above,

-

-

n . « - ' — ' ° 2 3

-

-

-

© ¥ ' « « Ž ² « « Ž q y a ' | ' ' — Ž ² » Ž n © ' — ' a © . Ž — ' ² ' | ' ' ² μ Ž » o ² ² P Ž m . ° « Ž ± ' ' — ' μ T M — Ž ² ° © , 3 ' ² ' — 2 j ' ' | ' ' ' « « Ž ° ° ' μ — ' ² ' — ¥ — p Ž « ' Ž — ² ' | ' ' ² n ³

® « ® ' n . 1 μ ©

μ T M — »

_____:

Caution: Not to Be Used on Crops Other Than Specified on This Label/Leaflet

»—«±µ' . . . '—

—µ' —3 . . . fb |³ fl o µ' µ² µ|
° 36/2Z . . . 2 →yµ Ž' | —µ' —'° Ž | °°µ@' | Ž m'—'° µŽ
°™µ' — 561 203

° 1/4' œ' µ @-



Caution: Not to Be Used on Crops Other Than Specified on This Label/Leaflet

Bromadiolone 0.25% CB

(Rodenticide)

It is a new single dose anticoagulant rodenticide. It controls field and commensal rats when consumed by causing haemorrhage in the blood system. Mix 1 part with 49 parts of bait materials. Place frequented by the rodents and one application provides good control. Pre-baiting is not necessary.

Chemical Composition:	Ingredient	%W/W
Bromadiolone a.i.	active ingredient	0.25 w/w
Other ingredients(Talc) :	other ingredient	99.75 w/w
Total:		100.00% w/w

Recommendation

Crop(s)	Common Name of Pest	Dosage/HA		Dilution in Water	Crop Stage	Re-entry Period	Pre Harvest	Frequency
		AI (%)	Formulation					
Poultry Farm	Indian house rat, House mouse, Large bandicota	0.005						
Sugarcane	Field rat, Large bandicota	0.005						
Wheat	Field rat, Indian house rat	0.005						
Residential Premises	Field rat , Large bandicota , Indian house rat, House mouse	0.005						
Gram	Field rat, Indian house rat	0.005						
Paddy	Field rat ,Large bandicota, Indian house rat, Indian field mouse	0.005						
Coconut/Bamboo	Indian house rat	0.005						
Groundnut	Field rat, Large bandicota,	0.005						

Note:-

Good Practices relating to pesticide application techniques

Direction of Use

It is a new single dose anticoagulant rodenticide. It controls field and commensal rats when consumed by causing haemorrhage in the blood system. Mix 1 part with 49 parts of bait materials. Place frequented by the rodents and one application provides good control. Pre-baiting is not necessary.

Weather Condition(in general):

-

Soil & Water(where ever applicable):

-

Crop Stage for application:

Application Technique

-

Equipment Type:

=

Caution:Í Not to Be Used on Crops Other Than Specified on This Label/Leafletí "

NozzleType:

=

Dosage:

Given in the table above,

Instruction for Mixing:

-

Re-entry Period

Manner and Time of Application

-

Application Timing

-

Frequency

Stages during which pesticides should not be applied on any crop :

=

Precautions to be taken to avoid harm to the beneficial insects like honey bees and natural enemies of pests :

-

Symptoms Of Poisoning

back pain, abdominal pain, vomiting and nose, mouth, internal bleeding , bloody urine and stool, hypothermia, depression, lack of appetite, muscle weakness and pain, difficulty in breathing, seizures, coma and death

First Aid

Call the doctor immediately

If ingested: if person is conscious and alert, rinse mouth with water and give 1 or 2 glass of water to drink. Never give anything by mouth to an unconscious person. Call the doctor. Do not induced vomiting until and unless desired by attending physician.

If inhaled: Take the patient to fresh air and take care of body temperature. If patient is not breathing or breathing with difficulty, give artificial respiration,Consult a physician.

In case of skin contact: Wash thoroughly the affected part of body with soap and plenty of water including hairs and under fingernails. If pain, redness or irritation persists, consult a doctor. All contaminated clothes should be segregated and thoroughly washed with soap and water separately before use.

In case of eye contact: Rinse gently with plenty of water at least for15 minutes. If pain, irritation, redness or photophobia persists. Consult eye specialist

Antidote

vitamin K1 given orally
adults- 15-25 mg (2-4 times per day)
children- 5-10 mg (2-4 times per day)
until normalization of prothrombin time.

Antidote requirement to be decided by medical practitioner as per the condition of the patient.

Phytotoxicity

Not applicable

Storage Conditions

Caution:Í Not to Be Used on Crops Other Than Specified on This Label/LeafletÍ "

1. The packages containing the rodenticide shall be stored in separate rooms or premises, away from the room or premises used for storing other articles or shall be kept in separate almirahs under lock and key depending upon the quantity and nature of the rodenticide. 2. The room or premises meant for storing the rodenticide shall be well built, well lit, dry well ventilated and of sufficient dimension to avoid contamination with vapour.

Safety Precaution:

1. keep away from foodstuffs, empty foodstuff containers and animal feed 2. avoid contact with mouth, eyes and skin and inhalation of the spray mist. 3. wash thoroughly the contaminated clothes and body parts after handling. 4. do not eat, drink, smoke or chew while applying. 5. use protective clothing which includes long sleeved shirt and long pants, chemical resistant gloves, shoes, goggles and socks while spraying.

Cautionary Statement:

not to be used for any purpose other than those subscribed on label and leaflets. destroy the container after use as directed on the leaflet.

Disposal of used containers, washing from equipment and surplus material :

1. It shall be the duty of manufacturers, formulators of insecticides and operators to dispose packages or surplus materials and washing in a safe manner so as to prevent environmental or water pollution.
2. The used packages shall not be left outside to prevent their re-use.
3. The packages shall be broken and buried away from habitation.

Manufacturer Premises :

Plot No. B 46 and B 47, Sathariya Industrial Estate, Jaunpur. Á
222202, Uttar Pradesh, India
Karnataka

Manufactured by

PEST CONTROL (INDIA) PVT. LTD
No. 36/2, Sriramanahalli, , Near Rajankunte, Dobaballapur Road,
Arakere Post, Bangalore: 561 203 Bangalore Karnataka 561203

Customer Care Details:

PEST CONTROL (INDIA) PVT. LTD
No. 36/2, Sriramanahalli, , Near Rajankunte, Dobaballapur Road, Arakere
Post, Bangalore: 561 203

Safety Pictograms:



Caution: Not to Be Used on Crops Other Than Specified on This Label/Leaflet