

Premises Address

(1). Unit No.1: E-442, RIICO Industrial Area, Chopanki, Distt.- Alwar-301707 (Rajasthan)

(2). Unit No.2: E- 443, RIICO Industrial Area, Chopanki, Distt.- Alwar-301707 (Rajasthan)

(3). Unit No.3: E-439-440, RIICO Industrial Area Chopanki, Distt.- Alwar-301707 (Rajasthan)

(4). Unit No.4: Plot No. CH/21, G.I.D.C Industrial Estate, Dahej, Ta- Vagra, Distt.: Bharuch 392130

(5). Unit No.5: Industrial Growth Centre Samba (J & K)

(6). Unit No.6: I.I.D. Battal Ballian, Udhampur

Customer Care Details

Insecticides India Limited Lusa Tower, Azadpur Commercial Complex, Delhi-110033

Safety Pictograms:



® 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67 68 69 70 71 72 73 74 75 76 77 78 79 80 81 82 83 84 85 86 87 88 89 90 91 92 93 94 95 96 97 98 99 100

(1). ?????? ?-????,???? ????????????? ??????, ????????, ????-???? -?????? (?????????).

(2). ?????? ?-????,???? ????????????? ??????, ????????, ????-???? -?????? (?????????).

(3). ??????:???-???,???? ????????????? ??????, ????????, ????-???? -?????? (?????????).

(4). ?????? ?-????? ??: ?????/? ??.???.???.? ????????????? ???????, ????, ?????: ?????,????: ????-???????

(5). ?????? ?-???????????? ?????? ??????, ??????, (????? ???? ??????).

(6). ?????? ?-???.???.???. ??????, ?????? ?????????, ??????

»—« ± μ

oō ā α ° | ° ' ' o | 3 ' ' μ ² α | ' ' μ ° ' ' α . ' ' Ž n Ā «@' ' ' — , P μ ' ' —úôā° ' Ž «ýμ ' z\$#\$#&&

Secondary Package Label

[Ultra-small (1ml or gm to 50 ml or gm)] & [small (51 ml or gm to 250 ml or gm)]

Read leaflet before use:

Common Name:

Buprofezin 22% Fipronil 3% w/w SC

BRAND NAME: -

Crops and Pest Groups: Rice-brown plant hopper

Dosage, Direction for use and Manner and time of application : Please refer leaflet for details

Purpose:

for agricultural use

Re-entry:

24 hours

Chemical Composition :

Content % w/w

Fipronil a.i	active ingredient	03.00 % w/w
Potassium salt of alkylated ethoxylated phosphate ester	other ingredient	03.00 % w/w
Buprofezin a.i.	active ingredient	22.2 % w/w
Polyoxyalkylene alkyl ether	other ingredient	02.00 % w/w
Propylene glycol	other ingredient	05.00 % w/w
Silicone defoamer	other ingredient	0.50 % w/w
DM Water	other ingredient	Q.S
Xantham gum	other ingredient	0.20 % w/w
Biocide BIT 20{ 1,2-Benzisothiazol-3(2H)-one)	other ingredient	0.50 % w/w

Total: 100.00%

Buprofezin 22% Fipronil 3% w/w SC

ø³ - Ñ - UU' '† - -µ' V' ± '± 'w' !°

Systemic Insecticide

m©l . »' - - - -



° çœ' - '®œ° ' «' '†

Keep out of reach of children.

° - ' | ' ¥ð' ' †™' '®' n' '™' ' «' '†

Keep in cool, dry place away from heat and open flame.

Regn. No. ' i' !-!

Mfg. Lic. No. 2 - 3 !' µ !-!

Batch No. ° œ' -!

Mfg Date 2 - 3 !' ©!

Exp. Date ç ñ' » - ' - ' ©' '†

Net Content / Volume , ± ' ñ' 3 ©-

q®³ '™' ° ' ®µ' ® - ' ®E-

ø³ - Ñ - UU' '† - -µ' V' ± '± 'w' !°

' - Á

' - Á

' - Á

' - Á

' - Á

- 1 ' 2 ' 3 '™' - µ w

' - Á

UW\$ Óœ

' ° 3 - - ' °œ- -

' - µ' ° !©! ° 3' §œ-

®µ , 3 2' ° yœ' y Ó' mō³ ' §œ-

mý-œµ' p' w' á° µ p'!

' - - œ' p' œ'

ø³ - Ñ - ' ° !© ° 3' §œ-

®µ { á° mý-œµ -' mō³ ' §œ-

mý-œµ' p' œ'

®µ - ' äµ œ-µ mō³ ' §œ-

° µ - - ' | - 3 2' mō³ ' §œ-

! w' ' œ' mō³ ' §œ-

! œ' 2' '™² mō³ ' §œ-

° 3 ° œ' ' ° !n p!œ' US mō³ ' §œ-

¶ŹŹ° òj n p'

° a 3 j µ zV

fUwœf{ - ;

' ° 3 - - ' °œ- -

' - µ' ° !©! ° 3' §œ- SWISS' ' w/w

®µ , 3 2' ° yœ' y Ó' mō³ ' §œ- SWISS' ' w/w

ø³ - Ñ - ' ° !© ° 3' §œ- UUU' ' w/w

®µ { á° mý-œµ -' mō³ ' §œ- SUSS' ' w/w

®µ - ' äµ œ-µ mō³ ' §œ- SXISS' ' w/w

° µ - - ' | - 3 2' mō³ ' §œ- SIXS' ' w/w

! w' ' œ' mō³ ' §œ- ®³ b©' 2' '†

! œ' 2' '™² mō³ ' §œ- SIUS' ' w/w

° 3 ° œ' ' ° !n p!œ' US mō³ ' §œ- SIXS' ' w/w

3 '™' - TSSI'SS'

Safety Precautions, Symptom of Poisoning and First Aid
:Please refer leaflet for details.

Max. Retail Price m — 02 11 « 12 y3

Antidote Statement:

No specific antidote, symptomatic and supportive therapy

Cautionary statement:

- i. product is highly toxic to fish, thus may be avoided near aquaculture.
- ii. not to be used for any purpose other than those subscribed on label and leaflets.
- iii. destroy the container after use as directed on leaflet.

Manufactured by

Insecticides India Limited
Lusa Tower, Azadpur Commercial Complex, Delhi-110033 Delhi
New Delhi Delhi 110033

Premises Address

- (1). Unit No.1: E-442, RIICO Industrial Area, Chopanki, Distt.- Alwar-301707 (Rajasthan)
- (2). Unit No.2: E- 443, RIICO Industrial Area, Chopanki, Distt.- Alwar-301707 (Rajasthan)
- (3). Unit No.3: E-439-440, RIICO Industrial Area Chopanki, Distt.- Alwar-301707 (Rajasthan)
- (4). Unit No.4: Plot No. CH/21, G.I.D.C Industrial Estate, Dahej, Ta- Vagra, Distt.: Bharuch 392130
- (5). Unit No.5: Industrial Growth Centre Samba (J & K)
- (6). Unit No.6: I.I.D. Battal Ballian, Udhampur

Customer Care Details

Insecticides India Limited Lusa Tower, Azadpur Commercial Complex, Delhi-110033

— p . . . « 1 » | 1 — » Ž μ ¼ — q @ œ —
1 T M 0 œ — | 1 0 » 3 — œ — ħ 0 — Q

T ! : : 3 » : @ « a | 2 Ÿ μ 3 — μ w m ħ 3 — 1 μ : » 0 ° μ w o ° — 3 T M
2 ħ 3 @ μ — : μ : a — : — : @ ° — : — : Q

U ! : μ ° μ : μ — μ α : 2 : — « | α : — 3 : T M 0 : : μ : — m μ . : : m 0 3 : : μ : @ :
o @ 2 μ : — : Q

V ! : q @ 3 T M — : « : : μ : | 0 ° — : μ 0 μ α : 2 : « 3 : T M 0 : — « , : — m — 0 : :
— α : — : Q

q ħ @ « —

110033
® : ° : : — : @ © _

- (1). ????? ? : ?-???, ??? ? ?????????? ?????, ???????, ???- ???
-????? (????????).
- (2). ????? ? : ?-???, ??? ? ?????????? ?????, ???????, ???- ???
-????? (????????).
- (3). ??????:??-???, ??? ? ?????????? ?????, ???????, ???- ???
-????? (????????).
- (4). ????? ? : ????? ??: ?????/? ??.??.??.??. ?????????? ??????,
????, ?????: ?????, ????: ???-?????
- (5). ????? ? : ?????????? ????? ??????, ??????, (???? ????
??????).
- (6). ????? ? : ?? . ?? . ?? . ??????, ?????? ???????, ??????

» — « ± μ : . . .

o 0 ° a α ° | ° : : o | 3 : : μ 2 α : : μ ° : : α : : Ž n Ā « @ : : — , P μ : :
— ú q a ° : Ž « ý μ : z \$ # & &

Safety Pictograms:



TI: 3 » @ a | 2 Y μ 3 — μ w mñ 3 — 1 μ » ° μ w o° — 3 TM
2 ñ 3 @ μ — μ a — — @ ° — — Q
U! μ ° μ μ — μ α 2 — « l α — 3 TM ° μ — m μ — mō 3 — ° μ — @
o © 2 μ — — Q
V! q @ 3 TM — ° « — μ — | θ° — μ O μ α 2 — « 3 TM — « — m — ° —
— α — — Q

qñ® « —

110033

Premises Address

(1). Unit No.1: E-442, RIICO Industrial Area, Chopanki, Distt.- Alwar-301707 (Rajasthan)

(2). Unit No.2: E- 443, RIICO Industrial Area, Chopanki, Distt.- Alwar-301707 (Rajasthan)

(3). Unit No.3: E-439-440, RIICO Industrial Area Chopanki, Distt.- Alwar-301707 (Rajasthan)

(4). Unit No.4: Plot No. CH/21, G.I.D.C Industrial Estate, Dahej, Ta- Vagra, Distt.: Bharuch 392130

(5). Unit No.5: Industrial Growth Centre Samba (J & K)

(6). Unit No.6: I.I.D. Battal Ballian, Udhampur

@ ° — — @ © —

(1). ????? ?-???, ??? ???? ?????? ?????, ??????, ???- ??? -????? (????????).

(2). ????? ?-???, ??? ???? ?????? ?????, ??????, ???- ??? -????? (????????).

(3). ?????:??-???, ??? ???? ?????? ?????, ??????, ???- ??? -????? (????????).

(4). ????? ?-???? ??: ???/? ??.???.???. ?????????? ??????, ????, ?????: ?????, ????: ???-?????

(5). ????? ?-????????? ????? ??????, ?????, (???? ???? ?????).

(6). ????? ?-?? .?? .?? .?????, ????? ??????, ??????

Customer Care Details

Insecticides India Limited Lusa Tower, Azadpur Commercial Complex, Delhi-110033

» — « ± μ — —

oō° ā α ° | ° ° | 3 — μ 2 α | μ ° — α — Ž n Ā « — 2 , P μ —
— ü μ ā ° Ž « ý μ — z \$ # # & &

Safety Pictograms:



Ø³ - Ç - UU' f' - -µ' V' ±' ±' w' !°

fi m@l. » -α- , -fi

-

Ø³ - Ç - UU' f' - -µ' V' ±' ±' w' !° !w-α- , -2' » j° - 3 TM' - -µ' 2' ±' «- -α- -3' » ©' »Q

° 3' - -° (æ-)-

° 3' o' !n p!α' US97Z° ðj n p'	mō³' š α-	SIXS' w/w
° a 3' j μžVfUwcfZ{ -;		
Ø³ - Ç - !©	° 3' š α-	UUU' w/w
j wž' α'	mō³' š α-	@³ b@'2'
- -μ' !©!	° 3' š α-	SV!SS' w/w
@μ { á° mý-ομ- 'mý-ομ' p'á'	mō³' š α-	SU!SS' w/w
@α , 3 2' ° ýα' y Ó' mý-ομ αj' w' á° μ αj'	mō³' š α-	SV!SS' w/w
- -α' p α'		
@μ - ' äμ ο-μ	mō³' š α-	SX!SS' w/w
° μ - -' j' 3 2'	mō³' š α-	SIXS' w/w
j ð' 2' TM2	mō³' š α-	SIUS' w/w
		3 TM' - TSSI!SS' ±' ±' '

° μ'	-α- -2'	©' » ä³ ' 2'		@- -2' μ α'	° μ' m' a	@- -μ	@ I' ° μ	n .
		° !' ©ñ 2	° 'æ- 2 μ' μ α' ' ©' » ä³ '					
n -	±' » «-	TTSI TX	XSS	VBSžXSS' μ α'		UWš óα	VU' «-	W- ' ©' a' n . 3' - ©' @j' - ' @' @- - 3' TM' - '

Note:- --

q@³ TM' - μ w -« , '

Ti' Ø³ - Ç - UU' f' - -µ' V' ±' ±' w' !° - q@³ ä@' 2' μ j' 3' o' 2' a Ê' ° @- -2' μ o³ Ž' o' mçY' '©' »' š μ wž' - ' o' 2' , 1' @- ' mçY' '©' »' » μ ©' » w' 2' μ o³' ' ; U' o' - ' Ý Ê- ' » , ' - ' . @' ©' « , ' 2' - - ' Q

2 ° 2' - ' a ©

- μ' n ° 2' - - ' o 2 3 3 TM' - ' ©j' » , ' αμ- - ' a ©' 2' Ý Ê- ' - - ' Q

2 α' j' ' @-

° ±' - - ' - 2' α' wj²' ' @-

- ° μ' m' a

Caution: Í Not to Be Used on Crops Other Than Specified on This Label/Leaflet! "

3 -α' U' pžVWZ' -'o; 3 μ' w'3 Ž œ®—Ž j μ ž' mμ· ' žVSTZSZ'
ff j a -fl

3 -αV-W\žVWZ' -'o; 3 μ' w'3 Ž œ®—Ž j μ ž' mμ· ' žVSTZSZ'
ff j a -fl

3 -α' W çμ α' -!-'° vœ'UT' j !n pl! !° !'o; 3 μ' w' αž «»j Ž
œ»° μ-'· '™r Ž j μ -'± œž\UVTS

3 -α' X-'o; 3 μ' a' ° œα' Ž° ú° Ž fj ú² 'wðj' -² 'fl

3 -α' Y-'n pl'n pl'j !'° œα' Ž° μ' ° ýμn -Ž q-² ®'

»-« ± μ' · · ' -

oō° āα° |° '°o |³ '° μ² p|° μ° '° α· '° Ž n Ā «®'° -² , P μ'
-úçμā° 'Ž «ýμ' ž\$#\$#&&

° ¼' œ' μ ®-



Caution: Not to Be Used on Crops Other Than Specified on This Label/Leaflet

Buprofezin 22% Fipronil 3% w/w SC

(Systemic Insecticide)

-

Buprofezin 22% + Fipronil 3% w/w SC is an insecticidal combination, used for the control of brown plant hopper on Rice crop.

Chemical Composition:	Ingredient	%W/W
Biocide BIT 20{ 1,2-Benzisothiazol-3(2H)-one}	other ingredient	0.50 % w/w
Buprofezin a.i.	active ingredient	22.2 % w/w
DM Water	other ingredient	Q.S
Fipronil a.i	active ingredient	03.00 % w/w
Polyoxyalkylene alkyl ether	other ingredient	02.00 % w/w
Potassium salt of alkylated ethoxylated phosphate ester	other ingredient	03.00 % w/w
Propylene glycol	other ingredient	05.00 % w/w
Silicone defoamer	other ingredient	0.50 % w/w
Xantham gum	other ingredient	0.20 % w/w
Total:		100.00% w/w

Recommendation

Crop(s)	Common Name of Pest	Dosage/HA		Dilution in Water liter	Crop Stage	Re-entry Period	Pre Harvest	Frequency
		AI gram	Formulation ml/ha					
Paddy	Brown Plant Hopper	110 + 15	500	400-500 L		24 hours	32 days	One and repeat application as necessary.

Note:- -

Good Practices relating to pesticide application techniques

Direction of Use

1. Take the measured quantity of Buprofezin 22% + Fipronil 3% W/W SC add to small quantity of water, mix thoroughly and then add the remaining quantity of water while stirring vigorously.
2. Do not spray facing the wind.

Weather Condition(in general):

Apply during clear sky and do not spray during windy conditions.

Soil & Water(where ever applicable):

All types of soil and water

Crop Stage for application:

Application Technique

Equipment type: The most commonly used sprayer are bucket pump sprayer, Stirrup pump sprayer , Rocking sprayer , Foot sprayer, Wheel borrow sprayer, Compression knapsack sprayer, Compression knapsack battery sprayer, and ASPEE HTP power sprayer.

Equipment Type:

Caution: Not to Be Used on Crops Other Than Specified on This Label/Leaflet "

bucket pump sprayer, Stirrup pump sprayer, Rocking sprayer, Foot sprayer, Wheel borrow sprayer, Compression knapsack sprayer, Compression knapsack battery sprayer, and ASPEE HTP power sprayer

Nozzle Type:

Hollow cone

Dosage:

500 ml per ha

Instruction for Mixing:

Thoroughly mix the required quantity of Buprofezin 22%o + Fipronil 3%o WW SC into the water volume as per requirement for the field area.

Re-entry Period

24 hours

Manner and Time of Application

Apply the insecticide, when first incidence is observed and repeat application as necessary.

Application Timing

Preferably in the morning or evening hours.

Frequency

One and repeat application as necessary.

Stages during which pesticides should not be applied on any crop :

=

Precautions to be taken to avoid harm to the beneficial insects like honey bees and natural enemies of pests :

do not spray during active bee-foraging period of the day.

Symptoms Of Poisoning

Symptoms may be combination of dizziness, headache, nervousness, anxiety, salivation tremors, convulsions, allergy, localized skin effect like itching, nausea, slight skin erythema, hypo activity, irritability, lethargy, muscle tremors, convulsion, subdued mood, slight muscular inco-ordination, slight enlarge abdomen, vomiting and agitation etc.

First Aid

If ingested: If person is conscious and alert, rinse mouth with water and give 1 to 2 glass of water to drink. Never give anything by mouth to an unconscious person. Call the doctor. Do not induced vomiting until and unless desired by attending physician.

If inhaled: Take the patient to fresh air and take care of body temperature. If patient is breathing with difficulty, give artificial respiration, preferably with mouth to mouth breathing. Consult a physician.

In case of skin contact: Wash thoroughly the affected part of body with soap and plenty of water including hairs and under fingernails. If pain, redness or irritation persists, consult a doctor. All the contaminated clothes should be segregated and thoroughly washed with soap and water separately before use.

In case of eye contact: Rinse gently with plenty of water at least for 15 minutes. If pain, irritation, redness or photophobia persists. Consult eye specialist.

Antidote

No specific antidote, symptomatic and supportive therapy

Phytotoxicity

The product is not phytotoxic when used as per recommendation.

Storage Conditions

Caution: Not to Be Used on Crops Other Than Specified on This Label/Leaflet

1. The package containing Insecticides formulation shall be stored in separate rooms or premises away from the rooms or premises used for storing other articles particularly articles of food or shall be kept in separate almirahs under lock and key depending upon the quantity and nature of pesticides.
2. The rooms or premises meant for storing the Insecticides formulation shall be well built, airy, well lit and ventilated and of sufficient dimension to prevent environmental contamination with vapour of Insecticides formulation.

Safety Precaution:

1. Keep away from foodstuffs, empty foodstuff containers and animals food.
2. Avoid contact with mouth, eyes and skin.
3. Avoid inhalation the spray mist. Spray in the direction of wind.
4. Wash thoroughly the contaminated clothes and parts of the body after spraying.
5. Do not smoke, drink, eat and chew anything while spraying.
6. Wear full protective clothing while mixing and spraying.

Cautionary Statement:

- i. product is highly toxic to fish, thus may be avoided near aquaculture.**
- ii. not to be used for any purpose other than those subscribed on label and leaflets.**
- iii. destroy the container after use as directed on leaflet.**

Disposal of used containers, washing from equipment and surplus material :

1. It shall be the duty of manufacturers, formulators of insecticides and operators to dispose packages or surplus materials and washing in a safe manner so as to prevent environmental or water pollution.
2. The used packages shall not be left outside to prevent their re-use.
3. Dangerous to re-use empty containers. Packages shall be broken and buried away from habitation.

Manufacturer Premises :

Unit No.1: E-442, RIICO Industrial Area, Chopanki, Distt.-
Alwar-301707 (Rajasthan)
Delhi

Unit No.2: E- 443, RIICO Industrial Area, Chopanki, Distt.-
Alwar-301707 (Rajasthan)
Delhi

Unit No.3: E-439-440, RIICO Industrial Area Chopanki, Distt.-
Alwar-301707 (Rajasthan)
Delhi

Unit No.4: Plot No. CH/21, G.I.D.C Industrial Estate, Dahej, Ta-
Vagra, Distt.: Bharuch 392130
Delhi

Unit No.5: Industrial Growth Centre Samba (J & K)
Delhi

Unit No.6: I.I.D. Battal Ballian, Udhampur
Delhi

Manufactured by

Insecticides India Limited
Lusa Tower, Azadpur Commercial Complex, Delhi-110033
Delhi 110033

Customer Care Details:

Insecticides India Limited Lusa Tower, Azadpur Commercial Complex,
Delhi-110033

Safety Pictograms:



Caution: Not to Be Used on Crops Other Than Specified on This Label/Leaflet "