

(1). Sulphur Mills Limited, Plot No- 230/231/232, ,G.I.D.C., Panoli,
Dist- Bharuch, State - GUJARAT.
Gujarat

(2). Sulphur Mills Limited, Plot No.2, G.I.D.C. Estate, Panoli,
Taluka: Ankleshwar, Dist: Bharuch, State-Gujarat, Pin code-
394116
Gujarat

(3). Sulphur Mills Limited, Shed No. 1501-1502, G.I.D.C. Estate,
Panoli, Taluka: Ankleshwar, Dist: Bharuch, State-Gujarat, Pin code-
394116
Gujarat

(4). Sulphur Mills Limited, Plot No. 1904/1905/1928, A-18/18,
G.I.D.C. Estate, Panoli, Taluka: Ankleshwar Dist. - Bharuch, State -
GUJARAT.
Gujarat

Customer Care Details

Address:SULPHUR MILLS LIMITED, 604/605, Business Point, 6th
floor, Plot No. 349, Western Express Highway, Andheri (E) Mumbai
. 400 069, INDIA,
Email:bineet.s@sulphurmills.com,
Contact No:022-43452222

Safety Pictograms:



(1).

(2).

(3).

(4).

»—« ± μ

© -SULPHUR MILLS LIMITED, 604/605, Business Point, 6th floor,
Plot No. 349, Western Express Highway, Andheri (E) Mumbai . 400
069, INDIA,
p² μ -bineet.s@sulphurmills.com,
Contact No:022-43452222

—°ō!ϕ 2°XSS° μ° W!UZ° μú°—°—ō —°

fi m@l · »'« —, —fl

—°ō!ϕ 2°W!UZ° W!°!°3°W° μú°—°—ō —°»'3°m° | °n 2°—°œ° «'— μW ±, μ'»:

° 3 —°° (œ—)

°ōα— pα° °	Wōαž—™ W° α	SITY° W/W
° 3 ° p!	°	S!W° W/W
—°ō!ϕ 2°ā—μ°fō3—°2° ° °\!SS° f! 3° 3°°ñ		47.22 W/W
2 ā—, 32	° μ—°	SIT[° W/W
—°n 3 —°W- 3 —°3 —°n 3 —° ° ° ° ā°		XIV\$° W/W
W- 3 —° @°ōα° —°2° W- 3 —°		
@°ōα° —°2°		
™ μp° μ—äμ 3—μ	mō3° š—	T!WV° W/W
@—	mō3° š—	WX!UW° W/W

3 °™ - TSS!SS° ± °± °

° μ'	—α'—2	° »â³ °2		° —°2 ° μ°	° μ' m- a	@—°—μ	@ I ° μ	n .
		° !°°ñ %	° °œ— %					
m™	œ° «	S!SW° m° . W° °TSS° μ!° @—	SIT° m° . °TSS° 2 μ °TSS° μ!° @—	n . 3 —°—°	—° μ' ° μ' ° °™ —° «'—°œ° —°	24	30	—° μ³ ° ° 2 ° —° @° μ' ° —° @° 3 ° 2 ° 2 ° —° a ° m—μ' » —° ° \$#° « —° m° μ' @° —°
n 2	œ° «	S!SW° m° . W° °TSS° μ!° @—	SIT° m° . °TSS° 2 μ °TSS° μ!° @—	n . 3 —°—°	—° μ' ° μ' ° °™ —° «'—°œ° —°	24	15	—° μ³ ° ° 2 ° —° @° μ' ° —° @° 3 ° 2 ° 2 ° —° a ° m—μ' » —° ° \$#° « —° m° μ' @° —°

Note:-

q°™ —° μW —°«

—° 2 μ, —°°œ—° —° | ° 2 —° ° » μ' a Ê° @—° 2 ° 2 μ 3 ° | ° ° ÿ Ê° ° mçY —° š μ' μQ o° —° «' @—° —° 2 —° —° 2 μ —° —° | ° ° ÿ Ê—° 2 —° ° 3 ° —° μ' Q

2 ° 2 ° —° a °

° ° » | ° 2 —° ° 2 3 ° o ° 2 μ' —° ° 3 « ° ° » ° » ° | ° ° ° » ° ° » ° » ° » ° ÿ Ê—° —° —° ° ° œ° ° ° —° —° @° 2 ° 2 ° —° «' —° ÿ Ê—° —°

Caution: Not to Be Used on Crops Other Than Specified on This Label/Leaflet

2. « | ' ' @ _

3. » ' ° ú² ' ' @ « ' a | @ ' ' ŸÉ — ' ' — μwq®³™ —³ ' j ' © ' » ' o° μw² ' « ' o° — ' — p ' ' © ' — » ' » ' |

' ° μ ' m ' a

' μ ' | ' ' ' μ ' o ' «™ — ' « ' ' — œ ' ' — ' |

n . « — ' @ — —

qçœ · ý³² ' . μ ' ASPEE-HTP qçœ® · ' ' ' 3 ' ' j ' ° 2 ' ' ÷ μ ' ' — ' — j ' μ ' 3 ' ' ® ' ' Ÿ | — ' ' — ® — ' 3 ' ' j ' ° 2 ' ' ÷ μ ' j ' ' — j ' μ ' μ™ ' » ' —
j ' ' w® ' ' Ÿ | — ' ' — ' Q® · ' ' ' œ μ®³ ' ' — ' 3™ ± ' —³ ' j ' ' ° — © ' » Q

—® — ' 3 ' ' j ' ° 2 ' ' ÷ μ ' ' — ' — j ' μ™ ' » ' — j ' ' w® ' ' Ÿ | — ' ' — ' Q® · ' ' ' œ μ®³ ' ' — ' 3™ ± ' —³ ' j ' ' ° — © ' » Q

÷ μ ' ' — ' — j ' μ Q

Please refer recommendation table.

—®³ ' ' q®³™ — ' — « , ' ' « — Q

24

® μ ' '™ — ' — « ' » — ' @ ' μ™ — ' j ' ' © — ' ®² ' Z ' o ' \$# ' « — ' — m® ' μ ' ® ' m — 3™ — ' « ' »³ Q

n . « — ' — ' ° 2 3

° » ' 3 ' ' , 2 ' ' — ' ° 2 3 ' 2 ' ' o ' ©² μ ' —³ ' j ' — ' œ » vQ

' — μ³ ' ' ' ° 2 ' ' — ' ® μ ' o — © ' ®³ ' 2 ' ° 2 ' — ' a ' © ' m — μ ' » — ' ® ' * ' o ' \$# ' « — ' — m® ' μ ' ® ' — ' |

' ° μ ' ® — ' ® ' | ' ' ' ° μ ' — « — ' o ' , ' ® μ ' q®³™ — ' — ' Q

1! ' ® ¼³ — . 1 á©

2! ' ² Ÿ μ | ' m³ j μ³ j . — μ w · 1 á©®° μ vž vâ · — ýœ ' —®° o ©² μ — » —³ j — œ » vQ

3! ' ² -² á³ — μ w · 1 á©®° μ vž² -² á³ — ° —³ j™ m — « ' — q®³™ — » —³ j — œ » w

. 1 ' — μ ¼³

j ' ' ² œ μ — ž qy« ' » — ž —™ μ — ' ® ' ®² ' « | w ' . ° ' . ' m« ' μ w j — ' ® ' . ° ' — μ ' . ' — ' — Ê² ' j μ — ' |

® «® n . 1 μ©

° — ' , ' — ' m — ° ' q®³™ — w j — ' ® ' — ' ° ð i ç² ' w!UZ ' ' w!° ' m — ° ' ® — ' . 1 á© — » ' » Q

Caution: Not to Be Used on Crops Other Than Specified on This Label/Leaflet

Carbendazim 500 g/l or 46.27 % SC

(Systemic Fungicide)

Carbendazim 46.27% SC is a Suspension Concentrate used for the control of powdery mildew of grapes and mango.

Chemical Composition:	Ingredient	%W/W
Bentonite or gum	Anti caking agent	0.16 W/W
Biocide	Preservative	0.36 W/W
Carbendazim Technical (Minimum purity 98%)	A.I.	47.22 W/W
Magnesium	Silicates	0.18 W/W
Non-ionic Anionic or Blend of nonionic and anionic dispersants	Surfactants	5.40 W/W
Polyethylene glycol	other ingredient	1.44 W/W
Water	other ingredient	45.24 W/W
Total:		100.00% w/w

Recommendation

Crop(s)	Common Name of Pest	Dosage/HA		Dilution in Water liter	Crop Stage	Re-entry Period	Pre Harvest	Frequency
		AI %	Formulation %					
Grape	Powdery mildew	0.046% or 46 g/100 lt. water	0.1% or 100 ml/100 lt. water	As required	Vegetative stage to Flower and fruit setting stage.	24	30	Frist spray at the appearance of symptoms of disease and spray at an interval of 7-10 days as and when required.
Mango	Powdery mildew	0.046% or 46 g/100 lt. water	0.1% or 100 ml/100 lt. water	As required	Vegetative stage to Flower and fruit setting stage.	24	15	Frist spray at the appearance of symptoms of disease and spray at an interval of 7-10 days as and when required.

Note:-

Good Practices relating to pesticide application techniques

Direction of Use

Take a required quantity of formulation, dilute with little water and stir well using a stick. Then add the remaining quantity of water as per spray volume required & mix well again by stirring.

Weather Condition(in general):

Should be applied preferably in the morning and evening. Avoid applications under high wind. Apply during clear weather without rain

Soil & Water(where ever applicable):

This is foliar application product, so hardly have any relation to soil. However, avoid using near aquaculture.

Crop Stage for application:

Vegetative stage to Flower and fruit setting stage.

Application Technique

Caution: Not to Be Used on Crops Other Than Specified on This Label/Leaflet "

Foliar spray: Knapsack sprayer fitted with flat fan nozzle is recommended. Foot sprayer can be also be used.

Equipment Type:

Knapsack sprayer fitted with flat fan nozzle is recommended. Foot sprayer can be also be used.

NozzleType:

Flat fan nozzle.

Dosage:

Please refer recommendation table.

Instruction for Mixing:

Please see " direction of use".

Re-entry Period

24

Manner and Time of Application

At the appearance of symptoms and disease make repeat applications at 7 to 10-day intervals as needed.

Application Timing

Should be applied preferably in the morning and evening.

Frequency

Frist spray at the appearance of symptoms of disease and spray at an interval of 7- 10 days as and when required.

Stages during which pesticides should not be applied on any crop :

Not to be applied during crop maturity and just before crop harvest.

Precautions to be taken to avoid harm to the beneficial insects like honey bees and natural enemies of pests :

1. Birds poisoned
2. Intoxicated for fish and other aquatic animals. Therefore, aquaculture should not be used for driving.
3. Toxic for bees. Therefore, active foraging of bees should not be used during more than

Symptoms Of Poisoning

Nausea, vomiting, abdominal pain, If swallowed. When inhaled as fine mist , irritation to bronchial and lung tissues.

First Aid

11. in case of suspected poisoning, call for a physician immediately if the eyes are contaminated flush with plenty of clean water. In case of ingestion rinse mouth with water. Do not give anything by mouth to unconscious patient. If skin is contaminated, wash it with soap and plenty of water.

Antidote

No specific antidote is known. Treat symptomatically.

Phytotoxicity

Carbendazim 46.27% SC is not phytotoxic when used as per recommendations.

Storage Conditions

- 1.It shall be the duty of manufacturers, formulators of pesticide and operator to dispose The packages containing the fungicides shall be stored in separate rooms or premises away from the rooms or premises used for storing other articles particularly food articles or shall be kept in separate almirahs under lock and key depending upon the quantity and nature of the fungicide.
2. The rooms or premises meant for storing the fungicides shall be well lit well built, dry cool, ventilated and of sufficient dimensions to avoid contamination with vapor.

Caution:Í Not to Be Used on Crops Other Than Specified on This Label/LeafletÍ "

Safety Precaution:

- 1.Keep away from foodstuffs, empty foodstuff containers and animal feed.
- 2.Avoid contact with mouth, eyes and skin.
- 3.Avoid inhalation of the spray mist. Spray across or in the direction of wind.
- 4.Wash thoroughly the contaminated clothes and parts of the body after spraying.
- 5.Do not smoke, drink, eat and chew anything, while spraying.
6. Wear full protective clothing while handling the pesticides at the time of its mixing and spraying.

WARNING:

It has foeto-toxic and teratogenic potential-pregnant women should avoid contact with the product.

Cautionary Statement:

1. Not be used on any crops other than those subscribed on label and leaflet

2. Destroy the container after use as directed on leaflet.

3.Do not use in those situation where there is a possibility of harming fish and livestock. Do not contaminate streams, lakes and ponds.

WARNING:

It has foeto-toxic and teratogenic potential-pregnant women should avoid contact with the product.

Disposal of used containers, washing from equipment and surplus material :

1. It shall be the duty of manufactures, formulators of insecticides and operators to dispose packages or surplus material and washings in a safe manner so as to prevent environmental or water pollution.
2. The used packages shall not be left outside to prevent their re-use.
3. The packages shall be broken and buried away from habitation.

Manufacturer Premises :

Sulphur Mills Limited, Plot No- 230/231/232, ,G.I.D.C., Panoli,
Dist- Bharuch, State - GUJARAT.
Maharashtra

Sulphur Mills Limited, Plot No. 1904/1905/1928, A-18/18, G.I.D.C.
Estate, Panoli, Taluka: Ankleshwar Dist. - Bharuch, State -
GUJARAT.
Maharashtra

Sulphur Mills Limited, Plot No.2, G.I.D.C. Estate, Panoli, Taluka:
Ankleshwar, Dist: Bharuch, State-Gujarat, Pin code- 394116
Maharashtra

Sulphur Mills Limited, Shed No. 1501-1502, G.I.D.C. Estate,
Panoli, Taluka: Ankleshwar, Dist: Bharuch, State-Gujarat, Pin
code- 394116
Maharashtra

Manufactured by

Sulphur Mills Limited
SULPHUR MILLS LIMITED, 604/605, Business Point, 6th floor,
Plot No. 349, Western Express Highway, Andheri (E) Mumbai . 400
069, INDIA Mumbai Maharashtra

Customer Care Details:

Safety Pictograms:



Caution: Not to Be Used on Crops Other Than Specified on This Label/Leaflet "