

Antidote Statement:

Pencillamine 15-40 mg/kg or Dimercaperol 3 mg/kg and then 2 mg/kg

Antidote requirement to be decided by medical practitioner as per the condition of the patient

Cautionary statement:

1. It is toxic to honey bees, spray application should be avoided during the foraging period of bees.
2. toxic to fish, aquatic organisms hence should not be used near water bodies, aquaculture or pisciculture.
3. Not to be used for any purpose other than those subscribed on label and leaflets.
4. Destroy the container after use as directed on leaflet.

Manufactured by

UPL Limited
Uniphos House, Madhu Park, 11th Road, Khar (W), Mumbai 400 052 MUMBAI Mumbai Maharashtra 400052

Premises Address

- (1). 3 - 11, G.I.D.C., Vapi, Gujarat-396 195 Gujarat
- (2). Plot No. 3101/02, G.I.D.C, Ankleshwar, Gujarat-393 002 Gujarat
- (3). Industrial Growth Centre, Samba, Jammu, (J & K) 184121 Jammu & Kashmir
- (4). Durgachak Post, Haldia Dist. Midnapore-721602 West Bangal
- (5). S. no. 225, Village Gopipura, Ta. Halol, Dis. Panchmahal Gujarat
- (6). Plot 750, G.I.D.C, Industrial Estate Jhagadia, Bharuch

Customer Care Details

Net Content / Volume 150 ml ± 3%
 Max. Retail Price ₹ 120.00

150 ml (Pencillamine) 15-40 mg/kg
 (Dimercaperol) 3 mg/kg

UPL Limited
 Uniphos House, Madhu Park, 11th Road, Khar (W), Mumbai 400 052 MUMBAI Mumbai Maharashtra 400052

1. It is toxic to honey bees, spray application should be avoided during the foraging period of bees.

2. toxic to fish, aquatic organisms hence should not be used near water bodies, aquaculture or pisciculture.

3. Not to be used for any purpose other than those subscribed on label and leaflets.

4. Destroy the container after use as directed on leaflet.

Manufactured by

UPL Limited

Uniphos House, Madhu Park, 11th Road, Khar (W), Mumbai 400 052 MUMBAI Mumbai Maharashtra 400052

Premises Address

- (1). 3 - 11, G.I.D.C., Vapi, Gujarat-396 195 Gujarat
- (2). Plot No. 3101/02, G.I.D.C, Ankleshwar, Gujarat-393 002 Gujarat
- (3). Industrial Growth Centre, Samba, Jammu, (J & K) 184121 Jammu & Kashmir
- (4). Durgachak Post, Haldia Dist. Midnapore-721602 West Bangal
- (5). S. no. 225, Village Gopipura, Ta. Halol, Dis. Panchmahal Gujarat
- (6). Plot 750, G.I.D.C, Industrial Estate Jhagadia, Bharuch

Customer Care Details

-

Safety Pictograms:



Big Label

(> 250 mL Primary and Secondary Package Label)

Read leaflet before use:

Common Name:

Copper sulphate 47.15% Mancozeb 30% WDG

BRAND NAME: -

Crops and Pest Groups: Copper Sulphate 47.15% + Mancozeb 30% WDG, is a fungicide used for the effective control of anthracnose, powdery mildew and downy mildew in grapes.

Dosage, Direction for use and Manner and time of application : Please refer leaflet for details

Purpose:

For agricultural use.

Re-entry:

24 hours.

Chemical Composition :

Content % w/w

Alkyl naphthalene sulphonate condensate sodium salt	Dispersing agent	7.00 w/w
Silicon Defoamer	Defoamer	0.10 w/w
Calcium Hydroxide	Stabiliser	2.70 w/w
Kaolin Clay	Inert	q.s. w/w
Copper Sulphate a.i.	Active ingredient	47.15 w/w
Mancozeb a.i.	Active ingredient	30.00 w/w
Prussian blue	Colouring agent	0.10 w/w
Sodium aromatic aryl Sulphonate	Dispersing agent	3.00 w/w

Total:100.00%

Safety Precautions:

Copper sulphate 47.15% Mancozeb 30% WDG

—@''° y' α' WZ!TX' '† '² ð—Ç° 'VS' '†! qμ!! †! †!

Contact Fungicide

® 3' --- « - , —



° çœ' —' ®œ' ° ' «' ---

Keep out of reach of children.

° - ' | ' ' ¥ð! ' †! TM»' ®' n TM' ° ' «' ---

Keep in cool, dry place away from heat and open flame.

Regn. No.	† †! —!	_____
Mfg. Lic. No.	2 _3 †! μ †! —!	_____
Batch No.	° œ' —!	_____
Mfg Date	2 _3 †! ° †!	_____
Exp. Date	‡ n² ' » —' —' ° †' —	_____
Net Content / Volume	, † ± ‡ n 3 œ' —	_____
Max. Retail Price	m n—œ² ' ' † ' ² y³	_____

q®³ TM' ° ' ®μ' ® —' ®E-

—@''° y' α' WZ!TX' '† '² ð—Ç° 'VS' '†! qμ!! †! †!

—Á

. 0 0 0

. —

—1' q®³ TM' —' μw

—

UW\$ œQ

† ° 3 —' —' œ' — 2 ' y ± "±

my—μ'—ð μ —'	† ð' ° TM' Wq œ	ZISS' w/w
° y' —α'—ð! ° α'		
° † 3 2 ' ° y œ		
° μ —' —' †' 2 †	†' 2 †	SITS' w/w
—y, 3 2 ' » 3 á° p†	œ ° μ 3 Á †	UIZS' w/w
— μ —' á μ	o—†	®³ b®' 2 ' w/w
—@''° y' α' œ' ° 3 †	° 3 † œñ.	WZ!TX' w/w
œñ		
2 ð—Ç° ' ° 3 † œñ	° 3 † œñ.	VSISS' w/w
° 3 —' œy³	—μ' TM' Wq œ	SITS' w/w
° † 3 2 ' m' 2 œ—'	† ð' ° TM' Wq œ	VISS' w/w
m' μ' ° y' —α'		

3 TM' - TSSISS'

please refer leaflet for details

Symptom of Poisoning:

please refer leaflet for details

First Aid:

please refer leaflet for details

Antidote

Pencillamine 15-40 mg/kg or Dimercaperol 3 mg/kg and then 2 mg/kg

Antidote requirement to be decided by medical practitioner as per the condition of the patient

Cautionary statements:

- 1. It is toxic to honey bees, spray application should be avoided during the foraging period of bees.
- 2. toxic to fish, aquatic organisms hence should not be used near water bodies, aquaculture or pisciculture.
- 3. Not to be used for any purpose other than those subscribed on label and leaflets.
- 4. Destroy the container after use as directed on leaflet.

Manufactured by

UPL Limited
Uniphos House, Madhu Park, 11th Road, Khar (W), Mumbai 400 052 MUMBAI Mumbai Maharashtra 400052

Premises Address

UPL Limited, Mumbai 400052

UPL Limited, Mumbai 400052

UPL Limited, Mumbai 400052

UPL Limited

UPL Limited (Pencillamine) 15-40 mg/kg
(Dimercaperol) 3 mg/kg and then 2 mg/kg

UPL Limited, Mumbai 400052

UPL Limited, Mumbai 400052

UPL Limited, Mumbai 400052

UPL Limited, Mumbai 400052

UPL Limited, Mumbai 400052

UPL Limited

UPL Limited, Mumbai 400052

UPL Limited, Mumbai 400052

UPL Limited, Mumbai 400052

—®'° y' x' W!TX' ' ' 2 ð—ç° 'VS' ' | qμ! | !j !

fi ®, 3 ' ' « —, —' fl

—®'° y' x' W!TX' ' ' 2 ð—ç° 'VS' ' | qμ! | !j ! Ž w—' ' « —, —' » ' i ° —' 3 TM mTM' 2 ' mTM' 2 ' Ž œ' ' ' « ' | ' ' 2 « ' 2 μ' ' ' « ' —' ' 2 ' ' μ3' ' 3 ' i ' © ' » Q
' ° 3 ' —' ' ° ' œ—' ' —

mý—μ'—ð' μ—'° y'—x'—ð'° x'° 3 2 ' ð'° '° TM' W' x	ZISS' ' w/w
° y' x	
—ý, 3 2 ' » 3 á° p	x° μ 3 Á ' UZS' ' w/w
—®'° y' x'° 3 ' ©ñ	° 3 ' ©ñ. W!TX' ' w/w
— μ—âμ	o—x ®3 b' 2 ' ' w/w
2 ð—ç° '° 3 ' ©ñ	° 3 ' ©ñ. VSISS' ' w/w
° 3 —' øy3	—μ ' TM' W' x SITS' ' w/w
° μ —' ' 2 '	' 2 ' SITS' ' w/w
° 3 2 ' m' 2 x—m' μ'° y'—x	ð'° '° TM' W' x VISS' ' w/w

3 TM' — TSSISS' ' ± ' ± ' |

' ° μ'	—x'—'—2	© » ā x3 ' ' 2		® —'—' 2 '	' ° μ' m' a	@ —'—μ	@ I' ° μ	n .
		° 3 ' ©ñ	° ' œ—' ' —					
mTM'	mTM2 ' Ž œ' ' ' « ' ' ' 2 « ' 2 μ' ' ' «	UVXZ!X! TXSS	XSSS	ZXSzTSSS' ' ° μ'—' š' ' '—' m—° '	@ —'—' ° ' i —'—' m' a	UWš x	TS' «—	' TM'—' q® . ' m—° ' ' UZV' Ý Ê—'—'—' Q

Note:-

q®3 TM' — μW—«—' |

' ' « —, —' —' n . 3 '—' 2 '—' 2 ®—' ® » μ' a Ê'° '®—' 2 ' 2 μ ovQ q° —'° « ®—'—' n | ' 2 '—' 2 μ —'° ' mçY '©' »' š μ' μ' ©' a '—' ° ' q®3 ā©'—' 3 '—' 2 « « ° ' ®—' ' ° μ' ®—' Ý | —'—'—' Q

2 ° 2 '—' ' a ©

2 ° 2 '—' m—μ' ®' a ©3 —' « '—' q®3 TM' —3 ' i —' ' œ » W' ©' a ' ©—μ' «, { '—' « '—' ° ©2 μ'—'—' Q

2 x' | ' '®—

» y—'° ± ' ' 2 x Q Ý Ê—'—'—' μ W' ° —'—'—' q®3 TM'—' Q

' ° μ' m' a

® —'—' ° ' i —'—' m' a

n . «—'—'—'—

Ý Ê—'—'—'—' Q

Caution: Not to Be Used on Crops Other Than Specified on This Label/Leaflet

qçœ² . . μ' -® - 3'

» μ' - - - i μ

Please refer to the recommendation table

—®³ "q®³ TM' — « , " « - Q

UWŠ α

' TM' — μ ¼ " — « - - ® " — μ³ ' — ' © ' — Q

n . « - - - ° 2 3

° ° » 3 ' , 2 ' — ° 2 3 ' 2 ' o ©² μ' —³ ' i — ' œ » wQ

' TM' — q® . ' m-° ' UZV' Y Ê — . — ' Q

' ° μ' ® — ' ® | ' ° μ' — α - ' ° , ' ® μ' q®³ TM' — ' Q

. 1' — μ ¼ "

n — | ' ñ œ² ' TM± ' i μ — — μ w ° ± . © Q Q - TM' i — ' ® ' qy α Ž ² © μ Ž m © ' | ' ®² ' x ¥ — ' » ° — © ' » Q μ ° ° 2 3 ' © — | ' ° ' ° ° ' ° ® — 2 ' n — ' ® ' i μ " w â ç ² " ñ œ² ' v μ i ' » ' ° — © ' » Q³ » ñ œ² ' « ' » ' Q

® « ® ' n . 1 μ ©

° ç . — 2 ' — m-° ' 3 TM' — ' ® ' 3 » qñ® « ' ® — , â © — ' » ' Q

m TM' 2 » ' ° — TM' μ³ ' » - 3 « ' ý³ â © ° œ © | ' ° — | Ž © ' ® — ' ° 2 » — ý μ — 3 | ' ® — — μ w 1 3 ' 2 ' TM' μ ° — ' « Q w — ' » , ' ý³ â © — 2 » ' ° — Ý ' ± — ± — » ' Q | â α ' — ' ° μ wQ ° — ' q® ' a © — œ — ñ — — ' ° μ » ' qy α — ' — 3 ' Q

3 « ' ° ° 2 ' μ³ ' i — ' ® — ' TM' — ' © i ' » . ' 2 ' μ' i w | ' ' , ' — © ®² — — ' ā³ μ ' ° Q³ « ' TM' ° ° — » ' μ ' » ' » 3 ' — ¥ — p ' ° ° ° ' μ ' » ' » Ž © — 2 ' . ° — « Ž w — œ — ñ — ' ° ® 2 , l — Q

ñ œ — ° ® — — 2 2 μ' 2 — , ' — — ± . © ' » — — mçÝ ' © ' » ° ° — ° — w | ' ° μ | ' — — — » © ' ® — — ' ° ° ©² μ' — Q³ « ' « Ž μ μ² ' 3 ' i μ — ' — ' » © ' » Ž © | â α ' ° ® 2 , l — Q ° ± ' « 1 © — ® Ê — — m μ TM' — 3 ' i — ' œ » w | ' q®³ TM' ° ® μ' ° — | ' ® — ' ° mçÝ ' © ' » ° — — ' œ » wQ

n — — ° ® — — 2 2 μ' 2 — 2 ° — 2 ' 15 ' 2 — α — μ w ° » © ° ' ® — ' ° — Ž — ñ wQ³ « ' « Ž i μ — Ž μ μ² ' 3 ' — α — ° 3 ' — ' » © ' » ' ° — ' TM' , 1 ½ ' ° μ » μ Q

Caution: Í Not to Be Used on Crops Other Than Specified on This Label/Leaflet! "

1. 1. 1.

®° μ² - (Pencillamine) 15-40 μ² - (Dimercaperol) 3' 2 μ² -

1.» | 1 - 2 - TM - a © - m - ° - ce - n - i - ce » w Q

° » - - ©

Tfl - « - - - j - μ μ - 2 - 3 - m μ 2 - 3 - 2 - m 3 - a Ž ž - 0 3 - a | - j - μ - 2 - « 3 - m μ - m μ 2 - 3 - 2 - w - m - ° - μ - ce - 2 - « - - j - ce » w Q

Ufl ° » - μ - 2 - m ç Y - © - » - n Ž - Ž - « Ž Ÿ Ž ». « © a - b © n - μ ú - ž ce E - » - ce » w Q

2. 2. 2.

Tl' Y É - - - μ ' n « 2 - q 3 a © - ¼ n - - E j - - a © Ž μ ú - j - , x μ ú - © μ - j - q 3 TM - ce » w Q
U! ° - « - - 3 TM - 2 3 ' n - n - ce - © , l - ° œ Q - « - - ° š - » Q o - q 3 TM - © ce © » a - ° - - | © b ©
© - ° - 3 Q q 3 TM - 2 3 - ž - 3 - © - - 2 - » Q
V! « 1 © - E - - μ « | - . © - - - μ ' m ç Y - © » - μ Q - μ ' | ø - - ° © 2 μ - - Q
W - 2 - « | ± j - - © μ » a - | n - ce - - - | - © - m ç Y - © » - μ Q
X! ° - « - - 3 TM - « - 3 - | © - - m ç Y - © » - - | © - - - ce » w Q

3. 3. 3.

- 1! 3 » - 2 - 2 - 3 - μ w » - - Ž j - 2 - 2 - 3 - j - - © μ , 2 j - © - ° - ce - - - Q
- 2! 2 Y μ 3 Ž j μ 3 j - μ w j » μ » ° μ w j μ - - 3 Ž j μ 3 - 1 - © - ° © 2 μ - » - - ce » w Q
- 3! μ ° μ ' μ - μ x 2 - « l x - 3 TM - μ - m μ - m 3 - μ ' © - ° © 2 μ - - Q
- 4! q 3 TM - « - μ ' | ø - - μ 0 μ x 2 - « 3 TM - « - - m - ° - - x - - Q

4. 4. 4.

Tff » - - - 2 { Ž y - x | - 2 μ x - - y } » TM - 3 3 j μ - μ ' | ø - 3 - ° ce « . © a - 3 - ° - - μ 3 - ° ce » p - - - ° ¼ © - - - © - © - 3 | - « 1 - » Q
Ufl - « - - q 3 TM - © ce © - μ ' | ø - - © - q 3 TM - - μ w ° » - Y E Q
Vfl - μ ' | ø - - x - Ž n ° « - « j 2 - 2 TM E - ce » w Q

qn® « - ® -
3-11 Ž j ! n p! ! ° ! Ž - ® Ž T j ' © 396195
« TM be - ® x Ž j ! ' 2 « - ® ' 721602

qn® « -
3 ! ® ! v μ ! μ 2 x !
3 - p x ! Ó Ó - μ 2 x ! 3 - Ó - » r ° Ž 2 š © - 1 1 1 1 Ž -
fi x fl 2 ú ° p ' Ž 400 052 ' 2 ú ° p ' 400052

oō! 3 μ ' a - ° o x ' Ž ° ú ° Ž j ú 2 Ž fj ' mō! - fl 84121

čμ x ZXSŽ j ! n p! ! ° ! Ž oō! 3 μ ' o x x © TM | 3 Ž ± ce

čμ x -! 3101/02 Ž j ! n p! ! ° ! Ž mō a μ - ' Ž T j ' © > 393002

2 ! - ! 225 Ž TM . TM © ® Ž © ! » μ μ Ž j ! © a j » μ Ž T j ' ©

» - « ± μ - -

Caution: Í Not to Be Used on Crops Other Than Specified on This Label/Leaflet!

© 2014 Bayer CropScience



Caution: Not to Be Used on Crops Other Than Specified on This Label/Leaflet

Copper sulphate 47.15% Mancozeb 30% WDG

(Contact Fungicide)

Copper Sulphate 47.15% + Mancozeb 30% WDG, is a fungicide used for the effective control of anthracnose, powdery mildew and downy mildew in grapes.

Chemical Composition:	Ingredient	%W/W
Alkyl naphthalene sulphonate condensate sodium salt	Dispersing agent	7.00 w/w
Calcium Hydroxide	Stabiliser	2.70 w/w
Copper Sulphate a.i.	Active ingredient	47.15 w/w
Kaolin Clay	Inert	q.s. w/w
Mancozeb a.i.	Active ingredient	30.00 w/w
Prussian blue	Colouring agent	0.10 w/w
Silicon Defoamer	Defoamer	0.10 w/w
Sodium aromatic aryl Sulphonate	Dispersing agent	3.00 w/w
Total:		100.00% w/w

Recommendation

Crop(s)	Common Name of Pest	Dosage/HA		Dilution in Water L	Crop Stage	Re-entry Period	Pre Harvest	Frequency
		Al g	Formulation g					
Grapes	Anthracnose, Powdery mildew and Downy mildew	2357.5 + 1500	5000	1:1000 Depending on crop canopy	Vegetative to reproductive stage	24 hrs	10 days	2-3 sprays depending on disease severity.

Note:-

Good Practices relating to pesticide application techniques

Direction of Use

Measure out required quantity of the product and mix well with small quantity of water. Add the remaining quantity of water as specified with through agitation for total coverage of the crop with suitable sprayer.

Weather Condition(in general):

Should be used during favorable weather conditions and should not be used during extreme weather conditions.

Soil & Water(where ever applicable):

Light to heavy soil. Clean water to be used for spray.

Crop Stage for application:

Vegetative to reproductive stage

Application Technique

Foliar Spray

Equipment Type:

High volume knapsack sprayer.

NozzleType:

Hollow cone.

Caution: Not to Be Used on Crops Other Than Specified on This Label/Leaflet

Dosage:

Please refer to the recommendation table

Instruction for Mixing:

Please see " direction of use".

Re-entry Period

24 hrs

Manner and Time of Application

Foliar spray immediately on appearance of disease symptoms.

Application Timing

Should be used preferably in early morning or evening hours.

Frequency

2-3 sprays depending on disease severity.

Stages during which pesticides should not be applied on any crop :**Not to be applied during crop maturity and just before crop harvest.****Precautions to be taken to avoid harm to the beneficial insects like honey bees and natural enemies of pests :****Symptoms Of Poisoning**

May have potential for severe eye & skin irritation. May cause vomiting, nausea, diarrhoea and abdominal cramps, if ingested. May also cause irritation to respiratory tract. Prolonged and repeated contact may cause itching / eczema / allergy of skin. skin sensitizer

First Aid

If ingested: if person is conscious and alert, rinse mouth with water and give 1 or 2 glass of water to drink. Never give anything by mouth to an unconscious person. Call the doctor. Do not induce vomiting until and unless desired by attending physician.

If inhaled: Take the patient to fresh air and take care of body temperature. If patient is not breathing or breathing with difficulty, give artificial respiration, preferably with mouth to mouth breathing. Consult a physician.

In case of skin contact: Wash thoroughly the affected part of body with soap and plenty of water including hairs and under fingernails. If pain, redness or irritation persist, consult a doctor. All the contaminated clothes should be segregated and thoroughly washed with soap and water separately before use.

In case of eye contact: Rinse gently with plenty of water at least for 15 minutes. If pain, irritation, redness or photophobia persist. Consult eye specialist.

Antidote

Pencillamine 15-40 mg/kg or Dimercaperol 3 mg/kg and then 2 mg/kg

Antidote requirement to be decided by medical practitioner as per the condition of the patient

Phytotoxicity

The product is not phytotoxic when used as per recommendations.

Storage Conditions

1. The packages containing the fungicide shall be stored in separate room or premises, away from the rooms or premises used for storing other articles or shall be kept in separate almirah under lock and key, depending on the quantity and nature of the fungicide.
2. The rooms or premises meant for storing the fungicides shall be well built, well-lit, ventilated and of sufficient dimensions. The condition of the store should be dry and cool.

Safety Precaution:

Caution: Not to Be Used on Crops Other Than Specified on This Label/Leaflet "

1. The spray man should use appropriate protective clothing like hat, long sleeved shirt, long pants and shoes.
2. Avoid contact with eyes and skin when handling the concentrates spray solution. Avoid inhalation of spray mist. Wash thoroughly with soap and water after handling. Do not eat, drink or smoke during application.
3. Remove contaminated clothes and wash before reuse. Do not reuse the empty containers. 4. Wash hands & exposed skin with soap and water before meals and after work.
5. After spraying this fungicide, the sprayer and utensils should be thoroughly cleaned with plenty of soap and water.

Cautionary Statement:

- 1. It is toxic to honey bees. spray application should be avoided during the foraging period of bees.**
- 2. toxic to fish, aquatic organisms hence should not be used near water bodies, aquaculture or pisciculture.**
- 3. Not to be used for any purpose other than those subscribed on label and leaflets.**
- 4. Destroy the container after use as directed on leaflet.**

Disposal of used containers, washing from equipment and surplus material :

1. It shall be the duty of manufactures, formulators of insecticides and operators to dispose Packages or surplus material and washings shall be disposed in a safe manner so as to prevent environmental or water pollution.
2. The used packages shall not be left outside to prevent their re-use.
3. The packages shall be broken and buried away from habitation.

Manufacturer Premises :

3 - 11, G.I.D.C., Vapi, Gujarat-396 195
Maharashtra
Durgachak Post, Haldia Dist. Midnapore-721602
Maharashtra
Industrial Growth Centre, Samba, Jammu, (J & K) 184121
Maharashtra
Plot 750, G.I.D.C, Industrial Estate Jhagadia, Bharuch
Maharashtra
Plot No. 3101/02, G.I.D.C, Ankleshwar, Gujarat-393 002
Maharashtra
S. no. 225, Village Gopipura, Ta. Halol, Dis. Panchmahal
Maharashtra

Manufactured by

UPL Limited
Uniphos House, Madhu Park, 11th Road, Khar (W), Mumbai 400
052 MUMBAI Maharashtra 400052

Customer Care Details:

Safety Pictograms:



Caution: Not to Be Used on Crops Other Than Specified on This Label/Leaflet "