

Primary Package Label

[Ultra-small (1ml or gm to 50 ml or gm)] & [small (51 ml or gm to 250 ml or gm)]

Read leaflet before use:

Common Name:

Diafenthuron 47% + Bifenthrin 9.4% w/w SC

BRAND NAME: -

Chemical Composition :

Content % w/w

Butyl Block Copolymer	other ingredient	1.51 % w/w
Propylene Glycol	other ingredient	2.92 % w/w
Isothiazolinones	other ingredient	0.19 % w/w
Polydimethylsiloxane emulsion	other ingredient	0.63 % w/w
Polydimethylsiloxane oil	other ingredient	0.33 % w/w
Xanthan Gum	other ingredient	0.09 % w/w
Water	other ingredient	Q.S. % w/w
Diafenthuron a.i.	active ingredient	47.00 % w/w
Bifenthrin a.i.	active ingredient	9.40 % w/w
Isotridecyl alcohol ethoxylate	other ingredient	2.36 % w/w
Acrylic copolymer solution	other ingredient	4.72 % w/w

Total: 100.00%

Please refer leaflet for details

Antidote

there is no specific antidote. treat symptomatically and give supportive therapy.

Manufactured by

ADAMA India Pvt. Ltd.
Plot No: DS-13, IKP Knowledge Park, Sy. No. 542/2, Genome Valley, Turkapally, Shameerpet, Ranga Reddy District Hyderabad Hyderabad Telangana 500078

Diafenthuron 47% + Bifenthrin 9.4% w/w SC

3-õ³³-!W ±!±!W°

Insecticide



°çœ-!œ°«

Keep out of reach of children.

°-|¥ð! TM»@n TM°«

Keep in cool, dry place away from heat and open flame.

Regn. No.	! ! -!	_____
Mfg. Lic. No.	2-3!µ ! -!	_____
Batch No.	°œ-!	_____
Mfg Date	2-3!@!	_____
Exp. Date	¿r²!»-!@!	_____
Net Content / Volume	, ±ž³@-	_____
Max. Retail Price	m-@2!«²y³	_____
Customercare		_____

q®3 TM°!®µ!®-!É-

3-õ³³-!W ±!±!W°

!W ±!±!W°

!W ±!±!W°

3-õ³³-!W ±!±!W°

ø³µµµ- mō³'šµ- T!XT' w/w

-®µ²' mō³'šµ- U!U' w/w

®µ-!äµo-µ mō³'šµ- S!T\ ' w/w

n o° a oÅ µ - -° mō³'šµ- S!YV' w/w

®µ!²a oµ°µâ°- mō³'šµ- S!W' w/w

v²y, - mō³'šµ- S!W' w/w

®µ!²a oµ°µâ°- mō³'šµ- S!W' w/w

©µ mō³'šµ- S!S\ ' w/w

Åõ°-!TM² mō³'šµ- ä³!W°! ' w/w

®- mō³'šµ- VZ!SS' w/w

3-õ³³-!Wn p! °³'šµ- \!W° ' w/w

°-!Wn p! °³'šµ- U!VY' w/w

n o° o!°µ' mō³'šµ- mý-»µ'w²â°µ²

x µ-!®µ²' mō³'šµ- WZU' w/w

°y³, -

3 TM° - TSS!SS~

! - -!

-p' . , x' . 1' »' | 1-!-»' »žµ¼'' -!q®œ'' -'

°TM°œ-! '° »³-œ-!p' -'

qñ®«-

Premises Address

(1). Plot No. E-103, G.I.D.C., Manjusar, Tal : savli, Dist: Vadodara, Gujarat -391 775 Gujarat

(2). Plot No. 227/1, GIDC Estate, Panoli-394116, Gujarat State. Gujarat

(3). D-II/CH/1, G.I.D.C. Estate, Dahej, Tal. Vagra, Dist. Baruch, Gujarat-392130 Gujarat

Customer Care Details

ADAMA India Pvt. Ltd.
Plot No: DS-13, IKP Knowledge Park, Sy. No. 542/2, Genome Valley, Turkapally, Shameerpet, Ranga Reddy District
09652341115
arpita.roy@adama.com

Safety Pictograms:



500078

® 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67 68 69 70 71 72 73 74 75 76 77 78 79 80 81 82 83 84 85 86 87 88 89 90 91 92 93 94 95 96 97 98 99 100

(1).

(2).

(3).

»—« ± μ

m« 2 10 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67 68 69 70 71 72 73 74 75 76 77 78 79 80 81 82 83 84 85 86 87 88 89 90 91 92 93 94 95 96 97 98 99 100
čm 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67 68 69 70 71 72 73 74 75 76 77 78 79 80 81 82 83 84 85 86 87 88 89 90 91 92 93 94 95 96 97 98 99 100
XWU'U'Ž ĭ – 2 10 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67 68 69 70 71 72 73 74 75 76 77 78 79 80 81 82 83 84 85 86 87 88 89 90 91 92 93 94 95 96 97 98 99 100
09652341115
arpita.roy@adama.com

Secondary Package Label

[Ultra-small (1ml or gm to 50 ml or gm)] & [small (51 ml or gm to 250 ml or gm)]

Read leaflet before use:

Common Name:

Diafenthiuron 47% + Bifenthrin 9.4% w/w SC

BRAND NAME: -

**Crops and Pest Groups: Cotton - Thrips (Thrips tabaci), Leaf hopper (Amrasca devastans), White fly (Bemisia tabaci) and Aphid (Aphis gossypii)
Chilli - Thrips (Scirtothrips dorsalis and Aphid (Aphis gossypii)**

Dosage, Direction for use and Manner and time of application : Please refer leaflet for details

Purpose:

for agriculture use.

Re-entry:

24 hours

Chemical Composition :

Content % w/w

Butyl Block Copolymer	other ingredient	1.51 % w/w
Propylene Glycol	other ingredient	2.92 % w/w
Isothiazolinones	other ingredient	0.19 % w/w
Polydimethylsiloxane emulsion	other ingredient	0.63 % w/w
Polydimethylsiloxane oil	other ingredient	0.33 % w/w
Xanthan Gum	other ingredient	0.09 % w/w
Water	other ingredient	Q.S. % w/w
Diafenthiuron a.i.	active ingredient	47.00 % w/w
Bifenthrin a.i.	active ingredient	9.40 % w/w
Isotridecyl alcohol ethoxylate	other ingredient	2.36 % w/w
Acrylic copolymer solution	other ingredient	4.72 % w/w

Diafenthiuron 47% + Bifenthrin 9.4% w/w SC

[Faint text]

Insecticide



[Faint text]

Keep out of reach of children.

[Faint text]

Keep in cool, dry place away from heat and open flame.

Regn. No.	[Faint text]	_____
Mfg. Lic. No.	[Faint text]	_____
Batch No.	[Faint text]	_____
Mfg Date	[Faint text]	_____
Exp. Date	[Faint text]	_____

[Faint text]

[Faint text]

[Faint text]

[Faint text]

[Faint text]

[Faint text]

[Faint text]

[Faint text]

[Faint text]

[Faint text]

[Faint text]

[Faint text]

[Faint text]

[Faint text]

[Faint text]

[Faint text]

[Faint text]

[Faint text]

[Faint text]

[Faint text]

[Faint text]

[Faint text]

[Faint text]

[Faint text]

[Faint text]

Net Content / Volume
 Max. Retail Price

x μ—® μ² mō³ š α— WZU w/w
 ° ý³ —
 3™ TSSISS™

Total: 100.00%

Safety Precautions, Symptom of Poisoning and First Aid
 :Please refer leaflet for details.

Antidote Statement:

there is no specific antidote. treat symptomatically and give supportive therapy.

Cautionary statement:

1. not to be used on crops other than mentioned on label & leaflets.
2. this product is toxic to fish and aquatic invertebrates and thus the products containing the molecules may avoided near aquaculture /water bodies.

Manufactured by

ADAMA India Pvt. Ltd.
 Plot No: DS-13, IKP Knowledge Park, Sy. No. 542/2, Genome Valley, Turkanally, Shameerpet, Ranga Reddy District Hyderabad Hyderabad Telangana 500078

(1). Plot No. E-103, G.I.D.C., Manjusar, Tal : savli, Dist: Vadodara, Gujarat -391 775 Gujarat

(2). Plot No. 227/1, GIDC Estate, Panoli-394116, Gujarat State. Gujarat

(3). D-II/CH/1, G.I.D.C. Estate, Dahej, Tal. Vagra, Dist. Baruch, Gujarat-392130 Gujarat

Customer Care Details

ADAMA India Pvt. Ltd.
 Plot No: DS-13, IKP Knowledge Park, Sy. No. 542/2, Genome Valley, Turkanally, Shameerpet, Ranga Reddy District 09652341115 arpita.roy@adama.com

—p'
 ° ý³ —
 3™ TSSISS™
 T!® —
 »QU!³» qñ®« ²Ý μ³ |
 |
 o° — n ° ®° q®³™ — »

qñ®«—

500078

®°

(1).

(2).

(3).

»—« ± μ

m« ²
 ôμ
 XWU'Ž j — ²
 09652341115 arpita.roy@adama.com

Safety Pictograms:



Total:100.00%

Safety Precautions:

1.keep away from foodstuff, empty foodstuff containers and animal feed. 2.avoid contact with mouth, eyes and skin. 3. avoid inhalation of spray mist. spray in the direction of wind. 4. wash thoroughly the contaminated clothes and parts of the body after spraying. 5. do not eat, drink and smoke during spraying. 6.wear full protective clothing while mixing and spraying.

Symptom of Poisoning:

poisoning may cause symptoms of subdued behaviors, prostration, lethargy, piloerection, headache, giddiness, vertigo, nausea, vomiting, blurred vision, sweating, excessive lacrimation & salivation.

First Aid:

if ingestion: if person is conscious and alert, rinse mouth with water and give 1 or 2 glass of water to drink. never give anything by mouth to an unconscious person. call the doctor. do not induced vomiting until and unless desired by attending physician. if inhaled: take the patient to fresh air and take care of body temperature. if patient is not breathing or breathing with difficulty, give artificial respiration, preferably with mouth breathing. consult a physician.in case of skin contact: wash with soap and plenty of water. if pain, redness or irritation persists, consult a doctor. all the contaminated clothes should be segregated and thoroughly washed with soap and water separately before use. in case of eye contact: rinse gently with plenty of water at least 15 minutes. if pain, irritation, redness or photophobia persists. consult eye specialist.

Antidote

there is no specific antidote. treat symptomatically and give supportive therapy.

Cautionary statements:

1. not to be used on crops other than mentioned on label & leaflets. 2. this product is toxic to fish and aquatic invertebrates and thus the products containing the molecules may avoided near aquaculture /water bodies.

Manufactured by

ADAMA India Pvt. Ltd.
Plot No: DS-13, IKP Knowledge Park, Sy. No. 542/2, Genome Valley, Turkapally, Shameerpet, Ranga Reddy District Hyderabad Hyderabad Telangana 500078

x μ—® μ² mō³ š α— WZU w/w
° ý³ —

3 TM - TSSISS

Tl 3 2 ž 3 2 — μ ° C+ | ° { — œ ° ° « ° ° Q
U! 2 »ž ñ œ | ' n — ° ú@— ° ° œ³ Q V! Ý Ê— . — . ® — ° °
° ° mōœ ° i — ° ° œ³ Q » . — . « . 2 Ý Ê— — Q/W Ý Ê— —
° « ° 1 ° —® | ° ° — m™ — mçÝ ° ° » ° wQ X! Ý Ê— —
° 2 3 ° ° — ® —ž —ž ® — | ° —Ý ° œ° — ° — » ° œ » wQ Y! Ý Ê— — ° °
3 ° 2 μ ° ° 2 3 ° ° — | ° ° ¼ ñ² — —É ° ° — Q

. 1 â ° ° — — — — — 2 j ° ° ° μ ¼ ž q « ° — ° ž ° ° ž ° ° — — — — —
» — ž ° ° « «ž œâ — — n — ž 2 ° μ ž qý α ž ° ° — — — — — μ ° ° — — ž ° ° — — — — —
mñ³ — — — — — n ° ° ° μ ° ° n — Q

m™ ° 2 » ° ° — — — — — μ 3 ° — 3 « ý³ â ° ° œ ° | ° ° — — — — — ž ° ° — — — — —
2 » — ý μ — — — — — 3 | ° ° — — — — — μ w 1 3 ° 2 ° — — — — — μ ° ° — — — — — « Q w — ° ° »
ý³ â ° ° — 2 » ° ° — ý ± — — — — — » ° ° « Q | â ° ° — — — — — μ wQ ° ° — — — — — q® ° ° — — — — —
œ — ñ° — — — — — ° μ » ° qý α — — — — — 3 ° Q

3 « ° ° ° μ — — — — — TM — — — — — ° i » . 2 ° μ i w | ° ° — — — — — ° — — — — —
â 3 μ ° ° — — — — — Q 3 « ° ° — — — — — » ° ° — — — — — » ° ° — — — — — p ° ° ° ° ° μ ° ° — — — — — ž ° ° — — — — —
— — — — — 2 ° ° — — — — — «ž w — — — — — œ — ñ° — — — — — ° — — — — — 2 , I — Q

ñ œ ° ° — — — — — @— — — — — 2 μ 2 ° — — — — — ° — — — — — ± . ° » ° — — — — — mçÝ ° ° — — — — —
° ° — — — — — w | ° ° — — — — — μ i | ° ° — — — — — ° » ° ° — — — — — ° ° — — — — — ° ° 2 μ — — — — — Q 3 «
«ž μ μ² ° 3 i μ — — — — — ° — — — — — ° » ž ° ° | â ° ° — — — — — ° 2 , I — Q ° ± « 1 ° — — — — —
— — — — — É — — — — — m μ™ — — — — — 3 i — — — — — œ » w | ° ° q® 3 TM ° ° — — — — — ® μ ° ° — — — — — | ° ° — — — — — ° °
mçÝ ° ° — — — — — ° ° — — — — — œ » wQ

n — — — — — ° — — — — — @— — — — — 2 μ 2 ° — — — — — ° — — — — — 15' 2 — — — — — — — — — — — μ w ° » ° — — — — — ° ° — — — — —
° ° — — — — — ž ° ° — — — — — wQ 3 « ° ° — — — — — » ° ° — — — — — » ° ° — — — — — ž μ — — — — — μ 2 ° 3 ° — — — — — ° — — — — — ° ° — — — — — ° ° — — — — —
— — — — — TM ° ° — — — — — 1 ½ ° ° ° μ » ° μ Q

. 1 — — — — —
— p ° ° — — — — — ° ° — — — — — 1 ° ° — — — — — » ° ° — — — — — ž μ ¼ ° — — — — — q® œ — — — — —
° ° — — — — — TM ° ° — — — — — ° ° — — — — — 3 — — — — — œ — ñ° — — — — —

2 x | ' @ -

»y—'°±'2 x'@—' μw°' ŸĒ—' μw°' 'o' ©² μ'—Q

'° μ' m' a

'- @—'°' j --'œ''

n · «—' @— —

'- μ³' ' 3' Q

3'

'- μ', —' j μ

Please refer the above table.

| 3- õ³ 3' - W' ±! ±! | '°- a' - \!W' ±! ±! w°' —' m®¼©² ' μ—'®- '²' mçŸ' ©' »' ² μ ow | ' 'XSS' μ'!»!

UWŠα

-

n · «—' —'° 2 3

j'°—'α'n° «'o—' 2—' , y|' μ· μ' fpα vμ fl' ©—'®»œ©°' , —'—' œ »vΩ

UW' ŸĒ—' o' α, —'—' n —' '®Q

-

-

. 1' —' μ¼' '

. 1' ä©©' —'—'—' 2 j' '®'°' μ¼' Ž q«° —' Ž° © Ž'™α'—' |' » —' Ž° ««Ž œā—' n —' Ž² ©μ Ž qýα Ž' α'—'—' μ' » —' Ž® —' n —' Ž

mñ³ —' n° ' μ' n —' Q

®«®' n . 1 μ©

° ç . —' 2 —'—' m—'° ' 3™—'—'®' 3 »'—'®©. —'—'—'®, —'®, —'®, ä©'—' »' »Q

Caution: Not to Be Used on Crops Other Than Specified on This Label/Leaflet!

m™² »'°' -™µ' µ³' »-³ «' ý³ á©° œ©' | '°' ©-† »Ž©'®- '°' ² »-ýµ' -³' | '°'®- '°' µw 1'³' ²'™µ' °'®- '°' «Qw-°' » , ' ý³ á©' -² »'°' -Ý' ±' -±' -»' «Q! á' -°' µ wQ °- 'q®' á©' œ-ñ' -°' µ »' qý' -³' Q

³ «'°' °' µ- '™µ' -'©' j' »' ²' µ' j' w | '°' , '°' -'©'®' -' -' á³ µ' -' Q³ «' '™µ' °' -' »' µ' »' »' ³' -' -' -' p'°' °' °' µ' »' »' Ž©' -' ²' '°' -' «Žw- œ-ñ' -°' ®' ²' , l- 'Q

ñ œ' -°' ©-† -² ² µ' ² -² , '°' -' ±' . ©' »' °' -' mçÝ' '©' »' °' °' -°' °' w | '°' µ' | '°' -' -°' »©'®- '°' -' °' ©² µ' -' Q³ «' «Ž µ' µ²' ³' j' µ- '°' -' »©' »Ž©' | á' -°' ®' ²' , l- 'Q °±' «' 1©' -'®É' -' mµ™' -³' j' -' œ' »w | '°' q®³™' °' ®' µ' °' -' | '°' -' °' mçÝ' '©' »' °' -' œ' »wQ

n '°' -°' ©-† -² ² µ' ² -² °' -² 15' ² -² -² µw°' »©' °' ®- '°' °' -' ž' -' wQ³ «' «Ž j' µ-Ž µ' µ²' ³' -² -² °' ³' °' -² »©' »' ©' -' '™µ' , 1½' °' °' µ »' µQ

1. -

-p' . , á' . 1 »' | 1' - »' »Ž µ ¼' -' q®œ' -' '™µ' œ- | '°' »³' -' œ-ñ' -'

°' »' -' , ©'

T! -² , -' | ø' -' mō³' ®«' a | | '°' °' -' -' ³' ®«' a | °' »©' -' w »w -²' ³' j'™µ' °' °' «' Ž mµ™' -²' ²' ³' j' mµ™' j'™µ' ³' . ©' mµ²' ²' ²' ©' µ' œ°' ²' °' °' Q U! j' °' -²' ³' j'™µ' ²' -² , -' -' ±' ð | '°' -' -' »' . »' mçÝ' '©' »' °' -' »n' °' -' Ž »' «' Ž - , ² ³' ©' a' ®³' b©' µ' ú' 'œ' j' »' -' œ' »³ Q j' °' °' ±' ®' «' 1' »' -' -' ±' ³' -' » Q

_____ :

T! -' ³° ²' Ž -' ³° ²' -' -' µ' °' ©-† | '°' ®, { '°' -' œ' °' °' «' °' °' Q U! ²' »Ž ñ œ' | '°' n' -' -°' ú©-† °' °' œ³ Q V! ÝÉ- . -' . ®- ' °' °' °' °' mō«' j' -' °' °' œ³ Q »' -' «' ²' ÝÉ- -' -' QW ÝÉ- -' -' «' «' 1©' -'®É' | '°' , '°' -' m™µ' -' mçÝ' '©' »' °' -' wQ X! ÝÉ- -' -' °' ² ³' °' ®-Ž -' -' Ž ®- | '°' -Ý' 'œ' -' -' »' 'œ' »wQ Y! ÝÉ- -' -' °' ³' ² µ' ©' °' ² ³' ®' l' °' ¼' ñ' -' -'®É' ®' -Q

_____ :

T!® -' -' µ° µ' ²' «' ³' »³' °' µ' -' mµ' -' mō³' -' µ³' q®³™' -' »' »Q U! ³' »' qñ«' ² Ý µ³' | '°' m- , -' j' µ³' j' -' -' µw . 1 á©' »' | '°' °' °' -' -' m' { '°' µ' qñ«' -' µw q- j' µ³' -' 1' ²' | '°' °' -' n' °' ®' °' q®³™' -' »' -' -' œ' »wQ

_____ :

T! ³' »' -² , -' -' qñ«' -Ž -' ú³ µ° l' ©' a' y' ®' °' l' -' -' ý³' »™µ' -' | ø' ³' °' œ' »p' °' ²' ³' | '°' -' -' -' ®- '°' °' ¼' ©' -' °' -' -' ©' -' . ©' . '°' ³' °' ®- '°' «' 1©' -' » Q U! '°' µ' | ø' -' -' µ' ²' -' »' -' -' -' œ' »vŽ©' -' q- -' «' °' °' °' ©² µ' -' » Q V! | ø' -' -' ©' É' -' É' -' -' »³ , °' °' ©' «' j' ²' -²'™É' «' ³' j' -' œ' »wQ

qñ® «- '®' °' -

qñ® «-

500078

»- «' ± µ'

m« ²' °' | ³' °' °' -' µ' ²' µ' | '°' qµ' -' -' °' °' | '°' m°' žTV Ž n p' -' ®' -' -' µ' j' -' ®-† Ž w' -' p' -' °' °' XWU' Ž j' -²' °' µ' Ž ©-ßýµ' Ž , ²' °' ®' Ž '™µ' -' | '°' | '°' á' 09652341115 arpita.roy@adama.com

°' ¼' 'œ' ' µ' ®-

Caution:Í Not to Be Used on Crops Other Than Specified on This Label/LeafletÍ "



Caution: Not to Be Used on Crops Other Than Specified on This Label/Leaflet "

Diafenthiuron 47% Bifenthrin 9.4% w/w SC

(Insecticide)

-

Diafenthiuron 47% w/w + Bifenthrin 9.4% w/w SC is a Suspension Concentration containing Diafenthiuron 47% (a.i.) + Bifenthrin 9.4% (a.i.) in the formulation. It is a broad spectrum contact and stomach insecticide used for the control of Thrips, Leaf hoppers, White fly and Aphids in Cotton and Thrips & Aphids in Chilli.

Chemical Composition:	Ingredient	%W/W
Acrylic copolymer solution	other ingredient	4.72 % w/w
Bifenthrin a.i.	active ingredient	9.40 % w/w
Butyl Block Copolymer	other ingredient	1.51 % w/w
Diafenthiuron a.i.	active ingredient	47.00 % w/w
Isothiazolinones	other ingredient	0.19 % w/w
Isotridecyl alcohol ethoxylate	other ingredient	2.36 % w/w
Polydimethylsiloxane emulsion	other ingredient	0.63 % w/w
Polydimethylsiloxane oil	other ingredient	0.33 % w/w
Propylene Glycol	other ingredient	2.92 % w/w
Water	other ingredient	Q.S. % w/w
Xanthan Gum	other ingredient	0.09 % w/w
Total:		100.00% w/w

Recommendation

Crop(s)	Common Name of Pest	Dosage/HA		Dilution in Water liters	Crop Stage	Re-entry Period	Pre Harvest	Frequency
		AI grams/ha	Formulation ml/ha					
Cotton	Thrips (Thrips tabaci), Leaf hopper(Amrasca devastans), White fly (Bemisia tabaci) Aphid (Aphis gossypii)	293.75 + 58.7	625	500	Vegetative to reproductive stage.	24 hours	30 days	2-3 sprays based on infestation.
Chilli	Thrips (Scirtothrips dorsalis), and Aphids (Aphis gossypii)	293.75 + 58.7	625	500	Vegetative to reproductive stage.	24 hours	7 days	2-3 sprays based on infestation.

Note:- -

Good Practices relating to pesticide application techniques

Direction of Use

Measure out required quantity of Diafenthiuron 47% w/w + Bifenthrin 9.4% w/w SC and mix it well with required quantity of water by using Knapsack Sprayer fitted with hollow cone nozzle with spray volume 500 L/ha.

Weather Condition(in general):

Not to be used during unfavorable conditions.

Soil & Water(where ever applicable):

Light to heavy soil & Clean water to be used for spray.

Crop Stage for application:

Vegetative to reproductive stage.

Caution: Not to Be Used on Crops Other Than Specified on This Label/Leaflet

Application Technique

Foliar application.

Equipment Type:

Knapsack Sprayer

NozzleType:

Hollow cone nozzle

Dosage:

Please refer the above table.

Instruction for Mixing:

Measure out required quantity of Diafenthiuron 47% w/w + Bifenthrin 9.4% w/w SC and mix it well with required quantity of water volume 500 L/ha.

Re-entry Period

24 hours

Manner and Time of Application

-

Application Timing

Spray to be initiated when pest population reaches economic threshold level (ETL).

Frequency

2-3 sprays based on infestation.

Stages during which pesticides should not be applied on any crop :

=

Precautions to be taken to avoid harm to the beneficial insects like honey bees and natural enemies of pests :

-

Symptoms Of Poisoning

Poisoning may cause symptoms of subdued behaviors, prostration, lethargy, piloerection, headache, giddiness, vertigo, nausea, vomiting, blurred vision, sweating, excessive lacrimation & salivation.

First Aid

If ingestion: If person is conscious and alert, rinse mouth with water and give 1 or 2 glass of water to drink. Never give anything by mouth to an unconscious person. Call the doctor. Do not induced vomiting until and unless desired by attending physician. If inhaled: take the patient to fresh air and take care of body temperature. If patient is not breathing or breathing with difficulty, give artificial respiration, preferably with mouth breathing. Consult a physician. In case of skin contact: Wash with soap and plenty of water. If pain, redness or irritation persists, consult a doctor. All the contaminated clothes should be segregated and thoroughly washed with soap and water separately before use. In case of eye contact: Rinse gently with plenty of water at least 15 minutes. If pain, irritation, redness or photophobia persists. Consult eye specialist.

Antidote

There is no specific antidote. Treat symptomatically and give supportive therapy.

Phytotoxicity

The product is not phytotoxic when used as per recommendation.

Storage Conditions

Caution: Not to Be Used on Crops Other Than Specified on This Label/Leaflet "

1. Insecticide shall be stored in separate rooms and premises away from the rooms and premises used for storing others articles particularly of food or shall be kept in separate almirahs under lock and key depending upon the quantity and nature of the insecticide. 2. The rooms and the premises meant for storing the insecticides shall be well built, well lit and ventilated and of sufficient dimension to avoid contamination with vapour.

Safety Precaution:

1.Keep away from foodstuff, empty foodstuff containers and animal feed. 2.Avoid contact with mouth, eyes and skin. 3. Avoid Inhalation of spray mist. Spray in the direction of wind. 4. Wash thoroughly the contaminated clothes and parts of the body after spraying. 5. Do not eat, drink and smoke during spraying. 6.Wear full protective clothing while mixing and spraying.

Cautionary Statement:

1. not to be used on crops other than mentioned on label & leaflets. 2. this product is toxic to fish and aquatic invertebrates and thus the products containing the molecules may avoided near aquaculture /water bodies.

Disposal of used containers, washing from equipment and surplus material :

1.It shall be the duty of manufacturers, formulators of insecticides and operators to dispose packages or surplus materials and washing in a safe manner so as to prevent environmental or water pollution. 2. The used packages shall not be left outside to prevent their re-use. 3. The packages shall be broken and buried away from habitation.

Manufacturer Premises :

D-II/CH/1, G.I.D.C. Estate, Dahej, Tal. Vagra, Dist. Baruch,
Gujarat-392130
Telangana

Plot No. 227/1, GIDC Estate, Panoli-394116, Gujarat State.
Telangana

Plot No. E-103, G.I.D.C., Manjusar, Tal : savli, Dist: Vadodara,
Gujarat -391 775
Telangana

Manufactured by

ADAMA India Pvt. Ltd.
Plot No: DS-13, IKP Knowledge Park, Sy. No. 542/2, Genome
Valley, Turkapally, Shameerpet, Ranga Reddy District Hyderabad
Telangana 500078

Customer Care Details:

ADAMA India Pvt. Ltd.
Plot No: DS-13, IKP Knowledge Park, Sy. No. 542/2, Genome Valley,
Turkapally, Shameerpet, Ranga Reddy District
09652341115
arpita.roy@adama.com

Safety Pictograms:



Caution: Not to Be Used on Crops Other Than Specified on This Label/Leaflet "