

Primary Package Label

[Ultra-small (1ml or gm to 50 ml or gm)] & [small (51 ml or gm to 250 ml or gm)]

Read leaflet before use:

Common Name:

Diclosulam 84% w/w WDG

BRAND NAME: .

Chemical Composition :

Content % w/w

Surfactant blend containing Sodium Alkyl Naphthalene Sulfonate (Wetting agent)	Surfactant blend containing Sodium Alkyl Naphthalene Sulfonate (Wetting agent)	3.0 w/w
Diclosulam a.i.	Diclosulam a.i.	84.0 w/w
Sodium lignosulfonic acid (Dispersant)	Sodium lignosulfonic acid (Dispersant)	6.0 w/w
Polyvinylpyrrolidone (Binder)	Polyvinylpyrrolidone (Binder)	1.0 w/w
Starch (Diluent)	Starch (Diluent)	q.s. w/w

Total: 100.00%

Please refer leaflet for details

Antidote

no specific antidote. treat symptomatically.

Manufactured by

Herbicide Formulation Plant Building 1000, Midland, Michigan, USA

Supplied by

Herbicide Formulation Plant Building 1000, Midland, Michigan, USA

Imported and Repacked by

Dow AgroSciences India (P) Ltd
1st Floor, Block-B, Gate No.-2, Godrej IT Park, Godrej Business District, Pirojshanagar, L.B.S Marg, Vikhroli Mumbai Maharashtra 400079

Diclosulam 84% w/w WDG

Selective Herbicide

Selective Herbicide

Blue



Keep out of reach of children.

Keep in cool, dry place away from heat and open flame.

Regn. No.

Mfg. Lic. No.

Batch No.

Mfg Date

Exp. Date

Net Content / Volume

Max. Retail Price

Customercare

3.0 w/w

84.0 w/w

6.0 w/w

1.0 w/w

q.s. w/w

3.0 w/w

84.0 w/w

6.0 w/w

1.0 w/w

q.s. w/w

3.0 w/w

84.0 w/w

6.0 w/w

1.0 w/w

TSSISS

400079

1000Z 2 | μδ; Ž 2, TM-Ž 3 W W Q

1000Z 2 | μδ; Ž 2, TM-Ž 3 W W Q

1000Z 2 | μδ; Ž 2, TM-Ž 3 W W Q

400079

1000Z 2 | μδ; Ž 2, TM-Ž 3 W W Q

1000Z 2 | μδ; Ž 2, TM-Ž 3 W W Q

400079

Premises Address

(1). M/s Dow AgroSciences India Pvt Ltd., 1) A-1, Lote Parusharam Industrial Area, Tal:- Khed, Dist. :- Ratnagiri. Maharashtra 415722.
2) Plot No. 228, G.I.D.C. Estate, Panoli, Distt. . Bharuch, Gujarat. Pin . 394116
Gujarat

(2). 3) Plot no. 98, N.H. No.8, At: Limbadia, P.O. Naroda, District: Gandhinagar-382330, Gujarat.
Gujarat

Customer Care Details

Address: Dow AgroSciences India (P) Ltd, 1st Floor, Block-B, Gate No.-2, Godrej IT Park, Godrej Business District, Pirojshanagar, L.B.S Marg, Vikhroli,
Email: rajeev.pant@corteva.com,
Contact no: 07042-494099

Safety Pictograms:



® 2022 Corteva

(1).

(2).

»—« ± μ . . .

© 2022 Corteva. All rights reserved. Corteva is a registered trademark of Corteva. Corteva is not responsible for any damage or injury caused by the use of Corteva products. For more information, please visit our website at www.corteva.com.
Corteva is committed to providing safe and effective solutions for our customers. Please use our products responsibly and follow all safety instructions.
Corteva is a leader in agricultural innovation. We are dedicated to helping our customers achieve their goals and improve their lives.
Corteva is a global leader in agricultural innovation. We are dedicated to helping our customers achieve their goals and improve their lives.
Corteva is a global leader in agricultural innovation. We are dedicated to helping our customers achieve their goals and improve their lives.
Corteva is a global leader in agricultural innovation. We are dedicated to helping our customers achieve their goals and improve their lives.

Not to be used on crops other than those subscribed on label and leaflet.

Destroy the container after use as directed on this leaflet

Product is toxic to fish and aquatic vertebrates and thus the product containing the molecule may be avoided near aquaculture

Max. Retail Price m 2 2 3

Manufactured by

1000, Midland, Michigan, USA

Supplied by

Herbicide Formulation Plant Building 1000, Midland, Michigan, USA

Imported and Repacked by

Dow AgroSciences India (P) Ltd
1st Floor, Block-B, Gate No.-2, Godrej IT Park, Godrej Business
District, Pirojshanagar, L.B.S Marg, Vikhroli Mumbai Mumbai
Maharashtra 400079

Premises Address

(1). M/s Dow AgroSciences India Pvt Ltd., 1) A-1, Lote Parusharam
Industrial Area, Tal:- Khed, Dist. :- Ratnagiri. Maharashtra415722.
2) Plot No. 228, G.I.D.C. Estate, Panoli, Distt. . Bharuch, Gujarat.
Pin . 394116
Gujarat

(2). 3)Plot no. 98, N.H. No.8, At: Limbadia, P.O. Naroda, District:
Gandhinagar-382330, Gujarat.
Gujarat

Customer Care Details

Address: Dow AgroSciences India (P) Ltd, 1st Floor, Block-B, Gate
No.-2, Godrej IT Park, Godrej Business District, Pirojshanagar,
L.B.S Marg, Vikhroli,
Email: rajeev.pant@corteva.com,
Contact no: 07042-494099

Safety Pictograms:



qñ « 2 Y μ | μ 3 μ, μ μ w . 1 ā » | ° ° — m 3 ā qñ « q μ — 1 ° — » 3 i - œ » wQ

qñ « —

» ° o i 3 μ, - ò μ ò z ° y 1 1000Z 2 | μ ò 2 2 , TM-Ž 3 w w Q
» ° o i 3 μ, - ò μ ò z ° y 1 1000Z 2 | μ ò 2 2 , TM-Ž 3 w w Q

« — †

» ° o i 3 μ, - ò μ ò z ° y 1 1000Z 2 | μ ò 2 2 , TM-Ž 3 w w Q
» ° o i 3 μ, - ò μ ò z ° y 1 1000Z 2 | μ ò 2 2 , TM-Ž 3 w w Q

n 3 © | © — †

400079

© — †

(1).

(2).

» — « ± μ . . .

© — † . w ° o ° o 3 f fl μ 2 q Ž » μ 2 j μ Ž q — z Ž TM — ° . . .
z Ž TM « j n p « — Ž TM « j ° j — ° j | ā z — j — TM Ž w μ ° 2 TM Ž
· μ Ž
p 2 μ - rajeev.pant@corteva.com,
° — † — 07042-494099

Premises Address

(1). M/s Dow AgroSciences India Pvt Ltd., 1) A-1, Lote Parusharam Industrial Area, Tal:- Khed, Dist. :- Ratnagiri, Maharashtra 415722.
2) Plot No. 228, G.I.D.C. Estate, Panoli, Distt. . Bharuch, Gujarat. Pin . 394116 Gujarat

(2). 3) Plot no. 98, N.H. No.8, At: Limbadia, P.O. Naroda, District: Gandhinagar-382330, Gujarat. Gujarat

Customer Care Details

Address: Dow AgroSciences India (P) Ltd, 1st Floor, Block-B, Gate No.-2, Godrej IT Park, Godrej Business District, Pirojshanagar, L.B.S Marg, Vikhroli,
Email: rajeev.pant@corteva.com,
Contact no: 07042-494099

Safety Pictograms:



400079

© 2019 Corteva Agriscience

(1).

(2).

» — « ± μ · · · »

© Corteva Agriscience 2019. All rights reserved. Corteva Agriscience is a registered trademark of Corteva Agriscience. Corteva Agriscience is a registered trademark of Corteva Agriscience. Corteva Agriscience is a registered trademark of Corteva Agriscience.

rajeev.pant@corteva.com,

07042-494099

Diclosulam 84% w/w WDG

(Selective Herbicide)

Diclosulam 84WDG is a selective herbicide. It provides effective control of broad leaved weeds, grasses and sedges in Soybean and Groundnut.

Chemical Composition:	Ingredient	%W/W
Diclosulam a.i.	Diclosulam a.i.	84.0 w/w
Polyvinylpyrrolidone (Binder)	Polyvinylpyrrolidone (Binder)	1.0 w/w
Sodium lignosulfonic acid (Dispersant)	Sodium lignosulfonic acid (Dispersant)	6.0 w/w
Starch (Diluent)	Starch (Diluent)	q.s. w/w
Surfactant blend containing Sodium Alkyl Naphthalene Sulfonate (Wetting agent)	Surfactant blend containing Sodium Alkyl Naphthalene Sulfonate (Wetting agent)	3.0 w/w
Total:		100.00% w/w

Recommendation

Crop(s)	Common Name of Pest	Dosage/HA		Dilution in Water Litre	Crop Stage	Re-entry Period	Pre Harvest	Frequency
		AI g.	Formulation g.					
Soybean	Cyperus sp. Commelina benghalensis, Digeria arvensis, Euphorbiageniculata, Acalypha spp. Echinochloa colona	22-26gm	26.2-30.9gm	500 Lt.	pre-emergence at 0-3 days after sowing.	24 hrs	60 days	One time application

Note:- .

Good Practices relating to pesticide application techniques

Direction of Use

Apply Diclosulam 84% WDG as pre-emergence @ 22-26 g ai/ha (26.2-30.9 g/ha) at 0-3 days after sowing. Use 500 lts of water per ha

Weather Condition(in general):

Do not spray during rainy, windy and hot sunny period

Soil & Water(where ever applicable):

This Herbicide is for foliar application and has no adverse effect when used at recommended dose . Avoid using near aquaculture The product is for pre emergence application not be applied on water.

Crop Stage for application:

pre-emergence at 0-3 days after sowing.

Application Technique

Knap-sack sprayer fitted with flat fan nozzle is recommended.

Equipment Type:

knapsack sprayer with flat fan/ flood zet nozzle.

NozzleType:

flat fan/ flood zet nozzle

Dosage:

Caution:Í Not to Be Used on Crops Other Than Specified on This Label/Leafletí "

22-26 g ai/ha (26.2-30.9 g/ha) at 0-3 days after sowing.

Instruction for Mixing:

Shake the bottle before use measure out requisite quantity of the herbicide and mix it well with small quantity of water. Add the remaining quantity of water as specified with thorough agitation for total coverage of crop with suitable sprayer.

Re-entry Period

24 hrs

Manner and Time of Application

Apply Diclosulam 84% WDG as pre-emergence @ 22-26 g ai/ha (26.2-30.9 g/ha) at 0-3 days after sowing. Use 500 lts of water per ha

Application Timing

Spray preferably during morning and evening hours. Avoid application on a windy day or before a rain.

Frequency

One time application

Stages during which pesticides should not be applied on any crop :

Follow the above instructions as mentioned in time of application

Precautions to be taken to avoid harm to the beneficial insects like honey bees and natural enemies of pests :

1. Intoxicated for fish and other aquatic animals. Therefore, aquaculture should not be used for driving.
2. Discontinued for bees. Therefore, active foraging of bees should not be used during more and more use.

Symptoms Of Poisoning

May cause slight eye irritation.. Brief contact may cause moderate skin irritation with local redness. Non-specific symptoms like headache,nausea, vomiting, restlessness etc. may occur.

First Aid

If skin is contaminated, wash skin with plenty of water. If comes in contact with eyes, immediately flush eyes with water continuously for atleast 15 minutes. If inhaled, move person to fresh air. Call a physician. Do not induce vomiting unless directed to do so by medical personnel

Antidote

No specific antidote available. Treat symptomatically

Phytotoxicity

it is not phytotoxic if applied at the recommended dose.

Storage Conditions

The package containing formulated grade herbicide should be stored in original containers in a separate room or almirah under lock and key away from the reach of children, food stuffs, animal feeds and other articles and keep in cool and dry place. The premise should be well built, well lit, sufficient in dimension and well ventilated.

Safety Precaution:

Use good personal hygiene. Do not consume or store food in the work area, Wash hands and exposed skin before eating, drinking or smoking and after work. Avoid eye contact. For most conditions, no respiratory protection should be needed. In dusty atmospheres, use an approved particulate respirator. Use chemically resistant gloves and wear clean body covering. Use chemical goggles for eye and face protection.

Cautionary Statement:

¡ not to be used on crops other than those subscribed on label and leaflet.

¡ destroy the container after use as directed on this leaflet

¡ product is toxic to fish and aquatic vertebrates and thus the product containing the molecule may be avoided near aquaculture

Disposal of used containers, washing from equipment and surplus material :

Caution:Í Not to Be Used on Crops Other Than Specified on This Label/Leafletí "´

1. It shall be the duty of manufactures, formulators of insecticides and operators to dispose packages or surplus material and washings in a safe manner so as to prevent environmental or water pollution.
2. The used packages shall not be left outside to prevent their re-use.
3. The packages shall be broken and buried away from habitation.

Manufacturer Premises :

3)Plot no. 98, N.H. No.8, At: Limbadia, P.O. Naroda, District:
Gandhinagar-382330, Gujarat.
Maharashtra

M/s Dow AgroSciences India Pvt Ltd., 1) A-1, Lote Parusharam
Industrial Area, Tal:- Khed, Dist. :- Ratnagiri. Maharashtra415722.
2) Plot No. 228, G.I.D.C. Estate, Panoli, Distt. . Bharuch, Gujarat.
Pin . 394116
Maharashtra

Imported and Repacked by

Dow AgroSciences India (P) Ltd
1st Floor, Block-B, Gate No.-2, Godrej IT Park, Godrej Business
District, Pirojshanagar, L.B.S Marg, Vikhroli Mumbai Maharashtra
400079

Customer Care Details:

Address: Dow AgroSciences India (P) Ltd, 1st Floor, Block-B, Gate No.-2,
Godrej IT Park, Godrej Business District, Pirojshanagar, L.B.S Marg,
Vikhroli,
Email: rajeev.pant@corveva.com,
Contact no: 07042-494099

Safety Pictograms:



Caution: Not to Be Used on Crops Other Than Specified on This Label/Leaflet "