

m™² »'°' -™µ' µ³' »-³ «' y³ á©° œ©' | '° ©-†ž©'®-°'² »-ýµ' -³' | '°®-°' µw 1'³'²'™µ' °'®-°' «Qw-°' » , ' y³ á©-²' »'°' -Ÿ' ±' -±' -»' «Q' | á©'°' -°' µ wQ °-°' q®' á©' œ-ŕ°' -°' µ »' qyá' -°' -³' Q

3 «'°' °'²' µ³' j' -°'®-°'™µ' -°'©' j' »' .²' µ' j' w | '°' , '°' -°'©®²' -°' -°' á³' µ' '°' Q³ «' '™µ' °' °' -»' µ' »' »'³' -Ÿ- p'°' °' °' µ' »' »ž©' -²' .°' -°' «žw-°' œ-ŕ°' -°'®'²' , l-°' Q

ñ œ-°' °'®-†-²' 2 µ'²' , '°' -°' ±' .©' »' °' -°' mçŸ' '©' »' °' °' -°' °' -°' w | '°' °' µ' | '°' -°' -°' °' »©'®-°' -°' °' °' ©²' µ' -°' Q³ «' «žµ' µ²'³' j' µ-°' -°' »©' »ž©' | á©'°' °'®'²' , l-°' Q ±' «' 1©' -°'®É' -°' mµ™' -³' j' -°' œ »w | '°' q®³'™µ' °'®µ' °' °' -°' | '°'®-°' °' mçŸ' '©' »' °' -°' -°' œ »wQ

n °' -°' °'®-†-²' 2 µ'²' -²' °' -°' -°' 15'²' -°' -°' µw°' »©' °' °'®-°' °' -°' ž' -°' -°' wQ³ «' «žj µ-žµ' µ²'³' °' -°' °'³' °' -°' »©' »' °' -°' -°'™µ' , 1½'°' °' µ »' µQ

1. -°' -°' :

-p' . , °' -°' 1' »' | 1' -°' -°' »žµ' ¼' -°' q®œ' -°' -°' °'™µ' œ-°' | '°' °' »³' -°' œ-ŕ°' -°' °' Q

°' »' -°' , ©' :

-°- , -°' °' ±' | °' -°' mµ™' -²'³' j'™µ' .²' '°' -°' ©' q-°' -²'³' j'™µ' °' °' «' '°' ž' j' -²' mō³' . ©w' °' j' ©' »'³' mµ™' µµ²'³'²'©µ' žœ°' µ™µ' -°' -°- , -°' -²' .°' .™µ' -°' »°' °' °' -°' Q j' °' -²'³' n µ²'³'²' -°- , -°' -°' ±' | '°' -°' -°' »' mçŸ' '©' »' °' -°' »n ž°' ž' -°' ,²³ž' . «' '°' ©'®³' b©' n -°' -°' » -°' œ »w j' °' °' -°- , -°' -°' ±' ®' .°' .©' . '°' «' 1©' » -°' -°' -°' °' -°' »Q°' çœ' -°'®œž' «' '°' Q

_____ :

Tfl o°' °' š' -°' »' °'®' n œ' w' n °' -°' °' -°' °'®-†' °' œw : Ufl o°' -°' °' çœ' °' ž' -°' °'®' á ž' , ž n »' | '°' n™µ' °' «' '°' -°' w : °' -°' -°' | '°' Ÿ' | j'™µ' .²' ©µ' µ™µ' -°' -°' : Vfl o°' -°' -°'™µ' »' a' °' -°' »' .²' µ' -°' œ »w : Wfl ŸÉ-°' -°' °' 2³' °' -°' ž®-ž' n °' -°' -°' °' 3' ©ú' -°' œšµ-°' . j'®' »' : Xfl »²' , '°' -°' «' ,²' »' ŸÉ-°' -°' j' wž' q°' -°' .©' -°' -°' ©' -°' ŸÉ-°' -°' -°' °' -°'®' -°'™µ' : Yfl q®³'™µ'©' l-°' ŸÉ-°' -°' -°' °' 2³' °' °' ¼©' -°'®Éž' °'É' -°' «' ©' -ž' °'®' -°' œ »w :²' »' °' °' , ýÉ'³' j' °'²' -°' -°' §-°' » -°' œ »w : Zfl o°' -°- , -°' -°' mý' µ' . y³²' °' -°' -°' »' ŸÉ-°' -°' œ »w

_____ :

- 1! µ°µ' | '°'®œ'®' j' m±«' »žq°°' ±ō-°' mō³' .³' j' -²' q®³'™µ' -°' µw-°' »
- 2! ®œ' -°' -°' , -°' °' q®³'™µ' -°'®œ©' n ô³' -°' -°' -°' -°' -°'
- 3!²' -²' á' -°' °' °' .³'²' -²' á' -°' °' -°' -°' -°' °' 2³'²' °' -°' ŸÉ-°' -°' -°'
- 4!²' Ÿµ' -°' µw°' »©' j' »' µ' | '°' °' µw j' µ³' j' .°' -°' µw j' »' µ' °' µwž' j' µ³' -¹' | '°' œ' µ'²' Ÿµ' °' µ-°' µw q®³'™µ' -°' »' -°' j' -°' œ »wQ -« ž©µ' °' | '°' -µ' -°' «' 1©' -°' -°' Q
- 5! ®¼³' -°' . 1 á©Q

_____ :

- 1!³' »' -°- , -°' -²' ©{ žy' ®'á' | '°' 2 µ' -°' -°'©y³' »™µ' -°'®³' l' °'³'³' j' µ' «' 1' -°' -°' -°' µww-°' °' ¼©' -°' -°' ®-°'³' m' , 1'°' 2' | '°' -°' -°' -°'®-°' -°' Q
- 2! q®³'™µ' -³' »w'®-°' -°' µ'²' -°' ŸÉ'©' -°' q-°' -°' ®³'™µ' -°' -³' j' °' -°' Q
- 3!®-°' -°'©É' -°' n °' «' °' «' j'²' -°' -°' -°' œ™É' «Q

qñ® «-°'®' °' -°' :

qñ® «-°' :

Caution:Í Not to Be Used on Crops Other Than Specified on This Label/Leaflet! "'

»—«±µ···—

® í ©o| í f6 !³ fl Q µ² π|
M-77, 1st and 11nd Floor, w² žqm —:² —πŽ π''—µ, ž II

° ¼' œ' µ ®-



Caution: Not to Be Used on Crops Other Than Specified on This Label/Leaflet

Fipronil 4% Thiamethoxam 4% w/w SC

(Systemic and Contact Insecticide)

Fipronil 4% + Thiamethoxam 4% SC is a unique combination of a new generation phenyl pyazole compound, Fipronil and a nconicotinoid, Thiamethoxam. The combination product formulation presents excellent synergism through contact, systemic and residual activity on the target pests. Fipronil which remains on the surfaced of the plants. Thiamethoxam is translocated in plants and provide long term inherent protection against target insects-pest. It is a safe to use formulation.

Chemical Composition:	Ingredient	%W/W
Blend of Modified Polyethanoxy Ether (Surfactant 2)	Surfactant	3.00 % w/w
Blend of Sodium Dodecyl Sulfate (Surfactant 1)	Surfactant	3.00 % w/w
Demineralized water (Solvent)	Solvent	QS % w/w
Fipronil a.i	active ingredient	4.00 % w/w
Methylisothiazolinone (Anti-microbial agent)	Anti-microbial agent	0.01 % w/w
Monopropylene glycol (Anti freezing agent)	Anti freezing agent	5.0 % w/w
Silicon defoamer (Antifoaming)	Antifoaming	1.00 % w/w
Sunflower oil (Stabilizer)	Stabilize	4.00 % w/w
Thiamethoxam a.i	active ingredient	4.00 % w/w
Xanthan gum (Thickening agent)	Thickening Agent	0.30 % w/w
Total:		100.00% w/w

Recommendation

Crop(s)	Common Name of Pest	Dosage/HA		Dilution in Water l/ha	Crop Stage	Re-entry Period	Pre Harvest	Frequency
		AI g/ha	Formulation ml/ha					
Paddy	Brown plant hopper, Green leaf hopper, White backed plant hopper	44+44	1100	500	vegetative growth stage	as soon as spray dries up or 24 hours	45	2-3 sprays

Note:-

Good Practices relating to pesticide application techniques

Direction of Use

Method of application : It should be applied as foliar spray. No specific soil and condition are prescribed. Uniform coverage is necessary for effective control of insects-pests. A simple knapsack sprayer fitted with hollow cone nozzle type can be used for spraying. Shake well before use.

Weather Condition(in general):

Spray when the wind is steady and ideal. Avoid spraying in temperature above 30°C.

Soil & Water(where ever applicable):

Only used as foliar application.

Crop Stage for application:

vegetative growth stage

Application Technique

A simple knapsack sprayer fitted with hollow cone nozzle type can be used for spraying.

Equipment Type:

Caution: Not to Be Used on Crops Other Than Specified on This Label/Leaflet "

Knapsack sprayer

Nozzle Type:

Hollow cone nozzle

Dosage:

As mentioned in table

Instruction for Mixing:

-

Re-entry Period

as soon as spray dries up or 24 hours

Manner and Time of Application

Avoid application in afternoon hours. Ideal timing for application is morning and evening hours

Application Timing

Avoid application in afternoon hours. Ideal timing for application is morning and evening hours.

Frequency

2-3 sprays

Stages during which pesticides should not be applied on any crop :

=

Precautions to be taken to avoid harm to the beneficial insects like honey bees and natural enemies of pests :

Do not spray during active bee-foraging period of the day

Symptoms Of Poisoning

mainly consists of irritability, lethargy, muscle tremors and in extreme case possibly convulsions/seizures may occur.

Nausea, vomiting.

mild, temporary health effects mostly headache and dizziness, paresthesia, gastrointestinal, respiratory and dermal signs and symptoms.

First Aid

If ingested: if person is conscious and alert, rinse mouth with water and give 1 or 2 glass of water to drink. Never give anything by mouth to an unconscious person. Call the doctor. Do not induced vomiting until and unless desired by attending physician.

If inhaled: Take the patient to fresh air and take care of body temperature. If patient is not breathing or breathing with difficulty, give artificial respiration, Consult a physician.

In case of skin contact: Wash thoroughly the affected part of body with soap and plenty of water including hairs and under fingernails. If pain, redness or irritation persists, consult a doctor. All contaminated clothes should be segregated and thoroughly washed with soap and water separately before use.

In case of eye contact: Rinse gently with plenty of water at least for 15 minutes. If pain, irritation, redness or photophobia persists. Consult eye specialist

Antidote

No specific antidote, symptomatic and supportive therapy

Phytotoxicity

Non phytotoxic when used as recommended.

Storage Conditions

1. The packages containing insecticide shall be stored in separate rooms or premises away from the rooms or premises used for storing other articles particularly food articles or shall be kept in separate almirahs under lock and key depending upon the quantity and nature of the insecticide. Keep out of reach of children. 2. The store rooms should be well built well lit, well ventilated and of sufficient dimensions. The conditions of the store should be dry and cool.

Caution: Not to Be Used on Crops Other Than Specified on This Label/Leaflet "

Safety Precaution:

1) Avoid inhalation and contact with skin and eyes. 2) Keep away from children, food stuff, animal feed, heat and flame, Store in cool and dry place under lock and key. 3) Do not mix the insecticides with bare hands. 4) Do not eat, drink, smoke or chew tobacco while spray. 5) Spray the insecticide only in the direction of wind blowing and not against it so as to prevent the setting of the drift on body. 6) The user should use full protective clothing with rubber gloves, boots. Face should be covered with face shield or dust mask and body should be covered with an overall or rubber apron and hood or hat. 7) Do not use as an ultra-low volume spray.

Cautionary Statement:

1. not to be used for any purpose other than those subscribed on label and leaflets

2. destroy the container after use as directed on leaflet

3. do not spray during active bee-foraging period of the day.

4. very toxic to fish and to aquatic organisms therefore, not to be used near aquaculture and rice fish farming. do not contaminate, river, ponds and streams.

5. Toxic to some birds.

Disposal of used containers, washing from equipment and surplus material :

1. It shall be the duty of manufactures, formulators of insecticides and operators to dispose packages or surplus material and washings in a safe manner so as to prevent environmental or water pollution.
2. The used packages shall not be left outside to prevent their re-use.
3. The packages shall be broken and buried away from habitation.

Manufacturer Premises :

Village Khera Gani, near Village Fatehgarh, Raipur Rani Road,
Distt. Ambala (Haryana)
Delhi

Village Mandhaur, Naraingarh Road, Ambala, Haryana
Delhi

Manufactured by

Parijat Industries (India) Pvt. Ltd.
M-77, 1st and 2nd Floor, M-Block Market, Greater Kailash- II, New
Delhi Delhi 110048

Customer Care Details:

Parijat Industries (India) Pvt. Ltd.
M-77, 1st and 2nd Floor, M-Block Market, Greater Kailash- II

Safety Pictograms:



Caution: Not to Be Used on Crops Other Than Specified on This Label/Leaflet

Max. Retail Price

3.00 % w/w

Total: 100.00%

Safety Precautions, Symptom of Poisoning and First Aid: Please refer leaflet for details.

Antidote Statement:

No specific antidote, symptomatic and supportive therapy.

Cautionary statement:

- 1. not to be used for any purpose other than those subscribed on label and leaflets
2. destroy the container after use as directed on leaflet
3. do not spray during active bee-foraging period of the day.
4. very toxic to fish and to aquatic organisms therefore, not to be used near aquaculture and rice fish farming. do not contaminate, river, ponds and streams.
5. Toxic to some birds.

Manufactured by

Parijat Industries (India) Pvt. Ltd.
M-77, 1st and 11nd Floor, M-Block Market, Greater Kailash- II, New Delhi South Delhi 110048

Premises Address

(1). Village Mandhaur, Naraingarh Road, Ambala, Haryana

(2). Village Khera Gani, near Village Fatehgarh, Raipur Rani Road, Distt. Ambala (Haryana)

Customer Care Details

Address: Parijat Industries (India) Pvt. Ltd.
M-77, 1st and 11nd Floor, M-Block Market, Greater Kailash- II,
Email: vandana.t@parijat.in,
Contact no: 9818799694

Safety Pictograms:



Chemical name and concentration information in Hindi.

3.00 % w/w

Additional chemical information in Hindi.

(1) 10048

(2) 10048

Additional chemical information in Hindi.

Contact information: M-77, 1st and 11nd Floor, w2 zqm -12 -mZ -m -m, z II, p2 mu -vandana.t@parijat.in, Contact no: 9818799694

Total:100.00%

Safety Precautions:

1) Avoid inhalation and contact with skin and eyes. 2) Keep away from children, food stuff, animal feed, heat and flame, Store in cool and dry place under lock and key. 3) Do not mix the insecticides with bare hands. 4) Do not eat, drink, smoke or chew tobacco while spray. 5) Spray the insecticide only in the direction of wind blowing and not against it so as to prevent the setting of the drift on body. 6) The user should use full protective clothing with rubber gloves, boots. Face should be covered with face shield or dust mask and body should be covered with an overall or rubber apron and hood or hat. 7) Do not use as an ultra-low volume spray.

Symptom of Poisoning:

mainly consists of irritability, lethargy, muscle tremors and in extreme case possibly convulsions/seizures may occur. Nausea, vomiting.

mild, temporary health effects mostly headache and dizziness, paresthesia, gastrointestinal, respiratory and dermal signs and symptoms.

First Aid:

If ingested: if person is conscious and alert, rinse mouth with water and give 1 or 2 glass of water to drink. Never give anything by mouth to an unconscious person. Call the doctor. Do not induced vomiting until and unless desired by attending physician.

If inhaled: Take the patient to fresh air and take care of body temperature. If patient is not breathing or breathing with difficulty, give artificial respiration,Consult a physician.

In case of skin contact: Wash thoroughly the affected part of body with soap and plenty of water including hairs and under fingernails. If pain, redness or irritation persists, consult a doctor. All contaminated clothes should be segregated and thoroughly washed with soap and water separately before use.

In case of eye contact: Rinse gently with plenty of water at least for 15 minutes. If pain, irritation, redness or photophobia persists. Consult eye specialist

Antidote

No specific antidote, symptomatic and supportive therapy.

Cautionary statements:

- 1. not to be used for any purpose other than those subscribed on label and leaflets
2. destroy the container after use as directed on leaflet
3. do not spray during active bee-foraging period of the day.
4. very toxic to fish and to aquatic organisms therefore, not to be used near aquaculture and rice fish farming. do not contaminate, river, ponds and streams.
5. Toxic to some birds.

Chemical name: ...

3.00 % w/w

3 TM - TSSISS

Technical specifications and safety information in Sinhala, including storage conditions and handling instructions.

Additional safety information and usage instructions in Sinhala.

Further technical details and safety warnings in Sinhala.

Additional safety information and usage instructions in Sinhala.

Further technical details and safety warnings in Sinhala.

Additional safety information and usage instructions in Sinhala.

Final technical details and safety warnings in Sinhala.

Manufactured by

Parijat Industries (India) Pvt. Ltd.
M-77, 1st and 11nd Floor, M-Block Market, Greater Kailash- II, New
Delhi South Delhi 110048

Premises Address

(1). Village Mandhaur, Naraingarh Road, Ambala, Haryana
Haryana

(2). Village Khera Gani, near Village Fatehgarh, Raipur Rani Road,
Distt. Ambala (Haryana)
Haryana

Customer Care Details

Address: Parijat Industries (India) Pvt. Ltd.
M-77, 1st and 11nd Floor, M-Block Market, Greater Kailash- II,
Email: vandana.t@parijat.in,
Contact no: 9818799694

1. 1 - 1 - 1 -

— p 1 » | 1 - - » Ž μ ¼ " — q @ œ " —
" T M Q œ — | " ° » 3 — œ — ĩ " — " Q

1! μ ° μ | " @ œ " @ " i " m ± « " » Ž q ° " ± õ — m õ 3 " 3 j — 2 " q @ 3 T M
— μ W — »

2! @ œ " — — « , — ° " q @ 3 T M — " @ œ @ " n ð 3 — " — — " — " —

3! 2 - 2 â " " ° " ° 3 2 - 2 â " 2 - 2 - " — " — " — " ° 2 3 2 " ° — " Y Ē — " — " — " —

4! 2 Y μ " — μ W ° » @ " i » " μ | " " o ° μ W j μ 3 " j — " — μ W j » " μ " —
o ° μ v Ž j μ 3 " — 1 " | " œ : μ 2 Y μ " @ μ — " — μ W q @ 3 T M — » " — 3 " —
j — " œ » w Q — « Ž @ μ " | " — μ " — " « 1 @ " — " — " Q

5! @ ¼ 3 " — " . 1 â @ Q

q ĩ ® « —

- 110048

® " ° " — " — " @ @ —

(1).

(2).

» — « — ± μ " . . . " —

@ @ — @ " i " @ " o | " j " f b | 3 f l " Q μ 2 " " |
M-77, 1st and 11nd Floor, w 2 ž q μ — 2 — « Ž " " — μ , ž II,
p 2 μ - vandana.t@parijat.in,
Contact no: 9818799694

Safety Pictograms:

