



(1). Gharda Chemicals Limited D-1/2, M.I.D.C. Lote Parshuram At post- Lote Parshuram Tal. Khed, Dist. Ratnagiri, Pin 415722, Maharashtra.

(2). Gharda Chemicals Ltd B-27/29, Phase-I, M.I.D.C. Dombivli (E) At post- Dombivli(E), Tal. Kalyan Dist. Thane, Pin 421 203, Maharashtra.

(3). Gharda Chemicals Ltd Industrial Growth Centre, Phase II, Samba - 184 121, Jammu Jammu & Kashmir

**Customer Care Details**

Address:-Gharda Chemicals Limited, Gharda House, 48, Hill Road, Bandra (W)  
Contact No: 0251-2446363,  
Email: rpshahasane@gharda.com

**Safety Pictograms:**



(1).

(2).

(3).

»—« ± μ . . . . .

© « — 2 — y ° μ ² π | Ž š ' | Ž 48Ž » μ ' ' | Ž ° ' (W)  
Contact No:0251-2446363,  
p² μ -rpshahasane@gharda.com





# Big Label

(> 250 mL Primary and Secondary Package Label)

**Read leaflet before use:**

**Common Name:**

Fipronil 80% WG

**BRAND NAME: -**

**Crops and Pest Groups: -**

Dosage, Direction for use and Manner and time of application : Please refer leaflet for details

**Purpose:**

for agriculture use

**Re-entry:**

48 hours

**Chemical Composition :**

		Content % w/w
Silicon oil emulsion	other ingredient	0.30 % w/w
Sodium polycarboxylate	other ingredient	2.90 % w/w
Sodium dioctyl sulfosuccinate 85%	other ingredient	1.90 % w/w
Fipronil Technical	active ingredient	80.00 % w/w
Sodium lignosulfonate	other ingredient	Q.S. % w/w

**Total:100.00%**

**Safety Precautions:**

1. keep away from foodstuffs, empty foodstuff containers and animal food.
2. avoid contact with mouth, eyes and skin.
3. avoid inhalation the spray mist. spray in the direction of wind.
4. wash thoroughly the contaminated clothes and parts of the body after spraying.
5. do not smoke, drink, eat and chew anything while spraying.
6. wear full protective clothing while mixing and spraying

**Fipronil 80% WG**

—μ [S ± ± ±] μj

**Insecticide**



° çœ — @œ ° «

Keep out of reach of children.

° — | ¥ð! j TM® @ n TM ° «

Keep in cool, dry place away from heat and open flame.

Regn. No. j ! —!

Mfg. Lic. No. 2 —3 ! μ ! —!

Batch No. ° œ —!

Mfg Date 2 —3 ! @ !

Exp. Date ç ñ² » — —! ©

Net Content / Volume , ± ÷ ñ³ ©—

Max. Retail Price m —œ² » « ² y³

q®³ TM ° ® μ ® — @E-

—μ [S ± ± ±] μj

—A

—A

—1 q®³ TM — μw

VΨ ÷ ñ

° 3 — —! ° œ —

° μ — y³ μ — mō³ ÷ ñ — SIVS ÷ ñ w/w

œ² μ, —

° | 3 2 ÷ mō³ ÷ ñ — U\N ÷ ñ w/w

@ μ — ° â° μ

° | 3 2 ÷ | 3 â μ — mō³ ÷ ñ — T\N ÷ ñ w/w

° ý — ° â° — ñ [X

— —μ ñ â — μ ° 3 ÷ ñ — [S\SS ÷ ñ w/w

° | 3 2 ÷ μ â — ° ý — ñ mō³ ÷ ñ — ®³ b© 2 ÷ ñ w/w

3 TM — TSSISS











qñ®«-’@’°’-

»-«±μ’...’-

žš’«’-²—y°’ μ² ¼ž  
š’ž 48ž »μ’ž°’ (W)  
0251-2446363

°’¼’œ’μ®-



Caution: Not to Be Used on Crops Other Than Specified on This Label/Leaflet

**Fipronil 80% WG****( Insecticide )**

Fipronil 80% w/w WG formulation contains 800 g of fipronil active ingredient per kg of formulation, Fipronil is recommended as a foliar spray for the control of stem borer and leaf folder in rice and thrips in grapes & onion and diamond back moth in cabbage.

<b>Chemical Composition:</b>	<b>Ingredient</b>	<b>%W/W</b>
Fipronil Technical	active ingredient	80.00 % w/w
Silicon oil emulsion	other ingredient	0.30 % w/w
Sodium dioctyl sulfosuccinate 85%	other ingredient	1.90 % w/w
Sodium lignosulfonate	other ingredient	Q.S. % w/w
Sodium polycarboxylate	other ingredient	2.90 % w/w
<b>Total:</b>		<b>100.00% w/w</b>

**Recommendation**

<b>Crop(s)</b>	<b>Common Name of Pest</b>	<b>Dosage/HA</b>		<b>Dilution in Water</b>	<b>Crop Stage</b>	<b>Re-entry Period</b>	<b>Pre Harvest</b>	<b>Frequency</b>
		<b>AI</b>	<b>Formulation</b>					
Grapes	Thrips	100g	2.5ml	1000lit	May be applied in the recommended crop at any stage of crop growth when the incidence of insect pest is observed to cause economic loss.	48 hours	10 days	One to two spray at 7-10 days interval may be applied, when the incidence of insect pests is observed at the dose mentioned in the above table
Rice	Stem borer, Leaf folder	100g	2.5ml	1000lit	May be applied in the recommended crop at any stage of crop growth when the incidence of insect pest is observed to cause economic loss.	48 hours	15 days	One to two spray at 7-10 days interval may be applied, when the incidence of insect pests is observed at the dose mentioned in the above table

**Note:-****Good Practices relating to pesticide application techniques****Direction of Use**

Direct spray towards the crop and ensure uniform and proper coverage. It is recommended to use knapsack sprayer or motorized knapsack sprayer fitted with hollow cone nozzle against the target insect pests in different crops as indicated in the table

**Weather Condition(in general):**

Spray preferably during morning and evening hours. Do not apply on a windy day or before a rain

**Soil & Water(where ever applicable):**

No specific soil & water conditions are prescribed

**Crop Stage for application:**

May be applied in the recommended crop at any stage of crop growth when the incidence of insect pest is observed to cause economic loss.

**Caution: Not to Be Used on Crops Other Than Specified on This Label/Leaflet**

### **Application Technique**

It is recommended to use high volume sprayers using hollow cone nozzle. Shake the bottle well before use. Take the measured quantity of product and add to it a small quantity of water, mix thoroughly and then add remaining quantity of water, stir well before the use. Spray uniformly and insure proper coverage of the spray on the plant.

### **Equipment Type:**

### **NozzleType:**

### **Dosage:**

### **Instruction for Mixing:**

### **Re-entry Period**

48 hours

### **Manner and Time of Application**

### **Application Timing**

Spray preferably during morning and evening hours. Do not apply on a windy day or during rain.

### **Frequency**

One to two spray at 7-10 days interval may be applied, when the incidence of insect pests is observed at the dose mentioned in the above table

### **Stages during which pesticides should not be applied on any crop :**

### **Precautions to be taken to avoid harm to the beneficial insects like honey bees and natural enemies of pests :**

### **Symptoms Of Poisoning**

mainly consists of irritability, lethargy, muscle tremors and in extreme case possibly convulsions may occur. Nausea, vomiting, Mild temporary health effects mostly headache and dizziness, paresthesia, but also ocular, gastrointestinal, respiratory and dermal signs and symptoms.

### **First Aid**

Call the doctor immediately

If ingested: if person is conscious and alert, rinse mouth with water and give 1 or 2 glass of water to drink. Never give anything by mouth to an unconscious person. Call the doctor. Do not induced vomiting until and unless desired by attending physician.

If inhaled: Take the patient to fresh air and take care of body temperature. If patient is not breathing or breathing with difficulty, give artificial respiration,Consult a physician.

In case of skin contact: Wash thoroughly the affected part of body with soap and plenty of water including hairs and under fingernails. If pain, redness or irritation persists, consult a doctor. All contaminated clothes should be segregated and thoroughly washed with soap and water separately before use.

In case of eye contact: Rinse gently with plenty of water at least for 15 minutes. If pain, irritation, redness or photophobia persists. Consult eye specialist

### **Antidote**

No specific antidote is known. Give symptomatic treatment.

### **Phytotoxicity**

**Caution: Not to Be Used on Crops Other Than Specified on This Label/Leaflet "**

Non-phytotoxic at recommended dose

**Storage Conditions**

1. Storage and transportation of the insecticide should be done in such a way that no foodstuff and animal feed are contaminated.
2. Store in a cool, dry, well-ventilated, well-built room of sufficient dimensions and in its original containers, away from foodstuff and animal feeds.
3. If leakage or spillage occurs during transportation or storage, necessary measure should be taken to prevent poisoning and pollution of soil and water. Keep out of reach of children.

**Safety Precaution:**

1. Keep away from foodstuffs, empty foodstuff containers and animal food.
2. Avoid contact with mouth, eyes and skin.
3. Avoid inhalation of the spray mist.
4. Wash thoroughly the contaminated clothes and parts of the body after spraying.
5. Do not smoke, drink, eat and chew anything while spraying.
6. Wear full protective clothing while mixing and spraying.
7. Do not spray against the wind.

**Cautionary Statement:**

- 1. It is toxic to honey bees. spray application should be avoided during the foraging period of bees.**
- 2. Highly toxic to fish. aquatic organisms hence should not be used near water bodies, aquaculture or pisciculture.**
- 3. Not to be used for any purpose other than those subscribed on label and leaflets.**
- 4. Destroy the container after use as directed on leaflet.**
- 5. Toxic to some birds.**

**Disposal of used containers, washing from equipment and surplus material :**

1. It shall be the duty of manufactures, formulators of insecticides and operators to dispose packages or surplus material and washings in a safe manner so as to prevent environmental or water pollution.
2. The used packages shall not be left outside to prevent their re-use.
3. The packages shall be broken and buried away from habitation.

**Manufacturer Premises :**

Gharda Chemicals Limited D-1/2, M.I.D.C. Lote Parshuram At post- Lote Parshuram Tal. Khed, Dist. Ratnagiri, Pin 415722, Maharashtra.  
Maharashtra

Gharda Chemicals Ltd B-27/29, Phase-I, M.I.D.C. Dombivli (E) At post- Dombivli(E), Tal. Kalyan Dist. Thane, Pin 421 203, Maharashtra.  
Maharashtra

Gharda Chemicals Ltd Industrial Growth Centre, Phase II, Samba - 184 121, Jammu  
Maharashtra

**Manufactured by**

Gharda Chemicals Limited  
B 27-29 MIDC Dombivli(E)421203 Dist Thane Maharashtra  
Dombivli Maharashtra

**Customer Care Details:**

-Gharda Chemicals Limited,  
Gharda House, 48, Hill Road, Bandra (W)  
0251-2446363

**Safety Pictograms:**



**Caution: Not to Be Used on Crops Other Than Specified on This Label/Leaflet "**