

Primary Package Label

[Ultra-small (1ml or gm to 50 ml or gm)] & [small (51 ml or gm to 250 ml or gm)]

Read leaflet before use:

Common Name:

Haloxypop R Methyl 10.5% w/w/ EC

BRAND NAME: .

Chemical Composition :

Content % w/w

Haloxypop R Methyl a.i	Haloxypop R Methyl a.i	10.50 w/w
Alkyl phenolic glycol ether	Alkyl phenolic glycol ether	48.64 w/w
Water	Water	16.20 w/w
Disodium alkyl diphenyl oxide disulfonate	Disodium alkyl diphenyl oxide disulfonate	2.28 w/w
Aromatic Solvent (Like Solvesso 150, Aromatic 150)	Aromatic Solvent (Like Solvesso 150, Aromatic 150)	Q.S w/w
Total:		100.00%

Please refer leaflet for details

Antidote

no specific antidote available. treat symptomatically

Manufactured by

???.?. 20-8, ??? ?? ????????? 67410 ANNNNNNA ANNNNNN
B.P. 20-8, route de Herrlisheim 67410 DRUSENHEIM- France

Supplied by

Dow AgroSciences S.A.S B.P.
B.P. 20-8, route de Herrlisheim 67410 DRUSENHEIM- France

Imported and Repacked by

Dow AgroSciences India (P) Ltd
1st Floor, Block-B, Gate No.-2, Godrej IT Park, Godrej Business
District, Pirojshanagar, L.B.S Marg, Vikhroli Mumbai Mumbai
Maharashtra 400079

Haloxypop R Methyl 10.5% w/w/ EC

»μ â° - ® n ° 2 a om' \$#!(~ ± ± ' p' °

Selective Herbicide

œ³ - ñ² - - ° @. - - , - -



° çœ - - ° @œ ° ° « - - -

Keep out of reach of children.

° - - | ° ¥ ð | ° | ° TM ° ® ° n ° TM ° ° « - - -

Keep in cool, dry place away from heat and open flame.

Regn. No. _____
Mfg. Lic. No. _____
Batch No. _____
Mfg Date _____
Exp. Date _____
Net Content / Volume _____
Max. Retail Price _____
Customercare _____

q @ 3 TM ° ° ® μ ° - - @ E -

»μ â° - ® n ° 2 a om' \$#!(~ ± ± ' p' °

° - - 3 - - - ° çœ - -

»μ â° - ® n ° 2 a om' \$#!(~ ± ± ' p' ° 10.50 w/w

mý - om' - - μ - mý - om' - - μ - 48.64 w/w

âμ ³ - μ ' p a ' âμ ³ - μ ' p a ' 16.20 w/w

° - ° - 2.28 w/w

° TM - ® ° . μ ³ - ° TM - ® ° . μ ³ - ° 3 b ° 2 ° ° w/w

ff ý . ° ° \$(# Ž w ² ¤ - ff ý . ° ° \$(# Ž w ² ¤ -

\$(# fl \$(# fl

3 TM - TSSISS

Premises Address

(1). M/s Dow AgroSciences India Pvt Ltd., 1) A-1, Lote Parusharam Industrial Area, Tal:- Khed, Dist. :- Ratnagiri. Maharashtra 415722.
2) Plot No. 228, G.I.D.C. Estate, Panoli, Distt. . Bharuch, Gujarat. Pin . 394116 Gujarat

(2). (4) Dow AgroSciences India Pvt. Plot No 905, GIDC Estate, Ankleshwar, Gujarat- 393 002. Gujarat

Customer Care Details

Address: Dow AgroSciences India (P) Ltd, 1st Floor, Block-B, Gate No.-2, Godrej IT Park, Godrej Business District, Pirojshanagar, L.B.S Marg, Vikhroli, Email: rajeev.pant@corteva.com, Contact no: 07042-494099

Safety Pictograms:



© Corteva Inc. 2020

(1).

(2).

»—« ± μ

© Corteva Inc. 2020
227 TM « ' j ' n p « ' @ — Ž ' « ' j ' ° j ' — ° ' j ' — â « Ž ' ' j ' — TM ' Ž v μ ° ' .
2 TM Ž . . μ Ž
p² μ - rajeev.pant@corteva.com,
° @ — j — ° ' : 07042-494099

Big Label

(> 250 mL Primary and Secondary Package Label)

Read leaflet before use:

Comman Name:

Haloxyfop R Methyl 10.5% w/w/ EC

BRAND NAME: .

Crops and Pest Groups: please refer leaflet for details.

Dosage, Direction for use and Manner and time of application : Please refer leaflet for details

Purpose:

for agricultural use.

Re-entry:

24 hours

Chemical Composition :

Content % w/w

Haloxyfop R Methyl a.i	Haloxyfop R Methyl a.i	10.50 w/w
Alkyl phenolic glycol ether	Alkyl phenolic glycol ether	48.64 w/w
Water	Water	16.20 w/w
Disodium alkyl diphenyl oxide disulfonate	Disodium alkyl diphenyl oxide disulfonate	2.28 w/w
Aromatic Solvent (Like Solvesso 150, Aromatic 150)	Aromatic Solvent (Like Solvesso 150, Aromatic 150)	Q.S w/w

Total:100.00%

Safety Precautions:

Haloxyfop R Methyl 10.5% w/w/ EC

»μ ā° - ® n ' 2 a' oμ' \$#!(' ± ' ± ' p' o

Selective Herbicide

œ³ - ñ² - - ' ®©. - - , -



° çœ' - ' ®œ° ° ' « ' - - -

Keep out of reach of children.

° - - ' | ' ' ¥ð! ' ' ' TM»' ®' n ' TM° ° ' « ' - - -

Keep in cool, dry place away from heat and open flame.

Regn. No. ' ' ' ! ' - !

Mfg. Lic. No. 2 - 3 ! ' ' μ ! ' - !

Batch No. ° œ° - !

Mfg Date 2 - 3 ! ' ! © !

Exp. Date 2 ñ² ' » - - - ' ® ' - - -

Net Content / Volume , ' ± ' ñ³ © -

Max. Retail Price m - - - ² ' - - - ' « ' ' 2 y³

q®³ TM° ° ' ®»μ' ® - ' ®E-

»μ ā° - ® n ' 2 a' oμ' \$#!(' ± ' ± ' p' o

- 1 ' q®³ TM° - ' μ wQ

% ' š ðQ

' ° 3 - - - ' ° œ° - -

..... 2 ' ± ' ±

»μ ā° - ® n ' 2 a' oμ' ° ! ©!	»μ ā° - ® n ' 2 a' oμ' ° ! ©!	10.50 w/w
-------------------------------	-------------------------------	-----------

mý-oμ' - μ - ' äμ³ - μ' pª'	mý-oμ' - μ - ' äμ³ - μ' pª'	48.64 w/w
-----------------------------	-----------------------------	-----------

® -	® -	16.20 w/w
-----	-----	-----------

' °° 3 2 ' mý-oμ' °° 3 2 ' mý-oμ'	2.28 w/w
---	----------

' °' - - oμ' ' y ā° o! °' - - oμ' ' y ā° o!	' ož° y - - ð ož° y - - ð
---	---------------------------------

° TM - ®° . μ 3 - ' ° TM - ®° . μ 3 - ' ®³ b©² ' ' w/w	®³ b©² ' ' w/w
--	----------------

ff ý. ° ' \$ (#ž w² ð - ff ý. ° ' \$ (#ž w² ð -	\$(#fl) \$(#fl)
---	-------------------

3 TM° - TSSISS'

Imported and Repacked by

Dow AgroSciences India (P) Ltd
1st Floor, Block-B, Gate No.-2, Godrej IT Park, Godrej Business
District, Pirojshanagar, L.B.S Marg, Vikhroli Mumbai Mumbai
Maharashtra 400079

Premises Address

- (1). M/s Dow AgroSciences India Pvt Ltd., 1) A-1, Lote Parusharam Industrial Area, Tal:- Khed, Dist. :- Ratnagiri. Maharashtra415722.
- 2) Plot No. 228, G.I.D.C. Estate, Panoli, Distt. . Bharuch, Gujarat. Pin . 394116 Gujarat
- (2). (4) Dow AgroSciences India Pvt. Plot No 905, GIDC Estate, Ankleshwar, Gujarat- 393 002. Gujarat

Customer Care Details

Address: Dow AgroSciences India (P) Ltd, 1st Floor, Block-B, Gate No.-2, Godrej IT Park, Godrej Business District, Pirojshanagar, L.B.S Marg, Vikhroli,
Email: rajeev.pant@corteva.com,
Contact no: 07042-494099

Safety Pictograms:



qñ®«'i μ 3 'i . '— μw . 1 μ '» © '»Q
o° 'μ° μ"® —'®'° ø° o° '—w™w° ° μ '—mμ . 'mō³'° ° μ '®'
o °©² μ '—'Q
o° '®œ®'—« , ©'m—° 'q®³™'—'° «'—æ—'—'—æ'—'«Q
— μ ' | ø° '—'«° '—' 3™'—'—'—' ©'—'—'»Q

qñ®«—

! q'w ° 3°° 'w° !w°w° !'° !®!
° !®! 20-8Ž æ'«'»' μ , 2' 67410' ° —»²'. Á ° 'Q

®©'—©†

! q'w ° 3°° 'w° !w°w° !'° !®!
° !®! 20-8Ž æ'«'»' μ , 2' 67410' ° —»²'. Á ° 'Q

n 3 © | '—'®—®—™'—©†

400079

® °° '—'®©—

(1).

(2).

»—'«' ± μ ' . . '—'

®©—' | . 'w ° o° 'o | 3' f® fl μ ² æ | Ž ®» μ ' ² j μ Ž æ μ —ž° Ž™æ'—° '—
žžž™ «'i 'n pæ'®—ž™ «'i '° j —° ' | —â æž'—'j —™'ž wμ° '²™ž
— μ ž
p² μ '—rajeev.pant@corteva.com,
° ®—'—'—' 07042-494099

»μ â° - ®n '2ª om '\$!('± '± 'p'º

fi œ³ - r² - ' '®@. ' - , - fl

»μ â° - ®n '2ª om 'TSIX' 'p'º 'w-œ-« 'š °®@- , '»Q³»'º 3º - - - - - μ'² 'q™- . μ'š °'j '®- ' '®@. ' - - mº '« ' - 3 ' - - '®' »Q

'º 3 - - - - - 'œ- ' -

mý-om' - - μ-âμ³-μ'pª'	mý-om' - - μ-âμ³-μ'pª'	48.64 w/w
º™-®' - μ³-ff ý.º '\$(#žw² ¤-\$(#fl	º™-®' - μ³-ff ý.º '\$(#žw² ¤-\$(#fl	®³ b®² ' w/w
ºº ³² 'mý-om' o' - - om' y áº o'	ºº ³² 'mý-om' o' - - om' y áº o'	2.28 w/w
ožº ý - ¤	ožº ý - ¤	
»μ â° - ®n '2ª om'º!@!	»μ â° - ®n '2ª om'º!@!	10.50 w/w
® -	® -	16.20 w/w

³™ - TSS!SS' ± '± ' ' -

º μ'	- ¤ - - 2	©' »âª³ '2		® - - - 2 μ!	º μ' m'ª	® - - μ	® - º μ	n .
		º '®ñ 'ºº 3'	º 'œ- '² ² μ!μ!					
º 3º -	Brachiari spp.,Digitaria sanguinalis, Dinebra arabica, Echinochloa spp.Eleusine indica ,Eragrostis pp. Panicum isochmi	\$#+ž\$&'º!' ®! ²	1000-1250	XSSμ!	º n p' - TXžUT' « - º «' m - - - - -º «' ³™	% 'š ¤)# ' « -	w- m- ³™

Note:-

q®³™ - μw - « -

m-, °©' - - - - - q®³™ - Q | '® - - - - - n . 3 - 2 ' 2º - - - - - ®μ - - !

2º 2' - - - - - a ©

ºº ©ž» . | '™² | -® - - - - - m- - - - - « - - - - - -

2 ¤ | '® -

3 »'ºº o' |® | n . « - - - - - μw» | ' m-, °©' - - - - - q®³™ - wj - - - - - ®'º - - - - - p' - © - μ' ± . ' - » »Qj μ³ - - - - - ®'º q®³™ - - - - - 'ºº œ

º μ' m'ª

º n p' - TXžUT' « -º «' m - - - - -º «' ³™

n . « - '® - -

® | n . « - ' qœ . ý ¤j ' 3 ' | ' w® ® pžvœ® ® . ' 3 ' - - - - - q®³™ - - - - - μ ¤ ®' 3 'º È' j ¤ - j μ - - - - - a ' μ™³ j ' © ' »Q

Caution: Not to Be Used on Crops Other Than Specified on This Label/Leaflet

Haloxyfop R Methyl 10.5% w/w/ EC

(Selective Herbicide)

..

Haloxyfop R Methyl 10.5% EC is a selective herbicide. It provides effective control of grass weeds in Soybean.

Chemical Composition:	Ingredient	%W/W
Alkyl phenolic glycol ether	Alkyl phenolic glycol ether	48.64 w/w
Aromatic Solvent (Like Solvesso 150, Aromatic 150)	Aromatic Solvent (Like Solvesso 150, Aromatic 150)	Q.S w/w
Disodium alkyl diphenyl oxide disulfonate	Disodium alkyl diphenyl oxide disulfonate	2.28 w/w
Haloxyfop R Methyl a.i	Haloxyfop R Methyl a.i	10.50 w/w
Water	Water	16.20 w/w
Total:		100.00% w/w

Recommendation

Crop(s)	Common Name of Pest	Dosage/HA		Dilution in Water Litre	Crop Stage	Re-entry Period	Pre Harvest	Frequency
		AI g. a.i.	Formulation ml./ha.					
Soybean	Brachiari spp.,Digitaria sanguinalis, Dinebra arabica, Echinochloa spp.Eleusine indica ,Eragrostis pp. Panicum isochmi	108-135g.a.i.	1000-1250	500 Lt.	Post emergence Application at 15-21 days after sowing.	24 hrs	60 days	One time application

Note:- .

Good Practices relating to pesticide application techniques

Direction of Use

use recommended dose. Dilute the formulation in required quantity of water

Weather Condition(in general):

Do not spray during rainy, windy and hot sunny period

Soil & Water(when ever applicable):

This Herbicide is for foliar application and has no adverse effect when used at recommended dose . Avoid using near aquaculture

Crop Stage for application:

Post emergence Application at 15-21 days after sowing.

Application Technique

Foliar application using high volum sprayers and ASPEE-HTP power sprayer fitted with flat fan or flood jet nozzle.

Equipment Type:

knapsack sprayer with flat fan/ flood jet nozzle.

NozzleType:

flat fan/ flood jet nozzle.

Dosage:

Caution: Not to Be Used on Crops Other Than Specified on This Label/Leaflet "

1000-1250 ml formulation /ha. (108-135ga.i./ha.) 500lit. of water

Instruction for Mixing:

Shake the bottle before use measure out requisite quantity of the herbicide and mix it well with small quantity of water. Add the remaining quantity of water as specified with thorough agitation for total coverage of crop with suitable sprayer.

Re-entry Period

24 hrs

Manner and Time of Application

Shake the bottle before use measure out requisite quantity of the herbicide @ 1000-1250 ml formulation /ha. (108-135ga.i./ha.) and mix it well with small quantity of water. Add the remaining quantity of water as specified with thorough agitation for total coverage of crop with suitable sprayer as Post emergence Application at 15-21 days after sowing.

Application Timing

Spray preferably during morning and evening hours. Avoid application on a windy day or before rain

Frequency

One time application

Stages during which pesticides should not be applied on any crop :

Follow the above instructions as mentioned in time of application

Precautions to be taken to avoid harm to the beneficial insects like honey bees and natural enemies of pests :

1. toxic for fish and other aquatic animals. Therefore, should not be used near aquaculture..
2. Discontinued for bees. Therefore, active foraging of bees should not be used during more and more use.

Symptoms Of Poisoning

Moderate skin irritant and mild eye irritant. Lacrimation, lethargy, unsteady gait, hypothermia and labored respiration.

First Aid

If Ingested If person is conscious and alert, rinse mouth with water and give 1 or 2 glass of

water to drink. Never give anything by mouth to an unconscious person. Call the Doctor. Do not induce vomiting until and unless desired by attending physician.

If Inhaled Take the patient to fresh air and take care of body temperature. If patient is not breathing or breathing with difficulty, give artificial respiration, preferably with mouth to mouth breathing. Consult a physician.

In case of skin contact Wash thoroughly the affected part of body with soap and plenty of water including hairs and under fingernails. If pain, redness or irritation persists, consult a doctor. All the contaminated clothes should be segregated and thoroughly washed with soap and water separately before use.

In case of Eye Contact Rinse gently with plenty of water at least for 15 minutes. If pain, irritation, redness or photophobia persists, consult eye specialist.

Antidote

No specific antidote available. Treat symptomatically.

Phytotoxicity

it is not phytotoxic if applied at the recommended dose.

Storage Conditions

The package containing formulated grade herbicide should be stored in original containers in a separate room or almirah under lock and key away from the reach of children, food stuffs, animal feeds and other articles and keep in cool and dry place. The premise should be well built, well lit, sufficient in dimension and well ventilated.

Safety Precaution:

Caution: Not to Be Used on Crops Other Than Specified on This Label/Leaflet "

Use good personal hygiene. Do not consume or store food in the work area, Wash hands and exposed skin before eating, drinking or smoking and after work. Avoid eye contact. For most conditions, no respiratory protection should be needed. However, when airborne exposure guidelines and/or comfort levels may be exceeded use an approved air-purifying respirator. For brief contact no precautions other than clean body-covering clothing and impervious gloves should be needed. Use chemical goggles for eye and face protection

Cautionary Statement:

product is toxic to aquatic organisms.

not to be used on crops other than those subscribed on label and leaflet.

destroy the container after use as directed on this leaflet.

dangereous to re use empty container

Disposal of used containers, washing from equipment and surplus material :

1. It shall be the duty of manufactures, formulators of insecticides and operators to dispose packages or surplus material and washings in a safe manner so as to prevent environmental or water pollution.
2. The used packages shall not be left outside to prevent their re-use.
3. The packages shall be broken and buried away from habitation.

Manufacturer Premises :

(4) Dow AgroSciences India Pvt. Plot No 905, GIDC Estate, Ankleshwar, Gujarat- 393 002. Maharashtra

M/s Dow AgroSciences India Pvt Ltd., 1) A-1, Lote Parusharam Industrial Area, Tal:- Khed, Dist. :- Ratnagiri. Maharashtra 415722.
2) Plot No. 228, G.I.D.C. Estate, Panoli, Distt. . Bharuch, Gujarat. Pin . 394116 Maharashtra

Imported and Repacked by

Dow AgroSciences India (P) Ltd
1st Floor, Block-B, Gate No.-2, Godrej IT Park, Godrej Business District, Pirojshanagar, L.B.S Marg, Vikhroli Mumbai Maharashtra 400079

Customer Care Details:

Address: Dow AgroSciences India (P) Ltd, 1st Floor, Block-B, Gate No.-2, Godrej IT Park, Godrej Business District, Pirojshanagar, L.B.S Marg, Vikhroli,
Email: rajeev.pant@corteva.com,
Contact no: 07042-494099

Safety Pictograms:



Caution: Not to Be Used on Crops Other Than Specified on This Label/Leaflet