

(1). M/s Rallis India Limited, Plot No. 3301, GIDC Industrial Area, Dist. Bharuch, Ankleshwar-393 002, GUJARAT Gujarat

(2). M/s Rallis India Limited, C-5/C-6, MIDC Industrial Area, Phase-III, Shivani, Akola . 444 104, MAHARASTHRA Maharashtra

(3). M/s Rallis India Limited, Plot No. Z-110, Dahej SEZ Part II, P.O. Lakhigam, Tal . Vagra, Dist : Bharuch 392 130, GUJARAT Gujarat

(4). Rallis India Ltd Plot No. C44, Chemical Zone, Dahej Taluka-Vagra, District- Bharuch - 392130, GUJARAT

(1). ????? ????????, ????? ?? 3301, ???.??.??.??. ?????????????? ?????, ??? ???? , ?????????? 393002, ??????

(2). ????? ?????????, ??-5/??-6, ???.??.??.??. ???-3, ?????, ????? - 444104, ??????????

(3).

(4). ????? ?????????, ????? ?? .?.44, ?????? ??, ????, ??????-????, ??? ???? - 392130, ??????

Customer Care Details

Address: Rallis India Limited, IIIrd Block, IIInd Floor, KSCMF Ltd., Building, 8, Cunningham Road, Bangalore - 560052, Contact No: 09810991089, Email: kjsrivalli@rallis.co.in

»—« ± μ

© Rallis India Limited, IIIrd Block, IIInd Floor, KSCMF Ltd., Building, 8, Cunningham Road, Bangalore - 560052, Contact No: 09810991089, p² μ - kjsrivalli@rallis.co.in


Safety Pictograms:



1. Not to be used for any purpose other than subscribed on label & leaflets.
2. Destroy container after use as directed on leaflet.
3. Do not use in those situation if there is possibilities of harming bees & fish, livestock, game, wild birds & animals.

Net Content /
Volume

Max. Retail Price



Net Content /
Volume

Max. Retail Price

Manufactured by

Rallis India Limited
Rallis India Limited, IIIrd Block, IInd Floor, KSCMF Ltd., Building, 8,
Cunningham Road, Bangalore - 560052 Rallis India Limited
156/157, Nariman Bhavan, 15th Floor, 228, Nariman Point, Mumbai
- 400021 Bangalore Karnataka 560052

Premises Address

- (1). M/s Rallis India Limited, Plot No. 3301, GIDC Industrial Area, Dist. Bharuch, Ankleshwar-393 002, GUJARAT Gujarat
- (2). M/s Rallis India Limited, C-5/C-6, MIDC Industrial Area, Phase-III, Shivani, Akola - 444 104, MAHARASTHRA Maharashtra
- (3). M/s Rallis India Limited, Plot No. Z-110, Dahej SEZ Part II, P.O. Lakhigam, Tal. Vagra, Dist : Bharuch 392 130, GUJARAT Gujarat
- (4). Rallis India Ltd Plot No. C44, Chemical Zone, Dahej Taluka-Vagra, District- Bharuch - 392130, GUJARAT

Manufactured by

Rallis India Limited
Rallis India Limited, IIIrd Block, IInd Floor, KSCMF Ltd., Building, 8,
Cunningham Road, Bangalore - 560052 Rallis India Limited
156/157, Nariman Bhavan, 15th Floor, 228, Nariman Point, Mumbai
- 400021 Bangalore Karnataka 560052

Premises Address

- (1). M/s Rallis India Limited, Plot No. 3301, GIDC Industrial Area, Dist. Bharuch, Ankleshwar-393 002, GUJARAT Gujarat
- (2). M/s Rallis India Limited, C-5/C-6, MIDC Industrial Area, Phase-III, Shivani, Akola - 444 104, MAHARASTHRA Maharashtra
- (3). M/s Rallis India Limited, Plot No. Z-110, Dahej SEZ Part II, P.O. Lakhigam, Tal. Vagra, Dist : Bharuch 392 130, GUJARAT Gujarat
- (4). Rallis India Ltd Plot No. C44, Chemical Zone, Dahej Taluka-Vagra, District- Bharuch - 392130, GUJARAT

Customer Care Details

Address: Rallis India Limited, IIIrd Block, IInd Floor, KSCMF Ltd., Building, 8, Cunningham Road, Bangalore - 560052,
Contact No: 09810991089,
Email: kjsrivalli@rallis.co.in

Address: Rallis India Limited, IIIrd Block, IInd Floor, KSCMF Ltd., Building, 8, Cunningham Road, Bangalore - 560052,
Contact No: 09810991089,
Email: kjsrivalli@rallis.co.in

Safety Pictograms:



nervousness, anxiety, tremors, convulsions & allergic manifestations.
skin sensitizer

First Aid:

if ingested : if person is conscious and alert, rinse mouth with water and give 1 or 2 glass of water to drink. never give anything by mouth to an unconscious person. call the doctor. do not induce vomiting until and unless desired by attending physician. 2. if inhaled : take the patient to fresh air and take care of body temperature. if patient is not breathing or breathing with difficulty, give artificial respiration, preferably with mouth to mouth breathing. consult a physician. 3. in case of skin contact : wash thoroughly the affected part of body with soap and plenty of water including hairs and under fingernails. if pain, redness or irritation persists, consult a doctor. all the contaminated clothes should be segregated and thoroughly washed with soap and water separately before use. 4. in case of eye contact : rinse gently with plenty of water for at least 15 minutes. if pain, irritation, redness or photophobia persists, consult eye specialist.

Antidote

No specific antidote, symptomatic and supportive therapy

Cautionary statements:

1. Not to be used for any purpose other than subscribed on label & leaflets.
2. Destroy container after use as directed on leaflet.
3. Do not use in those situation if there is possibilities of harming bees & fish, livestock, game, wild birds & animals.

Manufactured by

Rallis India Limited
Rallis India Limited, 11rd Block, 11nd Floor, KSCMF Ltd., Building, 8,
Cunningham Road, Bangalore - 560052 Rallis India Limited
156/157, Nariman Bhavan, 15th Floor, 228, Nariman Point, Mumbai
- 400021 Bangalore Bangalore Karnataka 560052

YĒ... 2 | | YĒ... 2 3 | | S... μ...
» μ μ Q YĒ... « TM... μ » ° mçY
« » μ Q ... w ... μ Q YĒ... « ' -
- ... Z-Y' ... w 3 œ w Q 2 3 mœ 0 2 n 3 0 -
μ 3 ... m ... μ š μ μ w ... » 0 3
3 TM ... œ » w Q

š ° » Z ... Z q ... Z x ... μ μ i ... μ ¼ ... Q
3 » ñ œ ° « »

T! ... μ i ... « y ă » , 2 | ... « Z ... a 2 »
- y μ ... q ° T 3 U ... μ w Q ° » , y ă - 2 »
° - Y ± ... Q | a ... μ w Q i ° œ - œ - y « ... - i w
q y ... w Q U ... 2 i ... μ » , 2 μ w | ...
... « ă 3 μ ... w Q 2 i ... μ » » 3 ° °
μ - 2 - y - p » » » ° q ° 2 » - ... 2 ... « Q
œ - ñ ... 2 , l - Q V ! ñ œ ... mçY ... ° ° -
° a i « ... μ | ... - œ ° » , ... ± ... °
- ± ... μ Q « Ě μ μ 3 i μ - i ... » » ° | a ... 2 , l - Q
° ± « 1 ° - E μ μ μ μ | ... mçY ... μ μ ... q 3 TM ... °
» μ ... | ... w i ... œ » w Q W n ... ° - n ...
i « ... » y - ° 2 ° 2 TX 2 - ... w Q m TM « Ě i μ - Z
μ μ 3 ... 3 i ... » » ° ... 1 2 ° 2 , l - Q

- p ... 1 » | 1 - » » Z μ ¼ ... q œ ...
TM œ | ... 3 - œ - ñ ... Q

T! μ ° μ | ... « » Z q ° ° ± 0 - m 0 3 3 j - 2 i q 3 TM
- μ w - » Q
U! œ ... « l ... q y μ ... m - ° ... 3 TM ... « - ... fi ! ø fl - - ...
- » Q
V! m TM 2 2 a 3 Z 2 Y μ Z @ μ i ... Z - μ Z i μ μ i @ ¼ 3 w
i ... » - ... ± ... » x ° ° a ° ... Y | ... - » Q
q ñ « -

μ ° ° δ! 3 μ 2 π! μ ° ° δ! 3 μ 2 π! Ž 3' αμ —Ž 2' ÷μ 'Ž —!w° ! ° !w° !w° !' μ!' αμ | δ™Ž 8Ž —ō—δ™ž 2 ' ' | Ž ° δ™μ . 60052 μ ° ° δ! 3 μ 2 π! Ž 156/157Ž — ' 2 —' ± . —Ž 15' ÷μ ' Ž 227' — ' 2 —' ®ōδž 2 ú° p' . 400021 ° δ™μ ' 560052

Premises Address

(1). M/s Rallis India Limited, Plot No. 3301, GIDC Industrial Area, Dist. Bharuch, Ankleshwar-393 002, GUJARAT Gujarat

(2). M/s Rallis India Limited, C-5/C-6, MIDC Industrial Area,Phase-III, Shivani, Akola . 444 104, MAHARASTHRA Maharashtra

(3). M/s Rallis India Limited, Plot No. Z-110, Dahej SEZ Part II, P.O. Lakhigam, Tal. Vagra, Dist : Bharuch 392 130, GUJARAT Gujarat

(4). Rallis India Ltd Plot No. C44, Chemical Zone, Dahej Taluka-Vagra, District- Bharuch - 392130, GUJARAT

© ° ° ° ° ° ° ° ° ° °

(1). ????? ????????, ?????? ??, 3301, ??,??,??,??, ?????????????? ??????, ??? ???? , ?????????? 393002, ??????

(2). ????? ????????, ??-5/??-6, ??,??,??,??, ???-3, ?????, ????? - 444104, ??????????

(3).

(4). ????? ????????, ?????? ??, ??,44, ?????? ???, ????, ??????-????, ??? ???? - 392130, ??????

Customer Care Details

Address: Rallis India Limited, IIIrd Block, IInd Floor, KSCMF Ltd., Building, 8, Cunningham Road, Bangalore - 560052, Contact No: 09810991089, Email: kjsrivalli@rallis.co.in

»—« ± μ ° ° ° ° ° ° ° ° ° °

©© ° ° ° ° ° ° ° ° ° ° Rallis India Limited, IIIrd Block, IInd Floor, KSCMF Ltd., Building, 8, Cunningham Road, Bangalore - 560052, Contact No: 09810991089, p² μ ° ° ° ° ° ° ° ° ° ° kjsrivalli@rallis.co.in

Safety Pictograms:



»â° -- j μ'X' 'ol° !

fi m©l . » ' ' ' « - , - fl

»â° -- j μ'X' 'pl° ! w' m©' . » ' ' ' « - , - » j ° - 3 TM ° ° - ' @ 2 . ' ' - ' ' ° » 2 . ' ' | ' ' @' çŸ « ' m™2 . ' ' 2 TM μ' - ' ' pâ - ' @' | œ' . ' n 2 . ' - ' œ' l m ° © . ' ° 3 ° - ' - ' TM n . ' œ3 . ' - ' μ' m™2 . ' | ' m™2 - ' ' œ' l m ° © . ' ' TM - ' ' a 2 . ' μ w - 3 . ' j ° ' » Q

' ° 3 - ' - ' œ' - ' -

vž y° - ' ° l' kfw-3 - ' - | ' - - m3 - ' - ' - mō3 š s - ' - TSIS' ' ' w/w

»â° -- Å μ' s - - μ' fē ' - ° ' \U' ' , « ©' ' ° 3 š s - ' - XIX' ' ' w/w

- n - ' ' @ fl ° y . s > w 2 â° mō3 š s - ' - [WX' ' ' w/w

3 TM - TSSISS' ' ± ' ± ' ' -

° μ'	- s' - 2	© »â s3 ' 2		® - ' - 2 ® - ' - 2 ' fμ s' fl	' ° μ' m' a	@ - ' - μ	@ l' ° μ	n .
		° l' ©ñ ° 3 ' ©ñ fi 2 fl	° ' œ- ' ' ' ° ' œ- ' fi " 2 !μ fl					
m™	œ' l m ° ©	UXXS	XSSZTSSS	XSS	@ . . - @ © . ° ' j - - m' a ' © - ° « ' » ' . s' - ' Q	3 TM - UW š s' - TW		' TM - « ° . ' - n - ' ' @' UZV' ® ' Ÿ - - - Q
n 2	œ' l m ° ©	SISSX' ' fX' 2 "TSS' μ s' f	SIT' ' fTSS' 2 !μ "TSS' μ s' fl	m , - © ' m - ° ' Q	@ . . - @ © . ° ' j - - m' a ' © - ° « ' » ' . s' - ' Q	3 TM - UW š s' - VS		' TM - « ° . ' - n - ' ' @' UZV' ® ' Ÿ - - - Q
œ3	- - μ' m™2 ' .	TS	USS	ZSXS' μ s' , â ° œ μ © Ÿ - - 3 - - j 3 ' ' T	@ . . - @ © . ° ' j - - m' a ' © - ° « ' » ' . s' - ' Q	3 TM - UW š s' - Z		' TM - « ° . ' - n - ' ' @' UZV' ® ' Ÿ - - - Q
- -	° » 2 . ' ' ' @' çŸ « ' m™2 ' .	XS	TSSS	XSS	@ . . - @ © . ° ' j - - m' a ' © - ° « ' » ' . s' - ' Q	3 TM - UW š s' - VŠ		' TM - « ° . ' - n - ' ' @' UZV' ® ' Ÿ - - - Q
2 TM μ	pâ - ' @' l œ©	ZX	TXSS	XSS	@ . . - @ © . ° ' j - - m' a ' © - ° « ' » ' . s' - ' Q	3 TM - UW š s' - VS		' TM - « ° . ' - n - ' ' @' UZV' ® ' Ÿ - - - Q
° °	@ 2	SISSUX'	SISX' ' fXS' 2 !μ "TSS' μ s' fl	m , - © ' m - ° ' Q	@ . . - @ © . ° ' j - - m' a ' © - ° « ' » ' . s' - ' Q	3 TM - UW š s' - VS		' TM - « ° . ' - n - ' ' @' UZV' ® ' Ÿ - - - Q
° 3 ° -	TM n	SISSX'	SIT' ' fTSS' 2 !μ "TSS' μ s' fl	m , - © ' m - ° ' Q	@ . . - @ © . ° ' j - - m' a ' © - ° « ' » ' . s' - ' Q	3 TM - UW š s' - VS		' TM - « ° . ' - n - ' ' @' UZV' ® ' Ÿ - - - Q

Note:-

q®3 TM - μ w - « . ' -

Caution: í Not to Be Used on Crops Other Than Specified on This Label/Leafletí "

444104Z »

393002Z

392130Z

»-« ± μ . . . »

° 1/4 œ μ ®-



Caution: Not to Be Used on Crops Other Than Specified on This Label/Leaflet

Hexaconazole 5% EC

(Systemic Fungicide)

Hexaconazole 5% EC is a systemic fungicide used for the control of scab of Apple; Blast & sheath blight of Rice; Tikka leaf spot of Groundnut; Powdery mildew of Mango; Rust of Soybean; Blister blight of Tea and Powdery mildew of Grapes.

Chemical Composition:	Ingredient	%W/W
Emulsifiers *(Blend of Anionic and non-ionic)	other ingredient	10.0 % w/w
Hexaconazole Technical (Based on 92% purity)	active ingredient	5.5 % w/w
Solvent . Aromex	other ingredient	84.5 % w/w
Total:		100.00% w/w

Recommendation

Crop(s)	Common Name of Pest	Dosage/HA		Dilution in Water Dilution in water (litre)	Crop Stage	Re-entry Period	Pre Harvest	Frequency
		AI a.i. (%/g)	Formulation Formulation (%/mL)					
Grapes	Powdery mildew	25-50	500-1000	500	Early Vegetative to reproductive stage.	24 hours of spraying	14	2-3 foliar sprays depending on disease pressure
Mango	Powdery mildew	0.005% (5 g/100L)	0.1% (100 mL/100L)	As required	Early Vegetative to reproductive stage.	24 hours of spraying	30	2-3 foliar sprays depending on disease pressure
Tea	Blister blight	10	200 mL	70-90 with power sprayers 175-200 with knap sacks	Early Vegetative to reproductive stage.	24 hours of spraying	7	2-3 foliar sprays depending on disease pressure
Rice	Blast Sheath blight	50	1000	500	Early Vegetative to reproductive stage.	24 hours of spraying	40	2-3 foliar sprays depending on disease pressure
Groundnut	Tikka leaf spot	75	1500	500	Early Vegetative to reproductive stage.	24 hours of spraying	30	2-3 foliar sprays depending on disease pressure
Apple	Scab	0.0025%	0.05% (50 mL/100 L)	As required	Early Vegetative to reproductive stage.	24 hours of spraying	30	2-3 foliar sprays depending on disease pressure
Soybean	Rust	0.005%	0.1% (100 mL/100L)	As required	Early Vegetative to reproductive stage.	24 hours of spraying	30	2-3 foliar sprays depending on disease pressure

Note:-

Good Practices relating to pesticide application techniques

Direction of Use

Use recommended dose. Dilute the formulation in required quantity of water.

Weather Condition(in general):

Do not spray during rainy, windy and hot sunny period.

Soil & Water(whenever applicable):

This is foliar application product, so hardly have any relation to soil. Avoid using near aquaculture.

Crop Stage for application:

Early Vegetative to reproductive stage.

Application Technique

Caution: Not to Be Used on Crops Other Than Specified on This Label/Leaflet "

Foliar spray using high volume sprayers.

Equipment Type:

Use Knapsak sprayer, foot sprayer, compression knapsak sprayer, compression knapsack battery sprayer or ASPEE-HTP sprayer and gator spray.

NozzleType:

Hollow cone nozzle

Dosage:

0.0025% a.i./ha (0.05% formulation/ha (50 mL/100 litres)) in required quantity of water on Apple; 50 g a.i./ha (1000 mL formulation/ha) in 500 litres of water for Rice; 75 g a.i./ha (1500 mL formulation/ha) in 500 litres of water on Groundnut; 0.005% (5 g/100 litres) a.i./ha (0.1% formulation/ha (100 mL/100 litres) in required quantity of water on Mango & 0.005% a.i./ha (0.1% formulation/ha (100 mL/100 litres) in required quantity of water on Soybean; 10 g a.i./ha (200 mL formulation/ha) in 70-90 litres with power sprayers & 175-200 litres with knapsack sprayers on Tea; 25-50 g a.i./ha (500-1000 mL formulation/ha) in 500 litres of water on Grapes.

Instruction for Mixing:

Take the required quantity of Hexaconazole 5% EC, dilute with a little water and stir well using a stick. Then add the remaining quantity of water as per spray volume required and mix again by stirring.

Re-entry Period

24 hours of spraying

Manner and Time of Application

Foliar spray. As soon as disease appears.

Application Timing

Should be applied preferably in the morning or evening hours

Frequency

2-3 foliar sprays depending on disease pressure

Stages during which pesticides should not be applied on any crop :

Not to be applied during crop maturity and just before crop harvest

Precautions to be taken to avoid harm to the beneficial insects like honey bees and natural enemies of pests :

Symptoms Of Poisoning

Nervousness, anxiety, tremors, convulsions & allergic manifestations.
skin sensitizer

First Aid

1. If ingested : If person is conscious and alert, rinse mouth with water and give 1 or 2 glass of water to drink. Never give anything by mouth to an unconscious person. Call the doctor. Do not induce vomiting until and unless desired by attending physician. 2. If inhaled : Take the patient to fresh air and take care of body temperature. If patient is not breathing or breathing with difficulty, give artificial respiration, preferably with mouth to mouth breathing. Consult a physician. 3. In case of skin contact : Wash thoroughly the affected part of body with soap and plenty of water including hairs and under fingernails. If pain, redness or irritation persists, consult a doctor. All the contaminated clothes should be segregated and thoroughly washed with soap and water separately before use. 4. In case of eye contact : Rinse gently with plenty of water for at least 15 minutes. If pain, irritation, redness or photophobia persists, consult eye specialist.

Antidote

No specific antidote, symptomatic and supportive therapy

Phytotoxicity

Hexaconazole 5% EC is not phytotoxic when used as per field recommendations.

Storage Conditions

Caution: Not to Be Used on Crops Other Than Specified on This Label/Leaflet "

1. The packages containing the fungicide shall be stored in separate rooms or premises away from the rooms or premises used for storing other articles particularly food articles or shall be kept in separate almirahs under lock and key depending on the quantity and the nature of the fungicide.

2. The store room should be well built, well lit, ventilated and sufficient in dimensions. The condition of the store should be dry and cool.

Safety Precaution:

Protective clothing should be worn while mixing and spraying. Wash contaminated clothes and body parts with water after application. Avoid inhalation, do not smoke, drink, eat & chew anything during application. Using high concentration with low & ultra volume application equipment is dangerous & should be avoided.

Cautionary Statement:

1. Not to be used for any purpose other than subscribed on label & leaflets.

2. Destroy container after use as directed on leaflet.

3. Do not use in those situation if there is possibilities of harming bees & fish, livestock, game, wild birds & animals.

Disposal of used containers, washing from equipment and surplus material :

1. It shall be the duty of manufactures, formulators of insecticides and operators to dispose packages or surplus material and washings in a safe manner so as to prevent environmental or water pollution.

2. The used packages shall not be left outside to prevent their re-use.

3. The packages shall be broken and buried away from habitation.

Manufacturer Premises :

M/s Rallis India Limited, Plot No. Z-110, Dahej SEZ Part II, P.O. Lakhigam, Tal. Vagra, Dist : Bharuch 392 130, GUJARAT
Karnataka

M/s Rallis India Limited, C-5/C-6, MIDC Industrial Area,Phase-III, Shivani, Akola . 444 104, MAHARASTHRA
Karnataka

M/s Rallis India Limited, Plot No. 3301, GIDC Industrial Area, Dist. Bharuch, Ankleshwar-393 002, GUJARAT
Karnataka

Rallis India Ltd Plot No. C44, Chemical Zone, Dahej Taluka- Vagra, District- Bharuch - 392130, GUJARAT
Karnataka

Manufactured by

Rallis India Limited
Rallis India Limited, IIIrd Block, IIInd Floor, KSCMF Ltd., Building, 8, Cunningham Road, Bangalore - 560052 Rallis India Limited
156/157, Nariman Bhavan, 15th Floor, 228, Nariman Point, Mumbai - 400021 Bangalore Karnataka 560052

Customer Care Details:

Safety Pictograms:



Caution: Not to Be Used on Crops Other Than Specified on This Label/Leaflet "