

Big Label

Read leaflet before use:

Common Name:

Imidacloprid Technical 95% w/w Minimum (For Import

BRAND NAME: --

Crops and Pest Groups: --

Dosage:

not applicable

Direction for use:

The product shall be used to make its approved formulations.

Manner and time of application:

Not Applicable

Purpose:

it is used for preparation of approved formulations of imidacloprid.

Re-entry:

not applicable

Chemical Composition :

Content % w/w

Unknown	Impurity	1.00 w/w maximum
Imidacloprid Technical	Active Ingredient	95.00 w/w minimum
Sum of inorganic chlorides (calculated as Sodium Chloride)	Impurity	2.00 w/w maximum
Moisture	Impurity	1.00 w/w maximum

Imidacloprid Technical 95% w/w Minimum (For Import

o 2 | âµ | |'â--µ'X' ±!''±! 'ô³' fi- µ'n ³ ©- µwfi

Insecticide



°çœ- '®œ° '«'»

Keep out of reach of children.

°çœ- '®œ° '«'»

Keep in cool, dry place away from heat and open flame.

Regn. No.	_____
Mfg. Lic. No.	_____
Batch No.	_____
Mfg Date	_____
Exp. Date	_____
Net Content / Volume	_____
Max. Retail Price	_____

q®³ TM' o' ®µ' ®- '®É-

o 2 | âµ | |'â--µ'X' ±!''±! 'ô³' fi- µ'n ³ ©- µwfi

°çœ- '®œ° '«'»

°çœ- '®œ° '«'»

µ TM' -> 'I

qñ®«- 'q®³ TM' o' ®µ' ®- '®É- 3 TM' '®œ° '«'» µw- 3 'i w™Q

µ TM' -> 'I

o 2 | âµ | |'â--µ' -'q®³ TM' o' ®µ' ®- '®É- a | -'m-2 '«'®³ 'i -'®œ° '«'»

µ TM' -> 'I

°çœ- '®œ° '«'»

m½ ©	m, -	1.00 w/w maximum
o 2 âµ 'â--µ' ° 3 'šµ-		95.00 w/w minimum
m-° -'âµ ' o -' m, -		2.00 w/w maximum
3 TM' fi- 'i 3 2 'âµ ' o -' -' ®' 2 ' TM' - fi		
-2	m, -	1.00 w/w maximum

1-[(5,6-dichloro-3-pyridinyl)-4,5-dihydro-N-nitro-1H-imidazol-2-amine	Impurity	0.20 w/w maximum
Nitro-guanidine	Impurity	0.70 w/w maximum
1-(6-(2-nitroguanidino-ethyl amino)-3-pyridinyl methyl)-4, 5-dihydro-N-nitro-1H-imidazol-2-amine	Impurity	0.50 w/w maximum
1-(6-(2-(6-chloro-3-pyridinyl methylamino)diethylamino)-3-pyridinyl methyl)-4,5-dihydro-N-nitro-1H-imidazol-2-amine	Impurity	0.50 w/w maximum
4,5-dihydro-N-nitro-1H-imidazol-2-amine	Impurity	0.30 w/w maximum
1-(6-(2-aminoethyl amino)-3-pyridinyl methyl)-4,5-dihydro-N-nitro-1H-imidazol-2-amine	Impurity	0.50 w/w maximum
Total:		100.00 %

Třídění 3 á μ ' žV m, →	0.20 w/w maximum
ž® ' - oμ fžVž	
ž' 3 » 3 žV-ž- 3 žT	
včžo 2 ě μ žžVž 3 -	
- 3 ž™B - - m, →	0.70 w/w maximum
TříděníFU m, →	0.50 w/w maximum
ž	
- 3 ž™B - - žo ^a 3	
μ ' wž 3 - fžV	
ž® ' - oμ ' 2 ^a oμ fžVž	
ž' 3 » 3 žV-ž- 3 žT	
včžo 2 ě μ žžVž 3 -	
TříděníFUžá μ ' žV m, →	0.50 w/w maximum
ž® ' - oμ ' 2 ^a oμ wž 3 - fl	
ž' 3 o ^a oμ wž 3 - žV	
ž® ' - oμ ' 2 ^a oμ fžVž	
ž' 3 » 3 žV-ž- 3 žT	
včžo 2 ě μ žžVž 3 -	
Vž m, →	0.30 w/w maximum
ž' » 3 žV-ž- 3 žTvočž	
o 2 ě μ žžVž 3 -	
TříděníFUžVž 3 - o ^a 3 μ ' m, →	0.50 w/w maximum
wž 3 - fžVž® ' - oμ ' 2 ^a oμ fžVž	
ž' 3 » 3 žV-ž- 3 žT	
včžo 2 ě μ žžVž 3 -	

3 TM' - TSSISS'

Safety Precautions:

Keep away from foodstuffs, empty foodstuffs containers and animals food. Avoid contact with mouth, eyes and skin. Avoid inhalation of spray mist. Wear protective clothing like apron, gloves, face shield and boot while handling. Wash thoroughly the contaminated clothes and parts of the body after handling. Do not smoke, drink, eat and chew anything while working. Wash the affected areas before eating, drinking or smoking. Avoid contamination of environment and water.

Symptom of Poisoning:

nausea, vomiting, weakness of the neck muscles, hypothermia, hypotension, ventricular dysrhythmias, respiratory failure, pulmonary aspiration, severe agitation, disorientation, tremors, impaired pupillary function, mild to severe cns depression, delirium, coma.

First Aid:

if ingested: if person is conscious and alert, rinse mouth with water and give 1 or 2 glasses of water to drink. never give anything by mouth to an unconscious person. call the doctor. do not induce vomiting until and unless desired by attending physician.

if inhaled: take the patient to fresh air and take care of body temperature. if patient is not breathing or breathing with difficulty, give artificial respiration preferably with mouth to mouth breathing. consult a physician.

in case of skin contact: wash thoroughly the affected part of the body with soap and plenty of water including hairs and under fingernails. if pain, redness or irritation persists, consult a doctor. all the contaminated clothes should be segregated and thoroughly washed with soap and water separately before use.

in case of eye contact: rinse gently with plenty of water for at least 15 minutes. if pain, irritation, redness or photophobia persists, consult eye specialist.

Antidote

no specific antidote is known. give symptomatic and supportive treatment.

Cautionary statements:

- keep away from heat and open flame
- keep out of reach of children
- if swallowed or symptoms of poisoning occurs call the physician immediately
- Toxic to honeybees. Not to be used on crops where honey bees are pollinators/foraging
- Dangerous/harmful to fish . Do not contaminate lakes, rivers, ponds or streams.

- 1) dangerous to re-use empty containers.
- 2) destroy the container after use as directed on leaflet.
- 3) not to be used for any purpose other than those subscribed on label and leaflets.

Manufactured by

???? ???? , ?????? ?????? , ???? . ??? , ??????? ???? , ?????? ????????????? , ????????? ???? , ????????? ?????????? , ???

No. 8 Tuanjiehe Road, Economic Development District of Taixing, Jiangsu, P.R China 225 400

Supplied by

— — œj ° « Ž - μ ° ©f ° μm™ | — — œ ° ° μm™
» - œ »w! 2 »Ž y — | — ñ œ — ° @- 2 ' n — ° ° œ³ ! ' . @ —
° ° . ' mō« ' j — ° ° œ³ ! » . ' — ° . » . « . ' 2 ' » . Ÿ Ê — . ' — ! ' .
x - Ž « © - j ° . ' . @ - Ž — — Ÿ . ' y — 2 - j — ' @ 3 ! « 1 ©
— @ Ê | — — — — » ° — « . © — ° ° œ³ ! — — « ' — — ©
— @ — — Ž - © — p œj — — 3 ' 3 ' œ³ Ž — » @ 3 ! ± . © j ™ » —
— — Ž @ — ° @ μ — j μ | — — @ — ° ° œ³ . © . — — | — — @ — — « 1 ©
» — ° ° mçŸ ' © ' » ° œ³ !

2 © μ Ž qyα Ž ™κt — 2 ° @ , 3 ' 2 — 2 Á ' Ž » o@a 2 β Ž » o@a , — Ž
— μ 3 ' | ° ' a 2 3 Ž . ° ' — Ž — — Ê 2 ' w@ 3 ' , — Ž ™± ' wj α , — Ž
a © — ō@Ž κ — Ž ō³ @μ — ° ™Ê ' n — 2 Ž » y — ° ™± ' — ° w- w-
m ° « Ž μ @Ž — 2 Q

— ™μ j — @ — 3 « Ÿ³ á © ° j ™ | — ° © — » © — @ — ° — yμ — 3 ' .
| — 1 ' 3 ' 2 ™μ ° @ — @ — — μ 3 ' « Q ° » , Ÿ³ á © — 2 ' ° — Ÿ
— » ' « Q œ — f° — — ° μ 3 ' Q j ° © — œ — f° — — ° μ » — » ' ° © —
qyα — » — 3 ' Q

° š j — @ — 2 ' Á — © Á » . 2 ' μ j 3 ' | — q° — , — — © @ 2 —
— ō³ — — Q 3 « 2 ' Á . ° — » μ ' @ ' » ' mª . — ° μ — 2 ' .
— ¥ - p » ' © 2 ' ° 2 » . — — 2 ' . ° « Q œ — f° — — ° μ » μ ' Q

ñ œ — ° ú@- 1 n — @ — — — — ± . © » ° j ° 2 ° μ | — — —
— — œ — » ° ' , 2 μ » — ° ° — | — — — 2 ' 2 ' @ — ° ° mçŸ
© ' » ° — — Q 3 « « Ž μ μ mª . j μ — ° — » © ' » © œ — f° — —
« - 3 ' Q « 1 © — @ Ê — — μm™ — — | — « ' ° ° © 2 μ — — ° ° @ μ
μm™ ° ° ° — | — @ — ° ° mçŸ ' © ' — j μ ' Q

n — — ° ú@- 1 n — @ — — — — 2 ' 2 ' @ — — ° 15 ' 2 - α — — — 3 ' Q 3 «
« 6 ' j μ - 6 ' μ μ mª . — — — m° » - 3 © — — — » © ' » © n — —
œ — f° — — « - 3 ' Q

. 1 — — —
— p . 1 , — — — — 1 — — » Q μ ¼ — — m — ° ' ° » 3 — q@œ — — Q

o² | âµ | | â--µ' \X' ± !' ± !' õ³ | fi- µ' n³ ©' -- µwf |

fi' --µ- , --fi

o² | âµ | | â--µ' w' --µ- , --Q o² | âµ | | â--µ' --q^{®3} TM' o°' ®«^a | --m-² «©°³ | --°--² --³ | j' ©' --Q

°³ --°' °e- ' -

TzfYzfUzfYzâµ' žVž®' - oµ' 2 ^a oµw ³ - fi m _s -	0.50 w/w maximum
³ o ^a oµw ³ - žVž®' - oµ' 2 ^a oµfžVž	
ž ³ » ³ žw-ž- ³ žTvočžo ² Ć µžUžw ³ -	
TzfYzfUžw ³ - o ^a 3 µ' w ³ - fžVž®' - oµ' m _s -	0.50 w/w maximum
2 ^a oµfžVž	
ž ³ » ³ žw-ž- ³ žTvočžo ² Ć µžUžw ³ -	
TzfYzfUž- ³ TM ^B - - žo ^a 3 µ' w ³ - fžV m _s -	0.50 w/w maximum
ž®' - oµ' 2 ^a oµfžVž	
ž ³ » ³ žw-ž- ³ žTvočžo ² Ć µžUžw ³ -	
TžfXžž ³ âµ' žVž®' - oµfžVž m _s -	0.20 w/w maximum
ž ³ » ³ žw-ž- ³ žTvočžo ² Ć µžUžw ³ -	
Vžž ³ » ³ žw-ž- ³ žTvočžo ² Ć µ' žU m _s -	0.30 w/w maximum
žw ³ -	
o ² âµ â--µ	° ³ šµ--
- ²	m _s -
- ³ ž ^{TM^B} - -	m _s -
m-° --âµ' o ' -- ³ TM' ff ³ 2' âµ' o ' -- m _s -	2.00 w/w maximum
® ² TM' - fi	
m½ ©	m _s -

3 TM' - TSSISS' ±' ±' ±' ±'

q^{®3} TM' -- µw' --« , ' -

µ^{TM'} --»' |

2 o 2 ' -- a ©

µ^{TM'} --»' |

2 µ' | ' ® -

µ^{TM'} --»' |

-° µ' m-^a

µ^{TM'} --»' |

n · «- ' © --

µ^{TM'} --»' |

µ^{TM'} --»' |

Caution: Not to Be Used on Crops Other Than Specified on This Label/Leaflet

© 2014 Bayer CropScience



Caution: Not to Be Used on Crops Other Than Specified on This Label/Leaflet

Imidacloprid Technical 95% w/w Minimum (For Import

(Insecticide)

Imidacloprid Technical is an insecticide. It is used for preparation of approved formulations of Imidacloprid Technical.

Chemical Composition:	Ingredient	%W/W
1-(6-(2-(6-chloro-3-pyridinyl methylamino)diethylamino-3-pyridinyl methyl)-4,5-dihydro-N-nitro-1H-imidazol-2-amine	Impurity	0.50 w/w maximum
1-(6-(2-aminoethyl amino)-3-pyridinyl methyl)-4,5-dihydro-N-nitro-1H-imidazol-2-amine	Impurity	0.50 w/w maximum
1-(6-(2-nitroguanidino-ethyl amino)-3-pyridinyl methyl)-4,5-dihydro-N-nitro-1H-imidazol-2-amine	Impurity	0.50 w/w maximum
1-[(5,6-dichloro-3-pyridinyl)]-4,5-dihydro-N-nitro-1H-imidazol-2-amine	Impurity	0.20 w/w maximum
4,5-dihydro-N-nitro-1H-imidazol-2-amine	Impurity	0.30 w/w maximum
Imidacloprid Technical	Active Ingredient	95.00 w/w minimum
Moisture	Impurity	1.00 w/w maximum
Nitro-guanidine	Impurity	0.70 w/w maximum
Sum of inorganic chlorides (calculated as Sodium Chloride)	Impurity	2.00 w/w maximum
Unknown	Impurity	1.00 w/w maximum
Total:		100.000% w/w

Good Practices relating to pesticide application techniques

Direction of Use

Not Applicable

Weather Condition(in general):

Not Applicable

Soil & Water(where ever applicable):

Not Applicable

Crop Stage for application:

Not Applicable

Application Technique

Not Applicable

Equipment Type:

Not Applicable

NozzleType:

Not Applicable

Dosage:

Not Applicable

Caution: Not to Be Used on Crops Other Than Specified on This Label/Leaflet

Instruction for Mixing:

Re-entry Period

Not Applicable

Pre-Harvesting Interval

Not Applicable

Manner and Time of Application

Not Applicable

Application Timing

Not Applicable

Frequency

Not Applicable

Stages during which pesticides should not be applied on any crop :

Precautions to be taken to avoid harm to the beneficial insects like honey bees and natural enemies of pests :

1. Dangerous/harmful to fish . Do not contaminate lakes, rivers, ponds or streams
2. Toxic for bees. Therefore, should not be used during active foraging of bees.

Symptoms Of Poisoning

Nausea, vomiting, weakness of the neck muscles, hypothermia, hypotension, ventricular dysrhythmias, respiratory failure, pulmonary aspiration, severe agitation, disorientation, tremors, impaired pupillary function, mild to severe CNS depression, delirium, coma.

First Aid

If ingested: If person is conscious and alert, rinse mouth with water and give 1 or 2 glasses of water to drink. Never give anything by mouth to an unconscious person. Call the doctor. Do not induce vomiting until and unless desired by attending physician.

If inhaled: Take the patient to fresh air and take care of body temperature. If patient is not breathing or breathing with difficulty, give artificial respiration preferably with mouth to mouth breathing. Consult a physician.

In case of skin contact: Wash thoroughly the affected part of the body with soap and plenty of water including hairs and under fingernails. If pain, redness or irritation persists, consult a doctor. All the contaminated clothes should be segregated and thoroughly washed with soap and water separately before use.

In case of eye contact: Rinse gently with plenty of water for at least 15 minutes. If pain, irritation, redness or photophobia persists, consult eye specialist.

Antidote

ADVICE TO PHYSICIAN:

ACTIVATED CHARCOAL: Administer charcoal as a slurry (240 ml water/30 g charcoal). Usual dose: 25 to 100 g in adults/adolescents, 25 to 50 g in children (1 to 12 years), and 1 g/kg in infants less than 1 year old.

No specific antidote is known. Give symptomatic and supportive treatment.

Phytotoxicity

Not Applicable

Safety Precaution:

Caution: Do Not Be Used on Crops Other Than Specified on This Label/Leaflet

1. Wash contaminated clothes and parts of the body after application.
2. Wear full protective clothing during application.
3. Avoid inhalation, do not smoke, drink, eat and chew anything during application.
- 4.. Avoid contamination of environment and water.

Storage Conditions

1. Store in a cool and dry place. Room used for storage must be well built and ventilated and of sufficient dimensions to avoid contamination with vapour.
2. Store the insecticide in its original pack away from the reach of children, irresponsible persons and animals in a separate room under lock and key.
3. Animal feed should not be stored in room where the insecticide is stored.
4. Do not use open fire/flame in the place of storage

Cautionary Statement:

keep away from heat and open flame

keep out of reach of children

if swallowed or symptoms of poisoning occurs call the physician immediately

- Toxic to honeybees. Not to be used on crops where honey bees are pollinators/foraging

-- Dangerous/harmful to fish Do not contaminate lakes, rivers, ponds or streams.

1) dangerous to re-use empty containers.

2) destroy the container after use as directed on leaflet.

3) not to be used for any purpose other than those subscribed on label and leaflets.

Disposal of used containers, washing from equipment and surplus material :

1. It shall be the duty of manufactures, formulators of insecticides and operators to dispose packages or surplus material and washings in a safe manner so as to prevent environmental or water pollution.
2. The used packages shall not be left outside to prevent their re-use.
3. The packages shall be broken and buried away from habitation.

Manufacturer Premises :

Willowood Chemicals Pvt. Ltd. Plot No. 69 / P, Village Manjusar,
Taluka Salvi District Vadodara PIN391 775
West Bangal

Imported and Repacked by

Willowood Chemicals Pvt. Ltd.
12 / 1, Nellie Sengupta Sarani Kolkatta - 700 087 Kolkatta West
Bangal 700087

Customer Care Details

011-45686868

Safety Pictograms:



Caution: Not to Be Used on Crops Other Than Specified on This Label/Leaflet