

1,3-dimethyl butyl chrysanthemate:	2.0 % w/w
4,4,7,7-tetramethyl-3-oxabicyclo-[4,1,0] heptan-2-one	1.0 % w/w
3,3-dimethyl-4-(2-methyl-1-propenyl)4-butanolide	0.5 % w/w
Chrysanthemamide	4.0 % w/w
[2,5-dioxo-1-imidazolidinyl] methyl chrysanthemate	0.5 % w/w
[2,5-dioxo-3-(2-propynyl)-1-imidazolidinyl] methoxy methyl chrysanthemate	3.0 % w/w
Trans isomer ratio:	78.0 % w/w
1 R isomer ratio	95.0 % w/w
2,6-di-tert-butyl-4-methylphenol (BHT):	1.00 % w/w
4-methyl-2-pentanone	2.0 % w/w
2,5-dioxo-3-(2-propynyl)-4-methylidene-1-imidazolidinyl] methyl chrysanthernate	0.5 % w/w
Methyl chrysanthemate	0.5 % w/w
1-(2-propynyl)-imidazolidin-2,4-dione and/or 1-(2-propynyl)-3-hydroxy-methyl-imidazolidin-2,4-dione:	0.5 % w/w
Total:	100.00 %

—μ	TSSIS' ' ' w/w
TŽ/z p 2 a oμ ' θ³ □ oμ ' ° ö² □	UIS' ' ' w/w
VWZZž² a oμ ' žV žy á° ° o° oáμ ž4 VŽ ŽS6 »ö² – žUž –	TIS' ' ' w/w
VŽ/z p 2 a oμ žVfU ž² a oμ žTž' ®– oμ fl VŽWθ³ □ – μ o ° ö² 2 2 o	SIX' ' ' w/w
4JŽž oy á° žVfU ž ®– oμ fl žT žo 2 j μ –6 2 a y á° ' 2 a oμ ' ° ö² □	WO % w/w
4JŽž oy á° žVfU ž ®– oμ fl žT žo 2 j μ –6 2 a y á° ' 2 a oμ ' ° ö² □	SIX' ' ' w/w
° žn o° 2 ' ' m–©©	VIS' ' ' w/w
T' n ' ' n o° 2 ' ' m–©©	Z[IS' ' ' w/w
UŽž« pž□□ž³ □ oμ žW ž² a oμ ' – μ ' ff vö²	\X.0 % w/w
Vž² a oμ žUž®ö² – –	TIS' ' ' w/w
UŽž oy á° žVfU ž ®– oμ flVž 2 a o μ – žT žo 2 j μ –6 2 a vμ ' ° ö² □	UIS' ' ' w/w
2 a oμ ' ° ö² □	SIX' ' ' w/w

číslo 5/1853 j in 3!; !° !Ž· @Ž j μ · μ° |Ž™ | © 396195

»—« ± μ · · ·

° 2 © 2 · — 2 — μ · o | 3 · μ Ź ° ý |™ — Q \$ Ž q | · + μ · Ž , o ©

2 — · · — žy @ » q °™ ° ° o μ Ź œ · © · m, — vā ° · · | Ž

— « · μ · f® fl

° ¼ · œ · μ @-



Caution: Not to Be Used on Crops Other Than Specified on This Label/Leaflet

Imiprothrin Technical 90% w/w Min.

(Systemic Insecticide)

: Imiprothrin is highly active pyrethroid household insecticide. It is used for manufacture of Imiprothrin formulations It is used to make its formulations

Chemical Composition:	Ingredient	%W/W
	[2,5-dioxo-1-imidazolidinyl] methyl chrysanthemate	0.5 % w/w
	[2,5-dioxo-3-(2-propionyl)-1-imidazolidinyl] methyl (1 RS)-cis, trans-chrysanthemate	90.0 % w/w
	[2,5-dioxo-3-(2-propynyl)-1-imidazolidinyl] methoxy methyl chrysanthemate	3.0 % w/w
	1 R isomer ratio	95.0 % w/w
	1,3-dimethyl butyl chrysanthemate:	2.0 % w/w
	1-(2-propynyl)-imidazolidin-2,4-dione and/or 1-(2-propynyl)-3-hydroxy-methyl-imidazolidin-2,4-dione:	0.5 % w/w
	2,6-di-tert-butyl-4-methylphenol (BHT):	1.00 % w/w
	3,3-dimethyl-4-(2-methyl-1-propenyl)-4-butanolide	0.5 % w/w
	4,4,7,7-tetramethyl-3-oxabicyclo-[4,1,0]heptan-2-one	1.0 % w/w
	4-methyl-2-pentanone	2.0 % w/w
	Chrysanthemamide	4.0 % w/w
	Methyl chrysanthemate	0.5 % w/w
	Others* (unidentified total)	2.7 % w/w
	Total	100.0 % w/w
	Trans isomer ratio:	78.0 % w/w
	Total:	100.000% w/w

Good Practices relating to pesticide application techniques

Direction of Use

It is used to make its formulation for household insecticides only.

Weather Condition(in general):

Not Applicable.

Soil & Water(where ever applicable):

Not Applicable.

Crop Stage for application:

Not Applicable.

Application Technique

Not Applicable.

Equipment Type:

Not Applicable.

NozzleType:

Caution: Not to Be Used on Crops Other Than Specified on This Label/Leaflet

Not Applicable.

Dosage:

Instruction for Mixing:

Re-entry Period

Not Applicable.

Pre-Harvesting Interval

Not Applicable.

Manner and Time of Application

Not Applicable.

Application Timing

Not Applicable.

Frequency

Not Applicable.

Stages during which pesticides should not be applied on any crop :

Precautions to be taken to avoid harm to the beneficial insects like honey bees and natural enemies of pests :

Symptoms Of Poisoning

Nervousness, anxiety, ataxia, convulsion and allergic manifestation

First Aid

If ingested: if person is conscious and alert, rinse mouth with water and give 1 or 2 glass of water to drink. Never give anything by mouth to an unconscious person. Call the doctor. Do not induced vomiting until and unless desired by attending physician.

If inhaled: Take the patient to fresh air and take care of body temperature. If patient is not breathing or breathing with difficulty, give artificial respiration, Consult a physician.

In case of skin contact: Wash thoroughly the affected part of body with soap and plenty of water including hairs and under fingernails. If pain, redness or irritation persists, consult a doctor. All contaminated clothes should be segregated and thoroughly washed with soap and water separately before use.

In case of eye contact: Rinse gently with plenty of water at least for 15 minutes. If pain, irritation, redness or photophobia persists. Consult eye specialist

Antidote

No specific antidote, symptomatic and supportive therapy

Phytotoxicity

Not Applicable.

Safety Precaution:

1) Avoid inhalation and contact with skin and eyes. 2) Keep away from children, food stuff, animal feed, heat and flame, Store in cool and dry place under lock and key. 3) Do not mix the insecticides with bare hands. 4) Do not eat, drink, smoke or chew tobacco while spray. 5) The user should use full protective clothing with rubber gloves, boots. Face should be covered with face shield or dust mask and body should be covered with an overall or rubber apron and hood or hat.

Caution: Not to Be Used on Crops Other Than Specified on This Label/Leaflet "

Storage Conditions

Storage and transportation should be done in such a way that no foodstuff and animal feeds are contaminated. If leakage appears during transportation or storage, transport agency or storage owner should take necessary measure to prevent poisoning and pollution of soil and water. Store in original container away from food stuff and animal feeds in a cold place, well built, dry, well lit and ventilated and of sufficient dimension, under lock and key.

Cautionary Statement:

1. not to be used for any purpose other than those subscribed on label & leaflets. 2. destroy container after use as directed on leaflet 3. Highly toxic to fish, aquatic organisms hence should not be used near water bodies, aquaculture or pisciculture.

Disposal of used containers, washing from equipment and surplus material :

1. It shall be the duty of manufacturers, formulators of insecticides and operators to dispose packages or surplus materials and washing in a safe manner so as to prevent environmental or water pollution.
2. The used packages shall not be left outside to prevent their re-use.
3. The packages shall be broken and buried away from habitation.

Manufacturer Premises :

Plot C-5/184-185, G.I.D.C., Vapi, Dist. Valsad, Gujarat . 396195
Maharashtra

Plot C-5/185, G.I.D.C., Vapi, Dist. Valsad, Gujarat . 396195
Maharashtra

Imported and Repacked by

Sumitomo Chemical India Ltd
Building No. 1, Ground Floor, Shant Manor Co-op Housing Society
Ltd., Chakravarti Ashok X Road, Kandivali (East) 195, J. Tata
Road, Churchgate Mumbai Maharashtra 400101

Customer Care Details

Sumitomo Chemical India Ltd., Building No. 1, Ground Floor,
Shant Manor Co-op Housing Society Ltd., Chakravarti Ashok X
Road, Kandivali (East)

Safety Pictograms:



Caution: Not to Be Used on Crops Other Than Specified on This Label/Leaflet