



(1). M/s Dow AgroSciences India Pvt Ltd., 1) A-1, Lote Parusharam Industrial Area, Tal:- Khed, Dist. :- Ratnagiri. Maharashtra 415722.  
2) Plot No. 228, G.I.D.C. Estate, Panoli, Distt. . Bharuch, Gujarat.  
Pin . 394116  
Gujarat

**Customer Care Details**

(1).

»—« ± μ · · · »

**Safety Pictograms:**





**Antidote Statement:**

no specific antidote available. treat symptomatically

**Cautionary statement:**

not to be used for any other purpose other than those subscribed on label & leaflets. Destroy the container after use as directed on leaflet. This product is irritant to eyes and skin, may cause sensitization by skin contact.

- 1. toxic to fish and other aquatic animals. Therefore, should not be used for driving.
- 2. Discontinued for bees. Therefore, active foraging of bees should not be used near aquaculture.

**Manufactured by**

Dow AgroSciences India (P) Ltd  
1st Floor, Block-B, Gate No.-2, Godrej IT Park, Godrej Business District, Pirojshanagar, L.B.S Marg, Vikhroli Mumbai Mumbai Maharashtra 400079

**Premises Address**

- (1). M/s Dow AgroSciences India Pvt Ltd., 1) A-1, Lote Parusharam Industrial Area, Tal:- Khed, Dist. :- Ratnagiri. Maharashtra 415722.
- 2) Plot No. 228, G.I.D.C. Estate, Panoli, Distt. . Bharuch, Gujarat. Pin . 394116 Gujarat


**Customer Care Details**

**Safety Pictograms:**



Net Content / Volume

Max. Retail Price



Q μ ¼ m=° oμ j =Q

μ° μ | q ýμ °. 3 mō³ =° ± q « 3 = μw  
o ©² μ = Q «w™w =, = m=° q®™ =° « | ø  
= = «Q "Ā » qñ « n w ñ œ² j μ-z « » Ž ñ œ° @-  
m ©. « =, μ © » ° =Q

1!² Ý μ | mō³ j μ³ j . -μw. 1 á ©Q° μ vž

vâ. -ýœ-° o ©² μ-» -³ j - œ »vQ

2!² -² â -³ -μw. 1 á ©Q° μ vž

2 -² â -³ =° 3 - j ™m - « -q®™ =» -³ j - œ »vQ

qñ « - » © -

(1).  
400079

» - « ± μ . . .













qñ®«-’®’°’-

400079

»—«±µ’..’”-

°’¼’œ’µ®-



Caution: Not to Be Used on Crops Other Than Specified on This Label/Leaflet

**Meptyldinocap 35.7% w/w EC**

**( Contact Fungicide )**

Meptyldinocap 35.7% w/w EC is a contact fungicide which is used for the control of powdery mildews in Grapes, Chilli, Mango and Pea.

<b>Chemical Composition:</b>	<b>Ingredient</b>	<b>%W/W</b>
Aromatic Solvent (Like Aromix remax)	other ingredient	q.s. w/w
Emulsifier A : Blend of Calcium salt of alkyl aryl sulfonate and fatty alcohol ethylene oxide condensate	other ingredient	3.5 w/w
Emulsifier B : Blend of Calcium salt of alkyl aryl sulfonate and vegetable oil ethylene oxide condensate	other ingredient	3.5 w/w
Meptyldinocap a.i.	active ingredient	35.7% w/w
<b>Total:</b>		<b>100.00% w/w</b>

**Recommendation**

<b>Crop(s)</b>	<b>Common Name of Pest</b>	<b>Dosage/HA</b>		<b>Dilution in Water Litre</b>	<b>Crop Stage</b>	<b>Re-entry Period</b>	<b>Pre Harvest</b>	<b>Frequency</b>
		<b>AI (g)</b>	<b>Formulation ML/ha</b>					
Grapes	Powdery mildew	108-120	308.6-342.8	750-1000	Apply the fungicide prophylactically at critical crop stages depending on disease pressure.	24 hours	30	Maximum 2 sprays in 10 . Fí 4days interval
Mango	Powdery mildew	240-270	658.7-771.4	1000	Apply the fungicide prophylactically at critical crop stages depending on disease pressure.	24 hours	7	Maximum 2 sprays in 10 . Fí 4days interval
Pea	Powdery mildew	144-160	411.4-457.1	500	Apply the fungicide prophylactically at critical crop stages depending on disease pressure.	24 hours	7	Maximum 2 sprays in 10 . Fí 4days interval
Chilli	Powdery mildew	108-120	308.6-342.8	500-750	Apply the fungicide prophylactically at critical crop stages depending on disease pressure.	24 hours	7	Maximum 2 sprays in 10 . Fí 4days interval

**Note:-**

**Good Practices relating to pesticide application techniques**

**Direction of Use**

Use the product in a manner consistent with its labeling. Read entire leaflet before use.

**Weather Condition(in general):**

Should be used during favorable weather conditions and should not be used during extreme weather conditions.

**Soil & Water(where ever applicable):**

No specific soil and water management is required.

**Crop Stage for application:**

Apply the fungicide prophylactically at critical crop stages depending on disease pressure.

**Caution: Not to Be Used on Crops Other Than Specified on This Label/Leaflet "**

### **Application Technique**

foliar spray

### **Equipment Type:**

**For field crops, high volume Knap-sack sprayer fitted with hollow cone nozzle is recommended and for orchards use tractor mounted high volume sprayer/foot sprayer**

### **NozzleType:**

**Hollow cone nozzle.**

### **Dosage:**

Please refer recommendation table.

### **Instruction for Mixing:**

Add slowly the required quantity of fungicide to water and stir well with stick or rod. While preparing large quantity of spray solution add to bucket half filled with water. Stir and then empty the pre fungicide solution in the bulk of water.

### **Re-entry Period**

24 hours

### **Manner and Time of Application**

Apply Meptyldinocap 35.7% w/w EC as foliar sprays after occurrence of favorable climatic condition for powdery mildew or with initiation of powdery mildew disease (Preventive application) or apply once the powdery mildew disease incidence is observed (Curative application).

### **Application Timing**

Should be used preferably in early morning or evening hours

### **Frequency**

Maximum 2 sprays in 10 . 14 days interval

### **Stages during which pesticides should not be applied on any crop :**

**Not to be applied during crop maturity and just before crop harvest.**

### **Precautions to be taken to avoid harm to the beneficial insects like honey bees and natural enemies of pests :**

1. toxic for fish and other aquatic animals. Therefore, should not be used near aquaculture.
- 2.Speed ??for bees. Therefore, active foraging of bees should not be used during much time

### **Symptoms Of Poisoning**

Drowsiness and dizziness, hypoactivity, lacrimation, ataxia, uncoordinated gait

### **First Aid**

If ingested: If person is conscious and alert, rinse mouth with water and give 1 or 2 glass of water to drink. Never give anything by mouth to an unconscious person. Call the doctor. Do not induce vomiting until and unless desired by attending physician.

If inhaled: Take the patient to fresh air and take care of body temperature. If patient is not breathing or breathing with difficulty, give artificial respiration, preferably with mouth to mouth breathing. Consult a physician.

In case of skin contact: Wash thoroughly the affected part of body with soap and plenty of water including hairs and under fingernails. If pain, redness or irritation persists, consult a doctor. All the contaminated clothes should be segregated and thoroughly washed with soap and water separately before use.

In case of eye contact: Rinse gently with plenty of water at least for 15 minutes. If pain, irritation, redness or photophobia persists. Consult eye specialist.

### **Antidote**

No specific antidote available. Treat symptomatically

### **Phytotoxicity**

**Caution: Not to Be Used on Crops Other Than Specified on This Label/Leaflet "**

Meptyldinocap 35.7% w/w EC is not phytotoxic when used as per recommendations.

**Storage Conditions**

1. The packages containing the fungicide shall be stored in separate rooms or premises always from the rooms or premises used for storing other articles, away from the reach of children and livestock, animal feed or shall be kept in a separate almirah under lock and key.
2. The rooms or premises meant for storing the fungicide shall be well built, cool dry place, well lit, ventilated and of sufficient dimensions so as to avoid contamination with vapors.

**Safety Precaution:**

1. Keep out of reach of children.
2. Keep away from foodstuff, empty food stuffs containers and animal food.
3. Do not swallow.
4. Avoid contact with eyes, skin and clothing.
5. Avoid breathing dust.
6. Handle concentrate in ventilated area.
7. Wash thoroughly with soap and water after handling and before eating, chewing gum, using tobacco, using the toilet or smoking.
8. Wear full protective clothing while spraying

**Cautionary Statement:**

**not to be used for any other purpose other than those subscribed on label & leaflets. Destroy the container after use as directed on leaflet. This product is irritant to eyes and skin, may cause sensitization by skin contact.**

- 1. Intoxicated to fish and other aquatic animals. Therefore, aquaculture should not be used for driving.**
- 2. Discontinued for bees. Therefore, active foraging of bees should not be used during more and more use.**

**Disposal of used containers, washing from equipment and surplus material :**

1. It shall be the duty of manufacturers, formulators of insecticides and operators to dispose packages or surplus materials and washing in a safe manner so as to prevent environmental or water pollution.
2. Dangerous to reuse empty containers.
3. Used packages shall not be left outside to prevent their re- use and shall be broken and buried away from habitation

**Manufacturer Premises :**

M/s Dow AgroSciences India Pvt Ltd., 1) A-1, Lote Parusharam Industrial Area, Tal:- Khed, Dist. :- Ratnagiri. Maharashtra 415722.  
2) Plot No. 228, G.I.D.C. Estate, Panoli, Distt. . Bharuch, Gujarat. Pin . 394116  
Maharashtra

**Manufactured by**

Dow AgroSciences India (P) Ltd  
1st Floor, Block-B, Gate No.-2, Godrej IT Park, Godrej Business District, Pirojshanagar, L.B.S Marg, Vikhroli Mumbai Maharashtra 400079

**Customer Care Details:**

**Safety Pictograms:**



**Caution: Not to Be Used on Crops Other Than Specified on This Label/Leaflet "**