

Total: 100.00%

Net Content / Volume

Max. Retail Price

3™ - TSSISS

Safety Precautions, Symptom of Poisoning and First Aid :Please refer leaflet for details.

Antidote Statement:

No specific antidote, symptomatic and supportive therapy

Cautionary statement:

- 1. not to be used for any purpose other than those subscribed on label and leaflets;
2. destroy the container after use as directed on leaflet
3. toxic to fish, aquatic organisms hence should not be used near water bodies, aquaculture or pisciculture.

Manufactured by

UPL Limited
Uniphos House, Madhu Park, 11th Road, Khar (W), Mumbai 400
052 MUMBAI Mumbai Maharashtra 400052

Premises Address

- (1). 3 - 11, G.I.D.C., Vapi, Gujarat-396 195 Gujarat
(2). Plot No. 3101/02, G.I.D.C, Ankleshwar, Gujarat-393 002 Gujarat
(3). Industrial Growth Centre, Samba, Jammu, (J & K) 184121 Jammu & Kashmir
(4). Durgachak Post, Haldia Dist. Midnapore-721602 West Bangal
(5). Plot 750, G.I.D.C, Industrial Estate Jhagadia, Bharuch

Customer Care Details

website: www.upl-ltd.com/in

Safety Pictograms:



—p° · · , ¢ · · 1 »' | 1 ¢ ¢ — » Ž μ ¼ ¢ ¢ — q@œ' ¢ ¢ ¢

TI' — μ' μ° μ' | ¢' @œ' 2' q y μ ¢' ©' ¢° μ' w' | @Ē — ¢ ¢' m μ · · ¢° ¢ ±
mō³ ¢ ¢° μ' w' | @Ē — ¢ ¢' o° — q@³ ™ — ¢ ¢' Q
U' · @œ' @ ¢' — « l ¢' q y μ ¢ ¢' — m — ° ¢' 3 ™ — ° « ¢ ¢ — ¢ ¢' fi | Ø' fi — ¢ ¢' ¢'
— ¢ ¢' Q
3 l' 2 Ÿ μ³ Ž i μ³ i · · — μ w i »' μ' »' o° μ w i μ' — 3 Ž i μ³ ¢
— 1' ¢ ¢' @' o ° @² μ' ¢ — »' — ¢ ¢' œ » w Q

qñ@ « —
3 l' @ l w μ! μ ² ¢ l
3 — p ¢ l' Ó Ó' o° μ ² ¢ l' 3 — Ó o° » r° Ž ² Š @ — l 11' i Ž ¢ ¢' fi ¢ fi
² ú° p' Ž 400 052' ² ú° p' 400052

- (1). 3-11, ???.???.???., ????, ??????-396195
(2). ????? ? . 3101/02 ANKESHWAR GUJARAT 393002
(3). ????????????? ??????????, ??????, ??????, (?? ????? ??)184121
(4). ?????????? ??????, ?? . ??????????-721602
(5). ????? ???? , ???.???.???, ?????????????? ?????? ??????, ????

» — « ¢ ± μ' · · ¢ ¢
· Ø° p ¢ ¢' www.upl-ltd.com/in

Total:100.00%

Safety Precautions:

Safety: 1. Metribuzin 42% + Clodinafop Propargyl 12% WG should only be used as liquid spray. Do not broadcast Clodinafop propargyl 15% + Metsulfuron methyl 1% WP. 2. Do not use a mist blower (power sprayer). 3. The spray man should use appropriate protective clothing like hat, long sleeved shirt, long pants and shoes. 4. Avoid contact with eyes and skin when handling the concentrates spray solution. Avoid inhalation of spray mist. Wash thoroughly with soap and water after handling. Do not eat, drink or smoke during application. 5. Remove contaminated clothes and wash before reuse. Do not reuse the empty containers. 6. Wash hands & exposed skin with soap and water before meals and after work. 7. After spraying this herbicide, the sprayer and utensils should be thoroughly cleaned with plenty of soap and water.

Symptom of Poisoning:

Symptoms: May cause skin,eye,and respiratory tract irritation,headache,dizziness, numbness, nausea, incoordination or other central nervous system effect. Dyspnea, salivation and decreased activity may occur.

First Aid:

If ingested: if person is conscious and alert, rinse mouth with water and give 1 or 2 glass of water to drink. Never give anything by mouth to an unconscious person. Call the doctor. Do not induced vomiting until and unless desired by attending physician.
If inhaled: Take the patient to fresh air and take care of body temperature. If patient is not breathing or breathing with difficulty, give artificial respiration, Consult a physician.
In case of skin contact: Wash thoroughly the affected part of body with soap and plenty of water including hairs and under fingernails. If pain, redness or irritation persists, consult a doctor. All contaminated clothes should be segregated and thoroughly washed with soap and water separately before use.
In case of eye contact: Rinse gently with plenty of water at least for15 minutes. If pain, irritation, redness or photophobia persists. Consult eye specialist

Antidote

No specific antidote, symptomatic and supportive therapy

Cautionary statements:

1. not to be used for any purpose other than those subscribed on label and leaflets;
2. destroy the container after use as directed on leaflet
3. toxic to fish, aquatic organisms hence should not be used near water bodies, aquaculture or pisciculture.

Manufactured by

° ¼ - \$! ² ø³ Ä - ' % ' t' â μ | - - ® ' TM o μ ' \$ % ' | ø³ j - -
q® TM - μ' ©' μ' - - - ®' 2' - 3' j - - œ » vQ Clodinafop
propargyl 15% + Metsulfuron 2 a o μ ' \$ ' WP - - - ° ' - - - Q %!
2 α' q μ m' f® . ' 3' fl - - q® TM - - - Q & ! ' n « 2' - - q® ā ©'
° ¼ n² - - Æ È ' j' ° α ® Ž μ' n © - - - , α Ĺ μ' ° α | ' j' © - -
q® TM - - - œ » vQ ! ' - - © ' ° 2' - - - ° ± μ - - - « ' - - n - -
| ' n œ - - ° œ - - ° α Q - - - n - - ° ° ° α Q o' Ÿ - - ° « ' ° - -
| ' n - - ° ° » ©' mcŸ ' ©' ° Ó - - Q n . « - - - « ' - - - Ž ® - 3' .
n - - - - Q (! « l © - - Æ È - - μ | ' n - - q® TM - - - ° » μ - -
μ Q - μ - - - - - q® TM - - - Q) ! ± j - - ° » μ | ' - - 2' - -
° « ' ° - - | ' n - - ° ° » a | ' n œ - - n vQ * ! ' o' j' È ' ° α - -
- - - ° « ' 3' j' ' ° © - - - - ° ° - - | ' n - - ° ° mcŸ ' ©' ° - -
- - - œ » vQ

μ ¼ - n œ Ž n - Ž | ' n - - ° - - ° 2' j' μ - Ž ° « Ĺ œ - - n - Ž o - © Ž
2 © μ Ž m' 3 2 3 ' mō³ - - 3' © - - © ' ± . - - - ' ° - - © » Q
| ® - 3' Ž μ ' | ' š α ' » p' TM © . - - » ' ° - - © » Q

UPL Limited
Uniphos House, Madhu Park, 11th Road, Khar (W), Mumbai 400
052 MUMBAI Mumbai Maharashtra 400052

m™² » 0 1 -™µ³ »-3 « y³ â⁰ œ⁰ | 0 0 -1 » Ž⁰ - 0 0
2 » -yµ³ - 3 | 0 0 - 1 µw¹ 3 2'™µ⁰ 0 0 - «Qw⁰» ,
y³ â⁰ - 2 » 0 0 -Y³ ± - ± - » 'Q; â⁰ - 0 µ vQ⁰ - 'q⁰ a⁰
œ-ñ⁰ - 0 0 µ » qy⁰ - 3 Q

3 « 0 0 2 µ³ j - 0 0 -™µ⁰ - 0 i » . 2 µ⁰ j w | 0 0 , 0 0 -
©² - 0 - 0 a³ µ⁰ 0 Q³ « 0 0 -™µ⁰ - 0 0 - » µ⁰ » 3 - 0 - 0 - 0 0 µ⁰
' » Ž⁰ - 2 0 0 - «Žw⁰ œ-ñ⁰ - 0 0 - 2 , l - Q

ñ œ⁰ - 0 0 - 1 - 2 2 µ² 0 0 0 0 - ± . 0 » 0 0 - 0 mçY⁰ 0 0 0
0 0 - 0 0 w | 0 0 µ⁰ | 0 0 - 0 0 » 0 0 - 0 0 0 0 ©² µ⁰ - Q³ «
«Ž µ² 3 j µ⁰ - 0 - 0 » 0 Ž⁰ | â⁰ - 0 0 - 2 , l - Q⁰ ± « 1 0
- 0 Ê⁰ - 0 mµ[™] - 3 j - 0 œ » w | 0 0 q⁰ 3™µ⁰ 0 0 - 0 | 0 0 - 0 0
mçY⁰ 0 0 - 0 œ » vQ

n⁰ - 0 0 - 1 - 2 2 µ² 0 0 - 2 0 0 - 2 15² - 0 - 0 µw⁰ 0 0 0 0 - 0
0 0 - 0 0 vQ³ « 0 0 - Ž⁰ j µ - Ž⁰ µ² 3 - 0 - 0 0 - 0 » 0 0 0 0 - 0
- 0 0 - 0 0 , 1 1/2⁰ 0 0 µ » µQ

. 1 - 0 -

- p⁰ , 0 0 - 1 » 0 | 1 0 - » 0 Ž µ 1/4 - 0 q⁰ œ⁰ -
0™µ⁰ œ⁰ | 0 0 » 3 - 0 œ-ñ⁰ - 0 0 Q

T! - µ⁰ µ⁰ µ⁰ | 0 0 œ² 0 q yµ⁰ - 0 0 0 µ⁰ w⁰ 0 Ê⁰ - 0 mµ⁰ - 0 0 ±
mō³ 0 0 µ⁰ w⁰ 0 Ê⁰ - 0 0 0 - 0 q⁰ 3™µ⁰ - 0 0 Q
U! 0 œ⁰ 0 0 - « l 0 q yµ⁰ - 0 m⁰ - 0 3™µ⁰ - 0 0 « - 0 - 0 fi | 0⁰ fl - 0 - 0
- 0 Q

3! 2 Y µ³ Ž⁰ j µ³ j - 0 - 0 µw⁰ j µ⁰ » µ⁰ » 0 µw⁰ j µ⁰ - 3 Ž⁰ j µ³
- 1 0 0 0 ©² µ⁰ - » - 0 - 0 œ » vQ

qñ⁰ « -

3 ! 0 ! wµ⁰ ! µ² 0 0 !

3 - p 0 0 Ó Ó⁰ 0 µ² 0 0 3 - Ó⁰ 0 » r⁰ Ž² š⁰ - 1 11⁰ 0 0 Ž⁰ 0 0 fi 0 fi
2 ú⁰ p⁰ ž⁰ 400 052² ú⁰ p⁰ 400052

2 03 0 - VW - i - aμ - i - 0 - @ i - pμ - TU - i - qμ - i - !

fi œ³ - r² - i - i - 0 - i - - i - fl

-

2 03 0 - VW - i - aμ - i - 0 - @ i - pμ - TU - i - qμ - i - ! Ž w - q - ± - i - 0 - œ³ - i - i - 0 - i - - i - » - i - 0 - i - 3 - T - M - i - μ - 2 - i - s - o - i - i - œ - i - 0 - i - μ - i - i - 0 - i - i - 0 - i - a - 2 - i - μ - 3 - i - 3 - i - 0 - i - » - Q

i - 0 - i - 3 - i - - i - 0 - i - œ - i - i -

aμ - i - 0 - @ i - pμ - i - 3 - i - 0 - i -	0 - i - 3 - i - 0 - i -	TU!SS - i - w/w
aμ - 0 - a - 0 - a - 2 - a - 0 - μ	0 - i - - i -	V!SS - i - w/w
i - 3 - m - ŷ - μ - i - 0 - a - μ - i - 0 - ŷ - i - - a - i - 0 - i - 3 - 2 - i - 0 - ŷ - a	i - a - T - M - i - W - i - a	WSS - i - w/w
2 03 0 - VW - i - 0 - 3 - i - 0 - i -	0 - i - 3 - i - 0 - i -	W!SS - i - w/w
2 i - p - i - i - a - i - m - μ - i - 0 - μ - 2 - i -	0 - i - a - a - a	Z!SS - i - w/w
@ μ m - i - μ - i - μ - i - 0 - a - i - 0 - ŷ - i - a - i - m - 2 - i - 3 - 2 - i - 0 - ŷ - a	0 - i - a - a - a	Y!XS - i - w/w
0 - @ - a - a - i - 0 - μ - i -	m - a - a - - T - M - i - W - i - a	TU!SS - i - w/w
0 - μ - i - - i - m - 0 - a - i - 2 - i - o - 2 - ŷ - i - -	w - a - i - 2 - i - i - W - i - a	S!US - i - w/w
a - 3 - a - 3 - 2 - i - i - 3 - y - a - 0 - p - i -	0 - - - - i -	@ - 3 - b - 0 - 2 - i - i - w/w
@ -	0 - - - - i -	V!SS - i - w/w

3 - T - M - i - TSS!SS - i - i - ± - i - ± - i -

i - 0 - μ - i -	- - a - i - - 2 -	© - i - a - a - 3 - i - 2 -		@ - i - - i - 2 - i -	i - 0 - μ - i - m - a -	@ - i - - i - μ -	@ - i - i - 0 - μ -	n -
		0 - i - 0 - i -	0 - i - œ - i -					
T - M - i -	T - M - i - μ - i - i - i - Ž - i - T - M - i - i - p - Ž - i - 0 - a - n - Ž -	UTS - i - i - YS	XSS	VZX	0 - i - - i - VSZVX - i - « - i -	UWš - a	\U - i - « - i -	w - i - m - 3 - T - M - i -
	0 - i - Ž - 2 - Ž - i - T - M - i - i - @ - μ - Ž -				0 - i - « - i -			

Note:- -

q @ 3 - T - M - i - μ w - i - « - i -

T! - 2 03 0 - VW - i - aμ - i - 0 - @ i - pμ - TU - i - qμ - i - ! - i - - i - μ - 2 - i - f!SS - i - 2 - f!TS - i - μ - a - i - @ - i - 2 - i - i - μ - i - m - ç - ŷ - i - © - i - » - i - 2 - μ - o - 3 - Q - U - i - 0 - « - i - 2 - i -

0 - i - a - a - a - i - - i - μ - 2 - i - f!XS - i - 2 - i - μ - i - f!o - i - s - μ - 2 - i - i - μ - i - m - ç - ŷ - i - © - i - » - i - μ - i - 0 - i - 2 - μ - o - 3 - Q - V! - o - i - ŷ - 3 - i - - i - TXS - i - μ - a - i - @ - i - 2 - i - 2 - μ - i - - i - w - i - w - E - i - 2 - i -

w - i - 0 - 2 - i - - i - ŷ - E - Q

2 0 2 - i - - i - a - ©

@ - μ - i - @ - i - a - © - 3 - i - 2 - i - q @ 3 - T - M - i - - i - Q

2 - a - i - i - @ - i -

» ŷ - i - 0 - i - ± - i - 2 - a - Q - ŷ - E - i - - i - μ - w - 0 - i - - i - @ - i - - i - 0 - © - 2 - μ - i - i - w - Q

i - 0 - μ - i - m - a -

0 - i - - i - VSZVX - i - « - i - 0 - i - « - i -

Caution: Not to Be Used on Crops Other Than Specified on This Label/Leaflet

m™² »'°' -™µ' µ³' »-³ «' ý³ á©'° æ©'| '°' ©-† »Ž©'®-°'²' »-ýµ' -³'| '°'®-°' µw 1'³' 2'™µ' °'®-°' «Qw-°' » , ' ý³ á©'-²' »'°' -Ý' ±' -±' -»' «Q| á°' -°' µ wQ °-°' q®' á©' æ-ñ' -°' µ »' qý°' -³' Q

3 «'°' °' 2' µ³' j' -°'®-°'™µ' -°'©' j' »' 2' µ' j' w| '°' , '°' -°'®²' -°' -°' á³ µ' -°' Q³ «'™µ'°' °' -»' µ' »' »'³' -¥- p'°' °' °' µ' »' »'Ž©' - 2'°' °' -°' «Žw-°' æ-ñ' -°'®' 2' , l-°' Q

ñ æ'-°'®-†-²' 2 µ' 2' , '°' -°' ±' . ©' »' °' -°' mçÝ' '©' »'°' °' -°' °' w| '°' µ' | '°' -°' -°' »©'®-°' -°'°' °' ©² µ' -°' Q³ «' «Ž µ' µ²' ³' j' µ-°' -°' »©' »Ž©' | á°' °' ®' 2' , l-°' Q° ±' «' 1©' -°'®É' -°' mµ™' -³' j' -°' æ' »w| '°' q®³™µ'®µ'°' -°' | '°'®-°' °' mçÝ' '©' »'°' °' -°' æ' »wQ

n °' -°'®-†-²' 2 µ' 2' -²' °' -²' 15' 2' -°' -°' µw°' »©' °' ®-°' °' n' ž' °' °' wQ³ «'«Ž j' µ-Ž µ' µ²' ³' °' °' °' 3' °' -°' »©' »' °' -°'™µ' , 1½' °' °' µ »' µQ

1.1.1.1

-p' . , °' °' 1' »' | 1' -°' »' »Ž µ' ¼' -°' q®æ' -°' °'™µ' æ-°' | '°' »³' -°' æ-ñ' -°' °' Q

°' »' -°' , ©'

Tf l' °'®. '°' -°' | °' °' -°' ±' | '°' Ž mµ™' -²' Ž³' j'™µ' ³' x°' j'™µ' j' »' mō' ³' °' °' ±' | '°' -°' »' m°' . '°' µ' °' ð' «' mµ²' ³' 2' -°' Q °'®. '°' -°' -°' °' 3' °'®' á' l' °' «' °' °' Q

Uf l' °'®. '°' -°' -°' ±' | '°' -°' j'™µ' mç' Ý' '©' »'°' -°' » Ž , ©µŽ , -°' | '°' »' «' °' »' °'®' b' ©' µ' ú' °' °' °' æÉ' » Ž j' °' °' -°' . ©' . '°' «' 1' °' »' -°' -°' | '°' -°' » Q

_____:

T!²' °' ©' -°' W' °' °' áµ' | -°' °' °' ®' j' pµ' TU' °' | qµ! j' !' -°'®-°' 2' 2 µ' -°' ÝÉ' -°' -°' æ' »wQ | '°' °' -°' -°' 2' -°' » Q

U! °' °' 2' °' qµ m' °' °' ÝÉ' -°' 2' -°' » Q

V! ÝÉ' -°' -°' . µ' n «²' -°' q®³ á©' °' ¼' ñ²' -°'®' j' °' -°' °' ®Ž µ' °' °' j' -°' , °' µ' µ' °' °' ©µ-°' | '°' j' ©' -°' q®³™µ' -°' -°' æ' »wQ

W' °' °' °'®. '°' -°' -°' 3'™µ' -°' 2 3' °' n' °' °' ñ æ'-°' ®' , l' °' °' æQ °'®. '°' -°' -°' °' š' -°' » Q °' -°' q®³™µ'® æ©' »' °' -°' °' -°' | '°' °'®' b' ©' -°' °' °' 3' Qj'®³™µ' -°' 2 3' °' -°' ž' -°' 3' °' °' ®-°' -°' 2' -°' » Q

X! «' 1©' -°'®' -°' -°' µ' «' | '°' . ®' °'®' -°' °' ®µ' mçÝ' '©' »' °' µQ °' µ' | °' -°' °' °' ©² µ' -°' -°' Q

Y! -²' -°' «' | '°' ±' j' -°' °' ®µ' »' °' | '°' ñ æ'-°' °' -°' | '°'®-°' °' mçÝ' '©' »' °' µQ

Z! °' °' °'®. '°' -°' 3'™µ' -°' «' °' 3' °' | '°'®' -°' mçÝ' '©' »' °' -°' | '°'®-°' °' °' -°' æ' »wQ

_____:

T! -°' µ' µ' °' µ' | '°'®æ' 2' q ýµ' °' °' °' µ' w' °'®É' -°' mµ' . '°' °' ±' mō' ³' °' °' µ' w' °'®É' -°'®' °' -°' q®³™µ' -°' -°' Q

U!®æ'®' -°' «' l' °' qýµ' -°' m-°' °' 3'™µ' -°' «' -°' -°' fi| °' fl' -°' -°' °' -°' » Q

3!²' Ý µ³' Ž j' µ³' j' °' -°' µw j' »' µ' »' °' µw j' µ' -°' 3' Ž j' µ³' -1' -°'®' °' °' ©² µ' -°' »' -°' -°' æ' »wQ

_____:

1!³' »' -°' -°' qñ® «-Ž' °' µ°' l' ©' á' y' °' °' l' -°' -°' y³' °' »™µ' -°' | °' °' ³' °' æ' »p' °' 2' 3' °' | '°' °' -°' -°' -°'®-°' °' ¼' ©' -°' °' -°' ©' -°' . ©' . '°' 3' °'®-°' «' 1©' -°' »' °' °' °' »

2! q®³™µ' -°' w™w' | °' °'®-°' °' -°' °' »' -°' -°' j' °' °' q-°' -°' «' °' 3'™µ' -°' » Q

3! q®³™µ' -°' w™w' | °' °'®-°' °' -°' ©É' -°' n' °' «' °' °' °' j' 2' -²'™É' «Q

qñ® «-°'®' °' -°' -

qñ® «-°' -

3-11Ž j' ln p! j' !°' !Ž' °' ®Ž™ j' ©Z396195

Caution: Not to Be Used on Crops Other Than Specified on This Label/Leaflet!

«™be—'® ž j !' 2 «- ® 'ž21602

3 !@!vμ! μ 2 μ!
3 - pμ! 'Ó Ó ° ' μ 2 μ! '3 - Ó ° '» r ° ž 2 š@-111' ' ž - ' '
fī μfl 2 ú° p' ž 400 052' 2 ú° p' 400052

oó! 3 μ ' a ' ° öμ'ž° ú° ž j ú2 ž f j ' mó! ' -f1184121

öμ μ' ZXSž j !n p! !° !ž oó! 3 μ ' o μμ' ϕ™ μ 3 ž ± æ

öμ μ' -!' 3101/02ž j !n p! !° !ž móâμ - 'ž™ μ ' ° > 393002

»—' «™ ± μ ' . . ' -

. ø° pμ- www.upl-ltd.com/in

° '¼' æ ' μ @-



Caution: Not to Be Used on Crops Other Than Specified on This Label/Leaflet

Metribuzin 42% Clodinafop propargyl 12% WG

(Selective Herbicide)

Metribuzin 42% + Clodinafop Propargyl 12% WG, is a post-emergence herbicide for the effective control of grasses and broad leaf weeds in wheat crop.

Chemical Composition:	Ingredient	%W/W
Clodinafop propargyl a.i.	Active ingredient	12.00 w/w
Cloquintocet mexyl	Safener	3.00 w/w
Dialkyl Naphthalene sulphonate sodium salt	Wetting agent	4.00 w/w
Metribuzin a.i.	Active ingredient	42.00 w/w
Modified styrene acrylic polymer	surfactant	7.00 w/w
Polyarylphenyl ether sulphate, Ammonium salt	surfactant	6.50 w/w
Precipitated silica	Anticaking agent	12.00 w/w
Silicon antifoam emulsion	Antifoam agent	0.20 w/w
Titanium dioxide	Inert	q.s. w/w
Water	Inert	3.00 w/w
Total:		100.00% w/w

Recommendation

Crop(s)	Common Name of Pest	Dosage/HA		Dilution in Water L	Crop Stage	Re-entry Period	Pre Harvest	Frequency
		AI g	Formulation g					
Wheat	Phalaris minor (Canarygrass), Avena spp. (Wild oat), Chenopodium album (Fat hen), Melilotus sp. (Sweet clover), Medicago denticulate (Toothed medic), Rumex spp. (Wild spinach), Anagallis arvensis (Blue Pimpernel)	210 + 60	500	375	30-35 days after sowing	24 hr.	92 days	One time application

Note:-

Good Practices relating to pesticide application techniques

Direction of Use

1) Dissolve the entire contents of Metribuzin 42% + Clodinafop Propargyl 12% WG sachet (200 g) in ten liters of water and mix thoroughly. 2) Then add the entire contents of surfactant (500 ml) to the above solution and mix thoroughly with a stick. 3) Dilute the solution with 150 liters of water to spray one acre uniformly.

Weather Condition(in general):

Not to be used during unfavorable conditions.

Soil & Water(when ever applicable):

Light to heavy soil. Clean water to be used for spray.

Crop Stage for application:

30-35 days after sowing

Caution: Not to Be Used on Crops Other Than Specified on This Label/Leaflet

Application Technique

Post emergent application

Equipment Type:

knapsack sprayer

NozzleType:

flat fan nozzle

Dosage:

Dosage: Herbicide should be applied at 210 + 60 g ai/ha in 375 Litres of water.

Instruction for Mixing:

1)Dissolve the entire contents of Metribuzin 42%+Cladinofop Propargyl 12%WG sachet (200 g) in ten litres of water and mix thoroughly.2)Then add the entire contents of surfactant (500 ml) to the above solution and mix thoroughly with a stick. 3)Dilute the solution with 150 litres of water to spray one acre uniformly.

Re-entry Period

24 hr.

Manner and Time of Application

Post emergent application and 30-35 days after sowing of wheat crop when the weeds are in the 2-6 leaf stages.

Application Timing

30-35 days after sowing of wheat crop when the weeds are in the 2-6 leaf stages.

Frequency

One time application

Stages during which pesticides should not be applied on any crop :

Pre-emergence and after 2-3 leaf stages of weeds

Precautions to be taken to avoid harm to the beneficial insects like honey bees and natural enemies of pests :

-

Symptoms Of Poisoning

May cause skin, eye and respiratory tract irritation, headache, dizziness, numbness, nausea, incoordination or other central nervous system effect. Dyspnea, salivation and decreased activity may occur.

First Aid

If ingested: if person is conscious and alert, rinse mouth with water and give 1 or 2 glass of water to drink. Never give anything by mouth to an unconscious person. Call the doctor. Do not induced vomiting until and unless desired by attending physician.

If inhaled: Take the patient to fresh air and take care of body temperature. If patient is not breathing or breathing with difficulty, give artificial respiration, Consult a physician.

In case of skin contact: Wash thoroughly the affected part of body with soap and plenty of water including hairs and under fingernails. If pain, redness or irritation persists, consult a doctor. All contaminated clothes should be segregated and thoroughly washed with soap and water separately before use.

In case of eye contact: Rinse gently with plenty of water at least for15 minutes. If pain, irritation, redness or photophobia persists. Consult eye specialist

Antidote

No specific antidote, symptomatic and supportive therapy

Phytotoxicity

The product is not phytotoxic when used as per recommendations.

Caution:Í Not to Be Used on Crops Other Than Specified on This Label/Leafletí "´

Storage Conditions

1. The packages containing the herbicide shall be stored in separate room or premises, away from the rooms or premises used for storing other articles or shall be kept in separate almirahs under lock and key depending upon the quantity and nature of the herbicide.
2. The rooms or premises meant for storing the herbicide shall be well-built, dry, well-lit and ventilated and of sufficient dimension.

Safety Precaution:

1. Metribuzin 42% + Clodinafop Propargyl 12% WG should only be used as liquid spray and do not broadcast.
2. Do not use a mist blower (power sprayer)
3. The spray man should use appropriate protective clothing like hat, long sleeved shirt, long pants and shoes.
4. Avoid contact with eyes and skin when handling the concentrates spray solution. Avoid inhalation of spray mist. Wash thoroughly with soap and water after handling. Do not eat, drink or smoke during applications
5. Remove contaminated clothes and wash before reuse. Do not reuse the empty containers.
6. Wash hands & exposed skin with soap and water before meals and after work.
7. After spraying this herbicide, the sprayer and utensils should be thoroughly cleaned with plenty of soap and water.

Cautionary Statement:

- 1. not to be used for any purpose other than those subscribed on label and leaflets:**
- 2. destroy the container after use as directed on leaflet**
- 3. toxic to fish, aquatic organisms hence should not be used near water bodies, aquaculture or pisciculture.**

Disposal of used containers, washing from equipment and surplus material :

1. It shall be the duty of manufactures, formulators of insecticides and operators to dispose Packages or surplus materials and washings shall be disposed in a safe manner so as to prevent environmental or water pollution.
2. The used packages shall not be left outside to prevent their re-use.
3. The packages shall be broken and buried away from habitation.

Manufacturer Premises :

3 - 11, G.I.D.C., Vapi, Gujarat-396 195
Maharashtra
Durgachak Post, Haldia Dist. Midnapore-721602
Maharashtra
Industrial Growth Centre, Samba, Jammu, (J & K) 184121
Maharashtra
Plot 750, G.I.D.C, Industrial Estate Jhagadia, Bharuch
Maharashtra
Plot No. 3101/02, G.I.D.C, Ankleshwar, Gujarat-393 002
Maharashtra

Manufactured by

UPL Limited
Uniphos House, Madhu Park, 11th Road, Khar (W), Mumbai 400
052 MUMBAI Maharashtra 400052

Customer Care Details:

website: www.upl-ltd.com/in

Safety Pictograms:



Caution: Not to Be Used on Crops Other Than Specified on This Label/Leaflet "