

Primary Package Label

[Ultra-small (1ml or gm to 50 ml or gm)] & [small (51 ml or gm to 250 ml or gm)]

Read leaflet before use:

Common Name:

N.P.V. of Helicoverpa armigera 0.5% AS

BRAND NAME: -

Chemical Composition :

Content % w/w

Other ingredients	q.s	q.s. q.s.
Total	100.00	As
NPV of Helicoverpa armigera 05%AS	1 x 10 ⁹ PER mL MIN.	0.50% AS
POBS count / ml		

Total: 100.00%

Please refer leaflet for details

Antidote

Treat Symptomatically.

Manufactured by

Vidarbha Biotech Lab
M/s Vidarbha Biotech Lab, 22/1, Datta Chowk, Near Sugrass
Factory Yavatmal Yavatmal Maharashtra 445001

Premises Address

(1). M/s Vidarbha Biotech Lab, A-56, MIDC, Lohara,
Yavatmal,-445001

Customer Care Details

vidbio@rediffmail.com
07232-242333

N.P.V. of Helicoverpa armigera 0.5% AS

व-!@!y» !'» μ— . '®'n ² Tm' '#!(~ 'vwP

Contact Insecticide

® 3 '— — — —



° — | '¥0! ' i TM» '®'n TM' o «'«'«'«

Keep in cool, dry place away from heat and open flame.

Regn. No.	' i !'—!	_____
Mfg. Lic. No.	2 _3 !' μ !'—!	_____
Batch No.	° œ'—!	_____
Mfg Date	2 _3 !' ©!	_____
Exp. Date	¿ n² » — —' ©'—'	_____
Net Content / Volume	± ± n 3 ©—	_____
Max. Retail Price	m —œ2 '— «' 2 y³	_____
Customercare		_____

q@3 TM' o '®» μ' ® —'®E-

w-!@!y» !'» μ— . '®'n ² Tm' '#!(~ 'vwP

° 3 '— —' ° œ'—

o@'° »n³ ! !' q.s.
100.00

» μ—®{ ®!n ² Tm' 1 x 10⁹ PER mL MIN. 0.50% AS

®{ ° W' TM' —'—'

² !μ !

_____ 3 TM' - TSSISS' _____

.....

μ ¼ —' n³ ' q®œ'—'

qñ®«—

445001

® '° '—' ®©—

(1).

»—«' ± μ'

vidbio@rediffmail.com
07232-242333

Safety Pictograms:



(1). M/s Vidarbha Biotech Lab, A-56, MIDC, Lohara,
Yavatmal,-445001

(1).

Customer Care Details

vidbio@rediffmail.com
07232-242333

»—« ± μ · · ·

vidbio@rediffmail.com
07232-242333

Safety Pictograms:



w-!@!y»! » μ—, '®'n 2 Tm' '#!('vwŕ

fi @ 3 '—α—, —fi

(1 X 10 'ml minimum

w-!@!y»! » μ—, '®'n 2 Tm' '#!('vwŕ

'° 3 —'° 'œ—'—

» μ—@{ ®In 2 Tm' '@{ ° wŕ 'Tm' —'™' 2 !μ ! 1 x 10^9 PER mL MIN. 0.50% AS

o@'° »ñ³ ! !'q.s.

100.00

3 Tm' - TSSISS~ '± '± '±

° μ'	—α'—'—2	©'»âα³ '12		®—'—'2 500ltr	'° μ'm' a	@—'—μ	@ I ° μ	n .
		° I'©ñ N.P.V. of Helicoverpa armigera	° 'œ—' 250ml/ha					
—° μ' œ—	» μ—, ®In 2 Tm'	0.5%AS	250ml/ha	500 Lts	-	\$\$ š α	j . —'—α—, —'— μw n . 3—'—»	° 2 "'—'n —'— ®'Q

Note:- -

q®³ Tm' — μw —« .

250' 2 !μ ! "ha w-!@!y»! 'š ŕ! . !' » μ—, '®'n 2 Tm' '0.5%' 2 "' 550

2 ° 2 '—' a ©

· çŸ 'n —,

2 α' | '®—

—' ©»' —'

'° μ'm' a

-

n . «—'©— —

@' p ° n' !

—'—'—

m —'2 '2 ' ž '®'®' " —'—®—

—2 '2 '2 α' œ μ © knapsack 3'

—'—'—

-

—'—'—

Caution:Í Not to Be Used on Crops Other Than Specified on This Label/Leafletí "'

N.P.V. of Helicoverpa armigera 0.5% AS

(Contact Insecticide)

(1 X 10` ml minimum

N.P.V. of Helicoverpa armigera 0.5% AS

Chemical Composition:	Ingredient	%W/W
NPV of Helicoverpa armigera 05%AS POBS count / ml	1 x 10 ⁹ PER mL MIN.	0.50% AS
Other ingredients	q.s	q.s. q.s.
Total	100.00	As
Total:		100.00% w/w

Recommendation

Crop(s)	Common Name of Pest	Dosage/HA		Dilution in Water 500ltr	Crop Stage	Re-entry Period	Pre Harvest	Frequency
		AI N.P.V. of Helicoverpa armigera	Formulation 250ml/ha					
Chickpea	Helicoverpa armigera	0.5%AS	250ml/ha	500 Lts	-	12 hrs	Not applicable for bio-pesticides	Based on infestation

Note:- -

Good Practices relating to pesticide application techniques

Direction of Use

Dissolve 250 ml/ha of N.P.V. of Helicoverpa armigera 0.5% AS 550 ltrs

Weather Condition(in general):

Clear sky.

Soil & Water(where ever applicable):

Any type

Crop Stage for application:

-

Application Technique

Foliar spray.

Equipment Type:

High volume spray- Strip pump/knapsack
Low volume motorized knapsack sprayer

Nozzle Type:

=

Dosage:

250 ml per hectore

Instruction for Mixing:

-

Caution: Not to Be Used on Crops Other Than Specified on This Label/Leaflet

Re-entry Period

12 hrs

Manner and Time of Application

-

Application Timing

In the morning and evening

Frequency

Based on infestation

Stages during which pesticides should not be applied on any crop :

=

Precautions to be taken to avoid harm to the beneficial insects like honey bees and natural enemies of pests :

-

Symptoms Of Poisoning

Headache, Nausea, Vomitting, irritation & allergy may occur.

First Aid

1. If swallowed, induce vomiting by tickling the back of throat. 2. If skin and clothes are contaminated, wash the contaminated skin and clothes with plenty of water and soap. 3. If eyes are contaminated, flush the contaminated eyes with normal saline and water for 10 to15 minutes. 4. Remove the patient into fresh air.

Antidote

Treat symptomatically

Phytotoxicity

Not Phytotoxic at recommended dosage

Storage Conditions

1. The packages containing the Biological -insecticide shall be stored in separate room or premises away from the rooms or premises used for storing other articles particularly articles of food or shall be kept in separate almira's under lock and key depending upon the quantity and nature of the Biological . insecticide.
2. The rooms or premises meant for storing the Biological -insecticide shall be well built, dry, well lit and ventilated and of sufficient dimension to avoid contamination with vapour.

Safety Precaution:

1. Avoid inhalation and skin contact while diluting because of spillage or splashes. 2. Do not mix with bare hands. 3. After each operation, the mixing and spraying equipment is to be rinsed thoroughly with plenty of water and detergent or soap solution before being put to use for spraying other pesticides. 4. Any surplus spray solution must not be disposed off in crop lands in stagnant or flowing water, where there is a possibility of polluting water sources. 5. The user should use full protective clothings which include rubber gloves boots, either face shield or dust mask and overall rubber apron, hood or hat. 6. Do not smoke, eat or drink during handling and application.

Cautionary Statement:

1. Not to be used for any purpose other than those subscribed on label and leaflet 2. Destroy the container after use as directed on leaflet.

Disposal of used containers, washing from equipment and surplus material :

1.It shall be the duty of manufacturers, formulators of Insecticides and operators to dispose packages or surplus materials and washings in a safe manner so as to prevent Environmental or water pollution.
2. The used packages shall not be left outside to prevent their re-use.
3. Packages shall be broken and buried away from habitation.

Caution:Í Not to Be Used on Crops Other Than Specified on This Label/LeafletÍ "´

Manufacturer Premises :

M/s Vidarbha Biotech Lab, A-56, MIDC, Lohara, Yavatmal,-445001
Maharashtra

Manufactured by

Vidarbha Biotech Lab
M/s Vidarbha Biotech Lab, 22/1, Datta Chowk, Near Sugrass
Factory Yavatmal Maharashtra 445001

Customer Care Details:

vidbio@rediffmail.com
07232-242333

Safety Pictograms:



Caution: Not to Be Used on Crops Other Than Specified on This Label/Leaflet "