

**Primary Package Label**

**[Ultra-small (1ml or gm to 50 ml or gm)] & [small (51 ml or gm to 250 ml or gm)]**

**Read leaflet before use:**

**Common Name:**

Pretilachlor 30.7% w/w EC

**BRAND NAME: -**

**Chemical Composition :**

**Content % w/w**

Fenclorim	Safener	7.67% w/w
Mixture of aromatic hydrocarbons	Solvents	Q.S.
Total		100 %
Pretilachlor a.i		30.70% w/w
Caster oil polyglycol ether 36-37	Emulsifying agents	7.00% w/w
Linear alkyl benzene sulfonic acid Calcium Salt	Emulsifying agent	5.0% w/w
<b>Total:</b>		<b>100.00%</b>

**Please refer leaflet for details**

**Antidote**

No specific antidote, symptomatic and supportive therapy

**Manufactured by**

Syngenta India Limited  
Syngenta India Limited, Amar Paradigm, S.No. 110/11/3, Baner Road, Pune- 411 045 Pune Maharashtra

**Premises Address**

**Pretilachlor 30.7% w/w EC**

Pretilachlor 30.7% w/w EC

**Selective Herbicide**

Pretilachlor 30.7% w/w EC



Pretilachlor 30.7% w/w EC

Keep out of reach of children.

Pretilachlor 30.7% w/w EC

Keep in cool, dry place away from heat and open flame.

Regn. No. \_\_\_\_\_

Mfg. Lic. No. \_\_\_\_\_

Batch No. \_\_\_\_\_

Mfg Date \_\_\_\_\_

Exp. Date \_\_\_\_\_

Net Content / Volume \_\_\_\_\_

Max. Retail Price \_\_\_\_\_

Customercare \_\_\_\_\_

Pretilachlor 30.7% w/w EC

(1). Syngenta India Limited, Santa Monica Works, Corlim, Ilhas,  
Goa  
Goa

(2). Unit II, Plot No. 155/1, GIDC Estate, Ankaleshwar, District-  
Bharuch, Gujarat  
Gujarat

(3). Plot No. 1, Swastik Ceramic Compound, AT & PO Sankarda,  
District Baroda, Gujarat  
Gujarat

(4). Village Nimbua, Tehsil Dera Bassi, District SAS Nagar  
(Mohali), Punjab . 140201.  
Punjab

**Customer Care Details**

Address: Syngenta India Limited, Amar Paradigm, S.No. 110/11/3,  
Baner Road, Pune- 411 045,  
Email: Rajesh.Dhawan@syngenta.com,  
Contact No: 011-71010212  
Website:www.syngenta.com

**Safety Pictograms:**



(1).

(2).

(3).

(4).

»—« ± μ . . . . .

© - ° - j x : o | 3 : μ ² x | Ž m² ° ° | ² Ž S.No. 110/11/3Ž ° - ° ° | Ž  
® Ž 411 045,  
p² μ - Rajesh.Dhawan@syngenta.com,  
Contact No: 011-71010212  
. ° ° p- www.syngenta.com

Secondary Package Label

[Ultra-small (1ml or gm to 50 ml or gm)] & [small (51 ml or gm to 250 ml or gm)]

**Read leaflet before use:**

**Common Name:**

Pretilachlor 30.7% w/w EC

**BRAND NAME: -**

**Crops and Pest Groups: pretilachlor 30.7% w/w ec or pretilachlor 30% w/v ec is a safe, nonphytotoxic and selective pre-emergence herbicide with excellent action against annual grasses, weeds and sedges.**

Dosage, Direction for use and Manner and time of application : Please refer leaflet for details

**Purpose:**

pretilachlor 30.7% w/w ec or pretilachlor 30% w/v ec is a safe, nonphytotoxic and selective pre-emergence herbicide with excellent action against annual grasses, weeds and sedges. it contains 307 g pretilachlor (2,6-diethyl-n-(2-propoxyethyl)-chloroacetanilide) per kg of emulsifiable concentrate (ec) formulation (w/w). this is equivalent to 300 g pretilachlor in a litre of product (w/v).

**Re-entry:**

do not enter treated areas for 24 hours after application.

**Chemical Composition :**

**Content % w/w**

Fenclorim	Safener	7.67% w/w
Mixture of aromatic hydrocarbons	Solvents	Q.S.
Total		100 %
Pretilachlor a.i		30.70% w/w
Caster oil polyglycol ether 36-37	Emulsifying agents	7.00% w/w
Linear alkyl benzene sulfonic acid Calcium Salt	Emulsifying agent	5.0% w/w

**Pretilachlor 30.7% w/w EC**

Pretilachlor 30.7% w/w EC

**Selective Herbicide**

Pretilachlor 30.7% w/w EC



Pretilachlor 30.7% w/w EC

Keep out of reach of children.

Pretilachlor 30.7% w/w EC

Keep in cool, dry place away from heat and open flame.

Regn. No. \_\_\_\_\_

Mfg. Lic. No. \_\_\_\_\_

Batch No. \_\_\_\_\_

Mfg Date \_\_\_\_\_

Exp. Date \_\_\_\_\_

Pretilachlor 30.7% w/w EC

Pretilachlor 30.7% w/w EC is a safe, nonphytotoxic and selective pre-emergence herbicide with excellent action against annual grasses, weeds and sedges. it contains 307 g pretilachlor (2,6-diethyl-n-(2-propoxyethyl)-chloroacetanilide) per kg of emulsifiable concentrate (ec) formulation (w/w). this is equivalent to 300 g pretilachlor in a litre of product (w/v).

Pretilachlor 30.7% w/w EC

Total: 100.00%

Safety Precautions, Symptom of Poisoning and First Aid :Please refer leaflet for details.

Antidote Statement:

No specific antidote, symptomatic and supportive therapy

Cautionary statement:

not to be used for any purpose other than those subscribed on labels & leaflets. Destroy the container after use as directed on leaflet. toxic to fish, aquatic organisms hence should not be used near water bodies, aquaculture or pisciculture.

**Manufactured by**

Syngenta India Limited  
Syngenta India Limited, Amar Paradigm, S.No. 110/11/3, Baner Road, Pune- 411 045 Pune Maharashtra

**Premises Address**

- (1). Syngenta India Limited, Santa Monica Works, Corlim, Ilhas, Goa  
Goa
- (2). Unit II, Plot No. 155/1, GIDC Estate, Ankaleshwar, District- Bharuch, Gujarat  
Gujarat
- (3). Plot No. 1, Swastik Ceramic Compound, AT & PO Sankarda, District Baroda, Gujarat  
Gujarat
- (4). Village Nimbua, Tehsil Dera Bassi, District SAS Nagar (Mohali), Punjab . A 40201.  
Punjab

**Customer Care Details**

Address: Syngenta India Limited, Amar Paradigm, S.No. 110/11/3, Baner Road, Pune- 411 045,  
Email: Rajesh.Dhawan@syngenta.com,  
Contact No: 011-71010212  
Website:www.syngenta.com

Safety Pictograms:



Net Content / Volume

Max. Retail Price

3 TM - TSSISS

—p' . . . . . 1 » ' | 1 - - » » Ž μ ¼ " — q@œ' —

TM œ — | ' ° » 3 — œ — f' — ' Q

o° ' ' @œ. ' — . — μ ° μ ' @' ' « 3 ' » w . . . . . m — ° ' ' o @2 μ ' — ' — m μ . . . . . mō3 ' q 3 ' 3 ' » @' o @2 μ ' — » — ' Q q @3 TM — ° « ' — μ ' | θ° — μ Ó μ π 2 ' « 3 ' TM8 ' — « , ' — m — ° ' — π ' — ' Q Ÿ μ 3 Ž i μ 3 ' j . . . . . μ w j » ' μ ' » ' o μ w j μ ' — 3 Ž i μ 3 ' — 1 ' — ' @° ' o @2 μ ' — » ' — ' œ » w Q

qñ® « —

@ ' ° — ' @œ .

(1).

(2).

(3).

(4).

» — « — ± μ . . . . .

@œ . . . . . μ 2 π Ž m2 ' ' @' ' | 2 Ž S.No. 110/11/3Ž — ' ' | Ž  
® Ž 411 045,

p2 μ - Rajesh.Dhawan@syngenta.com,  
Contact No: 011-71010212

. ° ° p www.syngenta.com

# Big Label

(> 250 mL Primary and Secondary Package Label)

**Read leaflet before use:**

**Common Name:**

Pretilachlor 30.7% w/w EC

**BRAND NAME: -**

**Crops and Pest Groups: pretilachlor 30.7% w/w ec or pretilachlor 30% w/v ec is a safe, nonphytotoxic and selective pre-emergence herbicide with excellent action against annual grasses, weeds and sedges.**

Dosage, Direction for use and Manner and time of application : Please refer leaflet for details

**Purpose:**

pretilachlor 30.7% w/w ec or pretilachlor 30% w/v ec is a safe, nonphytotoxic and selective pre-emergence herbicide with excellent action against annual grasses, weeds and sedges. it contains 307 g pretilachlor (2,6-diethyl-n-(2-propoxyethyl)-chloroacetanilide) per kg of emulsifiable concentrate (ec) formulation (w/w). this is equivalent to 300 g pretilachlor in a litre of product (w/v).

**Re-entry:**

do not enter treated areas for 24 hours after application.

**Chemical Composition :**

Chemical Composition :		Content % w/w
Fenclorim	Safener	7.67% w/w
Mixture of aromatic hydrocarbons	Solvents	Q.S.
Total		100 %
Pretilachlor a.i		30.70% w/w
Caster oil polyglycol ether 36-37	Emulsifying agents	7.00% w/w
Linear alkyl benzene sulfonic acid Calcium Salt	Emulsifying agent	5.0% w/w

**Pretilachlor 30.7% w/w EC**

Pretilachlor 30.7% w/w EC

**Selective Herbicide**

Pretilachlor 30.7% w/w EC



Pretilachlor 30.7% w/w EC

Keep out of reach of children.

Pretilachlor 30.7% w/w EC

Keep in cool, dry place away from heat and open flame.

Regn. No.	_____
Mfg. Lic. No.	_____
Batch No.	_____
Mfg Date	_____
Exp. Date	_____
Net Content / Volume	_____
Max. Retail Price	_____

Pretilachlor 30.7% w/w EC





(1). Syngenta India Limited, Santa Monica Works, Corlim, Ilhas,  
Goa  
Goa

(2). Unit II, Plot No. 155/1, GIDC Estate, Ankaleshwar, District-  
Bharuch, Gujarat  
Gujarat

(3). Plot No. 1, Swastik Ceramic Compound, AT & PO Sankarda,  
District Baroda, Gujarat  
Gujarat

(4). Village Nimbua, Tehsil Dera Bassi, District SAS Nagar (Mohali),  
Punjab . 140201.  
Punjab

(1).

(2).

(3).

(4).

### Customer Care Details

Address: Syngenta India Limited, Amar Paradigm, S.No. 110/11/3,  
Baner Road, Pune- 411 045,  
Email: Rajesh.Dhawan@syngenta.com,  
Contact No: 011-71010212  
Website:www.syngenta.com

»—'«~ ± μ' . . . ''

®© - ' ° - j μ ' o | 3 ' μ 2 μ | Ž m 2 ' ' ® ' | 2 Ž S.No. 110/11/3Ž ° - ' ' | Ž

®' Ž 411 045,

p 2 μ - ' Rajesh.Dhawan@syngenta.com,

Contact No: 011-71010212

. ° ° p μ - www.syngenta.com

### Safety Pictograms:









gñ®«-’@’°’-’

gñ®«—

»—«~ ± μ’ . . . ’’ -

. ° ° pñ-www.syngenta.com

° ¼’ œ’ μ ®-



Caution: Not to Be Used on Crops Other Than Specified on This Label/Leaflet

**Pretilachlor 30.7% w/w EC**

**( Selective Herbicide )**

Pretilachlor 30.7% w/w EC or Pretilachlor 30% w/v EC is a safe, nonphytotoxic and selective pre-emergence herbicide with excellent action against annual grasses, weeds and sedges. It contains 307 g Pretilachlor (2,6-diethyl-N-(2-propoxyethyl)-chloroacetanilide) per kg of emulsifiable concentrate (EC) formulation (w/w). This is equivalent to 300 g Pretilachlor in a Litre of product (w/v).

<b>Chemical Composition:</b>	<b>Ingredient</b>	<b>%W/W</b>
Caster oil polyglycol ether 36-37	Emulsifying agents	7.00% w/w
Fenclorim	Safener	7.67% w/w
Linear alkyl benzene sulfonic acid Calcium Salt	Emulsifying agent	5.0% w/w
Mixture of aromatic hydrocarbons	Solvents	Q.S.
Pretilachlor a.i		30.70% w/w
Total		100 %
<b>Total:</b>		<b>100.00% w/w</b>

**Recommendation**

<b>Crop(s)</b>	<b>Common Name of Pest</b>	<b>Dosage/HA</b>		<b>Dilution in Water L/ha</b>	<b>Crop Stage</b>	<b>Re-entry Period</b>	<b>Pre Harvest</b>	<b>Frequency</b>
		<b>AI g a.i./ha</b>	<b>Formulation ml/ha</b>					
Direct Seeded Rice Under puddled condition	Echinochloa crusgalli Echinochloa colona Cyperus difformis Cyperus iria	450-600	1500 - 2000	500	Apply as pre-emergence application within 3-7 days after sowing.	Do not enter treated areas for 24 hours after application.	110 days	Maximum number of applications is one.

**Note:-**

**Good Practices relating to pesticide application techniques**

**Direction of Use**

Measure out the required quantity of the product and mix it well with a small quantity of water. Add the remaining quantity of water as specified with thorough agitation. Adjust the quantity of product in proportion to the water required to cover a hectare and apply by a suitable sprayer. Avoid flooding the field up to 24 hours after application.

**Weather Condition(in general):**

Do not spray during the windy weather conditions or during hot hours of the day, if the foliage is wet or if rain is imminent. Spray strictly in the direction of wind to prevent prolonged or repeated exposure to the spray mist. Do not underdose or overdose by overlapping applications or ~~Soil & Water (where ever applicable):~~

This herbicide is applied as pre-emergence within 3-7 days after sowing. Do not contaminate water used for domestic purpose and water areas viz. ponds, ditches, lakes, drainage systems, etc, by disposal of product waste and do not allow direct over spray or spray drift of product on to these areas to avoid long term adverse effect in the aquatic environment.

**Crop Stage for application:**

Apply as pre-emergence application within 3-7 days after sowing.

**Application Technique**

Foliar application with knapsack sprayer

**Equipment Type:**

**knapsack sprayer**

**NozzleType:**

**Caution: Not to Be Used on Crops Other Than Specified on This Label/Leaflet "**

**flat fan flood nozzle.**

**Dosage:**

450-600 g ai/ha in 500 L of water

**Instruction for Mixing:**

Measure out the required quantity of the product and mix it well with a small quantity of water as specified with thorough agitation. Adjust the quantity of product in proportion to the water required to cover a hectare and apply by a suitable sprayer. Avoid flooding the field up to 24 hours after application.

**Re-entry Period**

Do not enter treated areas for 24 hours after application.

**Manner and Time of Application**

Apply as pre emergence application within 3-7 days after sowing using a knapsack sprayer fitted with flat fan flood nozzle. Avoid flooding the field up to 24 hours after application. Do not drain water from rice field after the application of this herbicide.

**Application Timing**

Apply as pre-emergence application within 3-7 days after sowing using a knapsack sprayer fitted with flat fan flood jet nozzle. Avoid flooding the field up to 24 hours after application. Do not drain water from rice field after the application of this herbicide.

**Frequency**

Maximum number of applications is one.

**Stages during which pesticides should not be applied on any crop :**

**Post emergence**

**Precautions to be taken to avoid harm to the beneficial insects like honey bees and natural enemies of pests :**

-

**Symptoms Of Poisoning**

headache, giddiness, nausea, vomiting, lethargy, nervousness

**First Aid**

If ingested: if person is conscious and alert, rinse mouth with water and give 1 or 2 glass of water to drink. Never give anything by mouth to an unconscious person. Call the doctor. Do not induce vomiting until and unless desired by attending physician.

If inhaled: Take the patient to fresh air and take care of body temperature. If patient is not breathing or breathing with difficulty, give artificial respiration, Consult a physician.

In case of skin contact: Wash thoroughly the affected part of body with soap and plenty of water including hairs and under fingernails. If pain, redness or irritation persists, consult a doctor. All contaminated clothes should be segregated and thoroughly washed with soap and water separately before use.

In case of eye contact: Rinse gently with plenty of water at least for 15 minutes. If pain, irritation, redness or photophobia persists. Consult eye specialist

**Antidote**

No specific antidote, symptomatic and supportive therapy

**Phytotoxicity**

The product is not phytotoxic, if applied at the recommended dose.

**Storage Conditions**

1. The packages containing the herbicide should be tightly closed, stored in original containers in separate rooms or premises away from the rooms or premises used for storing other articles particularly articles of food and animal feed or shall be kept in separate almirahs under lock and key, away from children, unauthorized persons and animals.
2. The rooms or premises meant for storing the herbicide shall be well built, dry, well lit and ventilated and of sufficient dimension to avoid contamination with vapor. Keep away from direct sunlight and damp.
3. Do not allow product to freeze.

**Caution: Not to Be Used on Crops Other Than Specified on This Label/Leaflet "**

**Safety Precaution:**

Do not use cooking utensils for preparing the spray solution. Use wooden stick for stirring the spray solution. Avoid contact with skin, eyes, mouth and clothing. Avoid inhalation of fog, vapors or spray mist. Wear protective clothing (full sleeve shirt and pants), chemical resistant gloves, mask, goggles, cap/hat and boots) while handling the product. Do not eat, drink or smoke while applying the product. Wash hands with soap and plenty of water and change clothes after the work is over. Avoid contamination of air and water bodies with the herbicide. Also wash the contaminated clothes before re-use. Newly treated areas must not be grazed and all livestock area is to be kept out until the treated area is dry. This product should not be applied (tank . Mix) with any other chemical. Do not blow nozzle with mouth. Do not spray crops under stress. If any indisposition occurs, stop the work, follow first aid measures and call a physician immediately. Spilt product must not be re-used. Remove heavily contaminated soil layer, collect up spilt material thoroughly and bury it in a safe place. Rinse spilt area with plenty of water. Run-off in to surface water to be avoided. In case of any sign of poisoning, immediately consult the doctor.

**Cautionary Statement:**

**not to be used for any purpose other than those subscribed on labels & leaflets. Destroy the container after use as directed on leaflet. toxic to fish, aquatic organisms hence should not be used near water bodies, aquaculture or pisciculture.**

**Disposal of used containers, washing from equipment and surplus material :**

1. It shall be the duty of manufactures, formulators of insecticides and operators to dispose packages or surplus material and washings in a safe manner so as to prevent environmental or water pollution.
2. The used packages shall not be left outside to prevent their re-use.
3. The packages shall be broken and buried away from habitation.

**Manufacturer Premises :**

Plot No. 1, Swastik Ceramic Compound, AT & PO Sankarda,  
District Baroda, Gujarat  
Maharashtra

Syngenta India Limited, Santa Monica Works, Corlim, Ilhas, Goa  
Maharashtra

Unit II, Plot No. 155/1, GIDC Estate, Ankaleshwar, District-  
Bharuch, Gujarat  
Maharashtra

Village Nimbua, Tehsil Dera Bassi, District SAS Nagar (Mohali),  
Punjab . 140201.  
Maharashtra

**Manufactured by**

Syngenta India Limited  
Syngenta India Limited, Amar Paradigm, S.No. 110/11/3, Baner  
Road, Pune- 411 045 Pune Maharashtra

**Customer Care Details:**

Website: [www.syngenta.com](http://www.syngenta.com)

**Safety Pictograms:**



**Caution: Not to Be Used on Crops Other Than Specified on This Label/Leaflet**