

Big Label

Read leaflet before use:

Common Name:

Pretilachlor Technical 96% w/w Minimum (For Import

BRAND NAME: -

Crops and Pest Groups: not applicable

Dosage:

please refer leaflet for details.

Direction for use:

please refer leaflet for details.

Manner and time of application:

not applicable

Purpose:

it is used for preparation of approved formulations of pretilachlor technical.

Re-entry:

not applicable

Chemical Composition :

Content % w/w

Pretilachlor Technical, Active Ingredient a. i.		96.00 w/w minimum
2,6-Diethyl-N-(2-hydroxyethyl)-aniline	Impurity	0.50 w/w maximum
2,6-Diethyl-Chloroacetanilide	Impurity	0.50 w/w maximum
2,6-Diethyl-N-(2-propoxyethyl)-N-propyl- aniline	Impurity	0.50 w/w maximum

Pretilachlor Technical 96% w/w Minimum (For Import

Pretilachlor Technical 96% w/w Minimum (For Import

Selective Herbicide

Pretilachlor Technical 96% w/w Minimum (For Import



Pretilachlor Technical 96% w/w Minimum (For Import

Keep out of reach of children.

Pretilachlor Technical 96% w/w Minimum (For Import

Keep in cool, dry place away from heat and open flame.

Regn. No.	_____
Mfg. Lic. No.	_____
Batch No.	_____
Mfg Date	_____
Exp. Date	_____
Net Content / Volume	_____
Max. Retail Price	_____

Pretilachlor Technical 96% w/w Minimum (For Import

Pretilachlor Technical 96% w/w Minimum (For Import

Pretilachlor Technical 96% w/w Minimum (For Import 96.00 w/w minimum

Pretilachlor Technical 96% w/w Minimum (For Import 0.50 w/w maximum

Pretilachlor Technical 96% w/w Minimum (For Import 0.50 w/w maximum

Pretilachlor Technical 96% w/w Minimum (For Import 0.50 w/w maximum

Pretilachlor Technical 96% w/w Minimum (For Import 0.50 w/w maximum

Pretilachlor Technical 96% w/w Minimum (For Import 0.50 w/w maximum

Pretilachlor Technical 96% w/w Minimum (For Import

(Selective Herbicide)

Pretilachlor Technical is a herbicide. It is used for preparation of approved formulations of Pretilachlor.

Chemical Composition:	Ingredient	%W/W
2,6-Diethyl-Chloroacetanilide	Impurity	0.50 w/w maximum
2,6-Diethyl-N-(2-chloroethyl)-Chloroacetanilide	Impurity	0.50 w/w maximum
2,6-Diethyl-N-(2-Hydroxyethyl)-Chloroacetanilide	Impurity	0.60 w/w maximum
2,6-Diethyl-N-(2-hydroxyethyl)-aniline	Impurity	0.50 w/w maximum
2,6-Diethyl-N-(2-propoxyethyl)-N-propyl-aniline	Impurity	0.50 w/w maximum
Pretilachlor Technical, a. i.	Active Ingredient	96.00 w/w minimum
Solvent (Toluene)	Impurity	0.90 w/w maximum
Triethyl-N-(2-propoxyethyl)- Chloroacetanilide	Impurity	0.50 w/w maximum
Total:		100.000% w/w

Good Practices relating to pesticide application techniques

Direction of Use

Not Applicable

Weather Condition(in general):

Not Applicable

Soil & Water(where ever applicable):

Not Applicable

Crop Stage for application:

Not Applicable

Application Technique

Not Applicable

Equipment Type:

not applicable

NozzleType:

not applicable

Dosage:

Not Applicable

Instruction for Mixing:

not applicable

Re-entry Period

Not Applicable

Caution: Not to Be Used on Crops Other Than Specified on This Label/Leaflet

Pre-Harvesting Interval

Not Applicable

Manner and Time of Application

not applicable

Application Timing

Not Applicable

Frequency

Not Applicable

Stages during which pesticides should not be applied on any crop :

not applicable

Precautions to be taken to avoid harm to the beneficial insects like honey bees and natural enemies of pests :

1Toxic for fish. Do not contaminate lakes,ponds and water bodies.

Symptoms Of Poisoning

Headache, lethargy, giddiness, nervousness, nausea, vomiting may occur, diarrhea, decrease in spontaneous movement, tremors, colonic convulsions and ruffled fur were observed.

First Aid

If ingested: If person is conscious and alert, rinse mouth with water and give 1 or 2 glasses of water to drink. Never give anything by mouth to an unconscious person. Call the doctor. Do not induce vomiting until and unless desired by attending physician.

If inhaled: Take the patient to fresh air and take care of body temperature. If patient is not breathing or breathing with difficulty, give artificial respiration preferably with mouth to mouth breathing. Consult a physician.

In case of skin contact: Wash thoroughly the affected part of the body with soap and plenty of water including hairs and under fingernails. If pain, redness or irritation persists, consult a doctor. All the contaminated clothes should be segregated and thoroughly washed with soap and water separately before use.

In case of eye contact: Rinse gently with plenty of water for at least 15 minutes. If pain, irritation, redness or photophobia persists, consult eye specialist.

Antidote

No specific antidote is known. Give symptomatic and supportive treatment.

Phytotoxicity

Not Applicable

Safety Precaution:

keep away from foodstuffs, empty foodstuff containers and animals feed. avoid contact with mouth, eyes and skin and avoid inhalation of the insecticide. wash thoroughly the contaminated clothes and part of the body after handling. do not smoke, drink, eat and chew anything while handling. wear full protective clothing while handling. do not discharge into lakes, streams, ponds and water bodies.

Storage Conditions

1. Store in a cool and dry place. Room used for storage must be well built and ventilated and of sufficient dimensions to avoid contamination with vapour.
2. Store the herbicide in its original pack away from the reach of children, irresponsible persons and animals in a separate room under lock and key.
3. Animal feed should not be stored in room where the herbicide is stored.
4. Do not use open fire/flare in the place of storage

Cautionary Statement:

Caution: Not to Be Used on Crops Other Than Specified on This Label/Leaflet "

keep away from heat and open flame

keep out of reach of children

if swallowed or symptoms of poisoning occurs call the physician immediately.

¡ dangerous to re-use empty containers.

¡ destroy the container after use as directed on leaflet.

¡ not to be used for any purpose other than those subscribed on label and leaflets.

¡ pretilachlor is irritant to skin and eye. hence, contact to skin and eye should be avoided.

Toxic for fish. Do not contaminate lakes, ponds and water bodies.

Disposal of used containers, washing from equipment and surplus material :

1. It shall be the duty of manufactures, formulators of insecticides and operators to dispose packages or surplus material and washings in a safe manner so as to prevent environmental or water pollution.
2. The used packages shall not be left outside to prevent their re-use.
3. The packages shall be broken and buried away from habitation.

Manufacturer Premises :

Willowood Chemicals Pvt. Ltd. Plot No. 69 / P, Village Manjusar,
Taluka Salvi District Vadodara PIN391 775
West Bangal

Imported and Repacked by

Willowood Chemicals Pvt. Ltd.
12 / 1, Nellie Sengupta Sarani Kolkatta - 700 087 Kolkatta West
Bangal 700087

Customer Care Details

-

Safety Pictograms:



Caution: ¡ Not to Be Used on Crops Other Than Specified on This Label/Leaflet ¡