

2,6-Diethyl-N-(2-Hydroxyethyl)-Chloroacetanilide	0.60 Max.
Triethyl-N-(2-Propoxyethyl)-Chloroacetanilide	0.048 Max.
2,6-Diethyl-N-(2-Chloroethyl)-Chloroacetanilide	0.50 Max.
Toluene	0.90 Max.
Total	100.00 %
Total: 100.00 %	

0.50 Max.
0.50 Max.
0.60 Max.
0.048 Max.
0.50 Max.
0.90 Max.
100.00 %
TSSISS

Safety Precautions:

1keep away from foodstuffs, empty foodstuff containers and animals feed. avoid contact with mouth, eyes and skin and avoid inhalation of the insecticide. wash thoroughly the contaminated clothes and part of the body after handling. do not smoke, drink, eat and chew anything while handling. wear full protective clothing while handling. do not discharge into lakes, streams, ponds and water bodies.

Symptom of Poisoning:

symptoms such as diarrhea decrease in spontaneous movements, tremors, clonic convulsions and ruffled may be observed. irritation to eyes. skin. may cause sensitization by skin contact. harmful if swallowed.

First Aid:

eye contact: rinse eyes with plenty of clean water for several minutes and immediately call a physician. ingestion: repeatedly administer medicinal charcoal in a large quantity of water. never give anything by mouth to an unconscious person. do not induce vomiting. skin contact: remove contaminated clothing and thoroughly wash the affected parts of the body with soap and water, including hair and under fingernails. inhalation: remove the affected person from the danger zone to a well-ventilated room or to fresh air, and protect from under cooling. get medical attention.

\$! - 2 Ž - 2 - - μ ° © | | © { - - œ ° ° « - - -
 Q » Ž ñ œ | - - - ° @ - - - ° œ³ Q 3 TM - - - - ° « « 1 © - - -
 | - - - - m™ - - - mçÿ ° © » - - vQ 3 TM - - - ° 2 3 - - - @ - Ž - - Ž
 @ - - | - - -ÿ ° œ - - - » ° œ » vQ 3 TM - - - ° 2 3 - - - @ ° ¼ ñ² - - - @ | à
 ® - - - Q ° ° ç μ Ž - «³ Ž ® - - - | - - - μ - - - 3 - - - » ° - - - œ » vQ

Pretilachlor Technical 98% w/w Min.

(Selective Herbicide)

Pretilachlor technical grade material is meant for making formulation of products containing reduced concentration.

Chemical Composition:	Ingredient	%W/W
2,6-Diethyl-Chloroacetanilide		0.50 Max.
2,6-Diethyl-N-(2-Chloroethyl)-Chloroacetanilide		0.50 Max.
2,6-Diethyl-N-(2-hydroxyethyl)-aniline		0.50 Max.
2,6-Diethyl-N-(2-Hydroxyethyl)-Chloroacetanilide		0.60 Max.
2,6-Diethyl-N-(2-Propoxyethyl)-N-propyl-aniline		0.50 Max.
Pretilachlor	a.i.	98.00 Min.
Toluene		0.90 Max.
Total		100.00 %
Triethyl-N-(2-Propoxyethyl)-Chloroacetanilide		0.048 Max.
Total:		100.000% w/w

Good Practices relating to pesticide application techniques

Direction of Use

Not applicable

Weather Condition(in general):

Not applicable

Soil & Water(where ever applicable):

Not applicable

Crop Stage for application:

Not applicable

Application Technique

Not applicable

Equipment Type:

Not applicable

NozzleType:

Not applicable

Dosage:

Instruction for Mixing:

Not applicable

Re-entry Period

Not applicable

Caution: Not to Be Used on Crops Other Than Specified on This Label/Leaflet

Pre-Harvesting Interval

Not applicable

Manner and Time of Application

Not applicable

Application Timing

Not applicable

Frequency

Not applicable

Stages during which pesticides should not be applied on any crop :

Not applicable

Precautions to be taken to avoid harm to the beneficial insects like honey bees and natural enemies of pests :

Toxic for fish. Do not contaminate lakes, ponds and water bodies.

Symptoms Of Poisoning

symptoms such as diarrhea decrease in spontaneous movements, tumors, clinic convulsions and ruffled for were observed. Irritation to eyes, skin. May cause sensitization by skin contact. Harmful if swallowed.

First Aid

Eye Contact: Rinse eyes with plenty of clean water for several minutes and immediately call a physician. Ingestion: Repeatedly administer medicinal charcoal in a large quantity of water. Never give anything by mouth to an unconscious person. Do not induce vomiting. Skin Contact: Remove contaminated clothing and thoroughly wash the affected parts of the body with soap and water, including hair and under fingernails. Inhalation: Remove the affected person from the danger zone to a well-ventilated room or to fresh air, and protect from under cooling. Get medical attention.

Antidote

No specific antidote is known. Give symptomatic and supportive treatment.

Phytotoxicity

Not applicable

Safety Precaution:

keep away from foodstuffs, empty foodstuff containers and animals feed. avoid contact with mouth, eyes and skin and avoid inhalation of the insecticide. wash thoroughly the contaminated clothes and part of the body after handling. do not smoke, drink, eat and chew anything while handling. wear full protective clothing while handling. do not discharge into lakes, streams, ponds and water bodies.

Storage Conditions

Store the product in closed original containers, Protect from light and humidity. Store separately from feed, food and stimulants

Cautionary Statement:

not to be used for any other purpose other than those subscribed on label and leaflets.

1.Toxic for fish. Do not contaminate lakes, ponds and water bodies.

Disposal of used containers, washing from equipment and surplus material :

1. It shall be the duty of manufactures, formulators of insecticides and operators to dispose packages or surplus material and washings in a safe manner so as to prevent environmental or water pollution.
2. The used packages shall not be left outside to prevent their re-use.
3. The packages shall be broken and buried away from habitation.

Imported and Repacked by

Caution: Not to Be Used on Crops Other Than Specified on This Label/Leaflet

Manufacturer Premises :

Mahamaya Lifesciences Pvt. Ltd., Plot No. D-3/91 and D-3/92,
Dahej Industrial Estate, Pin Code-392130, District- Bharuch,
Gujarat
Delhi

Survey No. 216/1 & 216/2, Village: Chandrapura Tal: Halol, Dist.
Panchmahal, Gujarat, Pin-389 350
Delhi

MAHAMAYA LIFESCIENCES PVT. LTD.
E-20 1st & 2nd Floor Hauz Khas NEW DELHI Delhi 110019

Customer Care Details

-

Safety Pictograms:



Caution: Not to Be Used on Crops Other Than Specified on This Label/Leaflet