

Antidote Statement:

no specific antidote known. treat symptomatically and give supportive therapy.

Cautionary statement:

1. Suspected of damaging the unborn child and may damage fertility.
2. Both Prochloraz and Tebuconazole are toxic to aquatic organisms including fish.
3. Pregnant women should avoid contact with the product.
4. Not to be used for any other purpose other than subscribed on label and leaflets.
5. Destroy container after use as directed on leaflet.

Manufactured by

PO Box 60, Industrial Zone, Beer Sheva, 84100, Israel.

Supplied by

Imported and Repacked by

ADAMA India Pvt. Ltd.
Plot No: DS-13, IKP Knowledge Park, Sy. No. 542/2, Genome Valley, Turkapally, Shameerpet, Ranga Reddy District Hyderabad Hyderabad Telangana 500078


Premises Address

- (1). Plot No. 227/1, GIDC Estate, Panoli-394116, Gujarat State. Gujarat
- (2). D-II/CH/1, G.I.D.C. Estate, Dahej, Tal. Vagra, Dist. Baruch, Gujarat-392130 Gujarat
- (3). Plot No 905 , GIDC Estate, Ankleshwar Gujarat
- (4). 228, G.I.D.C. Estate, Panoli, Ankleshwar, Bharuch - 394 116, Gujarat State Gujarat

Customer Care Details

Net Content / Volume

Max. Retail Price



—p . . , . . 1 - , — -> Q μ ¼ " — om j i — | " ° » 3 — œ — f° ' « Q

1! m j o 2 ° çœ — ' ¼ © ' ® œ — ' ° ° ' © ' ° ' i — , μ © — ' ± . © — ' ° — © ' » Q

2! â μ ' i ' ° ' ° — — j μ ' « — ' 2 Ÿ μ ' ° » © ' j μ œ ' — ' μ w . ' 1 μ ' » Q

3! ™ ± | © ' 2 » μ { ' — ° ® — ' ° œ — ' œ » w Q

4! μ ° μ | ' ° ' ° œ ' ° ' i ' m ± « ' » Ž q ° ° ' ± ð — ' 3 j — ' 2 p ' q ® ™ — ' μ w — » Q ' °

5! ® œ ' ® ' — « | œ ' q y μ — ' m — ° ' 3 ™ — ' ° « ' — œ — ' fi | ø ' fl — ' — œ — ' » « Q

qñ® « —

m « 2 ' 2 ° © , 2 ' μ 2 œ |

® { ' ° â ° ' Y S Ž | 3 ™ — ' ¼ Ž ° 3 ' ' , Ž [W S S Ž o ° ' o μ Q

® © ' — © †

n 3 © | ' ° @ — ® — ™ — © †

500078

® ' ° ' — ' ® © —

(1).

(2).

(3).

(4).

» — « ' ± μ ' . . ' °

-

Safety Pictograms:



ADAMA India Pvt. Ltd.
Plot No: DS-13, IKP Knowledge Park, Sy. No. 542/2, Genome
Valley, Turkapally, Shameerpet, Ranga Reddy District Hyderabad
Hyderabad Telangana 500078

© 2022 ADAMA India Pvt. Ltd.
All rights reserved. No part of this document may be reproduced, stored in a retrieval system, or transmitted in any form or by any means, electronic, mechanical, photocopying, recording, or otherwise, without the prior written permission of ADAMA India Pvt. Ltd.

ADAMA India Pvt. Ltd.

500078

Premises Address

(1). Plot No. 227/1, GIDC Estate, Panoli-394116, Gujarat State.
Gujarat

(2). D-II/CH/1, G.I.D.C. Estate, Dahej, Tal. Vagra, Dist. Baruch,
Gujarat-392130
Gujarat

(3). Plot No 905 , GIDC Estate, Anklehswar
Gujarat

(4). 228, G.I.D.C. Estate, Panoli,Anklehswar, Bharuch - 394 116,
Gujarat State
Gujarat

© 2022 ADAMA India Pvt. Ltd.

(1).

(2).

(3).

(4).

Customer Care Details

-

ADAMA India Pvt. Ltd.

-

Safety Pictograms:



âµ Á UWW Á µ TUIT ± ± p|ø³

fll « - fl

âµ Á UWW Á µ TUIT ± ± p|ø³ µ³ —, ² w-w² y, -Z @µ » i ² œ — µ² µ | -Z | ³ — | µ ± · »Q³ » Ó² µ, -
 âµ Á UYZ Á µ TVIV ± ± p|ø³ n — ° ¼ »Q

° 3 — ° œ

Už wª µªâ° µ ± y Ó -œµ vµt µâµ-w°	W!UW w/w
— µ µ wªª Á µ p YS p{	TWZZ w/w
wªª œ ° ³ — µ	S\U w/w
âµ Á	UWW w/w
° ² ³ âµ µ yÓ —	VI\ w/w
² « i µ	TIV[w/w
µ — Á µ	TUIT w/w
—µ	TSS w/w

³ TM - TSSISS ± ±

° µ	— µ — ²	° »â³ ²		µ	° µ mª	@ — µ	@ l ° µ	n .
		° ° ñ ²	° œ ² µ					
² œ	µ ° Ê -Z ³ — Z © «	UYZI TW	TSSS	XSS	µ — @ ° œ ° TM — qª a © — ° ² ³ Q	UWSª	Xª « —	UžV Y Ê — Oª µ — ° TM — n — ° Q

Note:-

qª³ TM — µw -«

âµ Á UWW Á µ TUIT ± ± p|ø³ª³ ² © ° ³ — ² — ® — ² ® µ — ² XSS µªª »â³ ° — ® —
 ³ ° — Q

² ° ² —ª a ©

² ° ² — m — µªª °ªª °ª³ — « — qª³ TM — ³ i — œ »wªª ©ªª © — µªª, { — « — ° ©² µ — Q

² µ | ° —

»y — ° ± ² µªª — µvQ Y Ê — µwªª — ° — ° ©² µ — Q

° µ mª

µ — @ ° œ | ° TM — qªª a © — ° ² ³ Q

n . « — © —

— ® — ³ — ² « — ° — µ³ — Q

Caution: í Not to Be Used on Crops Other Than Specified on This Label/Leaflet í

Prochloraz 24.4% Tebuconazole 12.1% w/w EW

(Fungicide)

Prochloraz 24.4% + Tebuconazole 12.1% w/w EW is a Emulsion, oil in water fungicide effective for control of Fruit rot, Die back and Powdery mildew in Chilli crop. This formulation is equivalent to Prochloraz 26.7% + Tebuconazole 13.3% w/v EW basis.

Chemical Composition:	Ingredient	%W/W
	2-ethylhexylester of natural L +Lactic Acid	41.24 % w/w
	Castor oil exthoxylated 60EO	14.77 % w/w
	Epoxidized soybean oil	0.92 % w/w
	Prochloraz	24.4 % w/w
	Sodium dioctyl sulphosuccinate	3.69 % w/w
	Soft water	1.38 % w/w
	Tebuconazole	12.1 % w/w
	Total	100 % w/w
Total:		100.00% w/w

Recommendation

Crop(s)	Common Name of Pest	Dosage/HA		Dilution in Water Liter	Crop Stage	Re-entry Period	Pre Harvest	Frequency
		AI Grams	Formulation ML					
Chilli	Fruit rot, Dieback, Powdery mildew	267+133	1000	500	Vegetative stage and at the time of appearance of disease.	24 hours	5	2-3 sprays based on disease infestation.

Note:-

Good Practices relating to pesticide application techniques

Direction of Use

The required quantity of ready mix chemical Prochloraz 24.4% + Tebuconazole 12.1% w/w EW need to be diluted in water and sprayed by using knapsack sprayer with spray volume @ 500 l/ha.

Weather Condition(in general):

Should be used during favorable weather conditions and should not be used during extreme weather conditions.

Soil & Water(when ever applicable):

Light to heavy soil. Clean water to be used for spray.

Crop Stage for application:

Vegetative stage and at the time of appearance of disease.

Application Technique

Foliar application with the help of Knapsack sprayer.

Equipment Type:

Knapsack sprayer.

NozzleType:

Caution: Not to Be Used on Crops Other Than Specified on This Label/Leaflet "

Hollow cone nozzle.

Dosage:

Please refer recommendation table.

Instruction for Mixing:

Thoroughly mix the recommended quantity of formulation into the water volume recommended for unit area

Re-entry Period

24 hours

Manner and Time of Application

To be applied preventively and to be repeated at 15 days interval depending upon prevailing weather conditions and disease pressure.

Application Timing

Should be used preferably in early morning or evening hours

Frequency

2-3 sprays based on disease infestation.

Stages during which pesticides should not be applied on any crop :

Not to be applied during crop maturity and just before crop harvest.

Precautions to be taken to avoid harm to the beneficial insects like honey bees and natural enemies of pests :

1. toxic for fish and other aquatic animals. Therefore, should not be used near aquaculture.
2. Toxic for bees. Therefore, should not be used during active foraging period of bees.
3. The risk of harm to the unborn baby and can affect fertility. Contact with pregnant women should be avoided.

Symptoms Of Poisoning

Weakness, Fatigue, Dyspnea & Irritating to eyes may cause.

First Aid

If ingested: If person is conscious and alert, rinse mouth with water and give 1 or 2 glass of water to drink. Never give anything by mouth to an unconscious person. Call the doctor. Do not induced vomiting until and unless desired by attending Physician. If Inhaled: Take the patient to fresh air and take care of the body temperature. If patient is not breathing or breathing with difficulty, give artificial respiration, preferably with mouth to mouth breathing. Consult a physician. In case of skin contact: Wash thoroughly the affected part of body with soap and plenty of water including hairs and under fingernails. If pain, redness or irritation persists, consult a doctor. All the contaminated clothes should be segregated and thoroughly washed with soap and water separately before use. In case of Eye contact: Rinse gently with plenty of water at least for 15 minutes. If pain, irritation, redness or photophobia persist. Consult eye specialist.

Antidote

No specific antidote known. Treat symptomatically and give supportive therapy.

Phytotoxicity

Non phytotoxic when used as recommended.

Storage Conditions

Keep locked up Keep container tightly closed. Keep only in the original container in a cool, well ventilated place. Keep at temperature not exceeding 50 °C .

Safety Precaution:

Caution: Not to Be Used on Crops Other Than Specified on This Label/Leaflet "

Keep away from foodstuffs, empty foodstuffs containers and animals food.
Avoid contact with mouth, eyes and skin. Avoid inhalation the spray mist. Spray in the direction of wind. Wear protective clothing like apron, gloves, face shield and boot while mixing and spraying. Wash thoroughly the contaminated clothes and parts of the body after spraying. Do not smoke, drink, eat and chew anything while spraying. Wash the affected areas before eating, drinking or smoking. Avoid contamination of environment and water.
SUSPECTED OF DAMAGING UNBORN CHILD AND MAY DAMAGE FERTILITY. PREGNANT WOMEN SHOULD AVOID CONTACT WITH THIS FORMULATION.

Cautionary Statement:

- 1. "Suspected of damaging the unborn child and may damage fertility"**
- 2. Both Prochloraz and Tebuconazole are toxic to aquatic organisms including fish "**
- 3. Pregnant women should avoid contact with the product.**
- 4. Not to be used for any other purpose other than subscribed on label and leaflets.**
- 5. Destroy container after use as directed on leaflet.**

Disposal of used containers, washing from equipment and surplus material :

1. It shall be the duty of manufacturers, formulators of insecticides and operators to dispose packages or surplus materials and washing in a safe manner so as to prevent environmental or water pollution. 2. The used packages shall not be left outside to prevent their re-use. 3. The packages shall be broken and buried away from habitation.

Manufacturer Premises :

228, G.I.D.C. Estate, Panoli, Ankleshwar, Bharuch - 394 116,
Gujarat State
Telangana

D-II/CH/1, G.I.D.C. Estate, Dahej, Tal. Vagra, Dist. Baruch,
Gujarat-392130
Telangana

Plot No 905 , GIDC Estate, Ankleshwar
Telangana

Plot No. 227/1, GIDC Estate, Panoli-394116, Gujarat State.
Telangana

Imported and Repacked by

ADAMA India Pvt. Ltd.
Plot No: DS-13, IKP Knowledge Park, Sy. No. 542/2, Genome
Valley, Turkapally, Shameerpet, Ranga Reddy District Hyderabad
Telangana 500078

Customer Care Details:

Safety Pictograms:



Caution: "Not to Be Used on Crops Other Than Specified on This Label/Leaflet"