

Primary Package Label

[Ultra-small (1ml or gm to 50 ml or gm)] & [small (51 ml or gm to 250 ml or gm)]

Read leaflet before use:

Common Name:

Pyridaben 20% WP

BRAND NAME: -

Chemical Composition :

Content % w/w

| | | |
|--|------|---------|
| Pyridaben | a.i. | 20.00 % |
| Mixture of silicon dioxide and surfactant | | 3.00 % |
| Sodium Lignosulfonate | | 2.00 % |
| Inorganic Mineral clay (Aluminum Silicate Hydroxide) | | QS |

Total: 100.00%

Please refer leaflet for details

Antidote

no specific antidote is known. treat symptomatically.

Manufactured by

103-0023, ?????
5-1, Nihonbashi, 2-Chome Chuo-ku, Tokyo 103-6119, Japan

Supplied by

Nissei Corporation
Nihonbashi-Honcho, 1-Chome, Chou-ku, Tokyo, 103-0023, Japan.

Imported and Repacked by

Godrej Agrovet Limited
PIROJSHANAGAR, EASTERN EXPRESS HIGHWAY, VIKHROLI (E), MUMBAI - 400 079 MUMBAI Maharashtra 400079

Premises Address

Pyridaben 20% WP

3 1 0 - % # 1 0 3 1

Contact Insecticide

3 1 0 - % # 1 0 3 1



Keep out of reach of children.

Keep in cool, dry place away from heat and open flame.

Keep in cool, dry place away from heat and open flame.

Keep in cool, dry place away from heat and open flame.

Regn. No. _____

Mfg. Lic. No. _____

Batch No. _____

Mfg Date _____

Exp. Date _____

Net Content / Volume _____

Max. Retail Price _____

Customercare _____

Pyridaben 20% WP

Contact Insecticide

Blue

3 1 0 - % # 1 0 3 1

Pyridaben 20.00 %

Mixture of silicon dioxide and surfactant 3.00 %

Sodium Lignosulfonate 2.00 %

Inorganic Mineral clay (Aluminum Silicate Hydroxide) QS

Total: 100.00%

3 1 0 - % # 1 0 3 1

Keep out of reach of children.

Keep in cool, dry place away from heat and open flame.

3 1 0 - % # 1 0 3 1

Blue

Pyridaben 20.00 %

Mixture of silicon dioxide and surfactant 3.00 %

Sodium Lignosulfonate 2.00 %

Inorganic Mineral clay (Aluminum Silicate Hydroxide) QS

Total: 100.00%

3 1 0 - % # 1 0 3 1

Keep out of reach of children.

400079

3 1 0 - % # 1 0 3 1

(1). E-24, M.I.D.C. Lote Parshuram, Tal. Khed, Dist. Ratnagiri, Pin-415722, Maharashtra, India.
Maharashtra

(2). Lane No.7, Industrial Growth Centre, Samba, Jammu . Á 184121, Jammu and Kashmir, India.
Jammu & Kashmir

Customer Care Details

Address: Godrej Agrovet Limited, PIROJSHANAGAR, EASTERN EXPRESS HIGHWAY, VIKHROLI(E), MUMBAI -400 079,
Contact no 022-25188010,
Email: sushil.gather@godrejagrovet.com

Safety Pictograms:



(1). ?-24, ???.???.???. ????? ????????, ????. ???, ??????. ????????, ???-415722, ??????????, ?????.

(2). ??? ???. 7, ????????????? ????? ??????, ??????, ??????-184121, ????? ?? ??????, ?????.

»—« ± μ · · · »

Address: ™« 'j 'q@± â© 'qñ« ' μ ² ¢|
™« 'j '· -Ž œª '² j μ Ž ®' j -™' Ž w ©-I wâ° ° ' » p. Ž · ' μ ' f® fl
Contact no 022-25188010,
Email: sushil.gather@godrejagrovet.com

— 3 ' —® ' ° —

—» —° ° ' . Ā œž 1 ' œ² ž œr ' . Ā—ž ĩ ā³ ' 103 -0023ž ĩ ® —

ĥ 3 © ' | ' ' ® —™' —© †

400079

® ' ° ' —' ®© —

(1). ?-24, ??,??,??,??, ??? ???? ???? , ???, ???, ????. ????????, ???-415722, ??????????, ????

(2). ??? ??, 7, ?????????? ????? ?????, ?????, ?????-184121, ????? ?? ??????, ????

»—'«— ± μ ' . ' "

Address: ™« ' ĩ ' q®± ā© ' qñ®« ' μ ² ĩ|

™« ' ĩ ' . —ž œā ' ² ĩ μž ®' ĩ —™'ž w ©—† vā° ° ' » p. ž . ' ' μ '

f® fl

Contact no 022-25188010,

Email: sushil.gather@godrejagrovet.com

Premises Address

(1). E-24, M.I.D.C. Lote Parshuram, Tal. Khed, Dist. Ratnagiri, Pin-415722, Maharashtra, India. Maharashtra

(2). Lane No.7, Industrial Growth Centre, Samba, Jammu . Ā84121, Jammu and Kashmir, India. Jammu & Kashmir

Customer Care Details

Address: Godrej Agrovet Limited, PIROJSHANAGAR, EASTERN EXPRESS HIGHWAY, VIKHROLI(E), MUMBAI -400 079, Contact no 022-25188010, Email: sushil.gather@godrejagrovet.com

Safety Pictograms:



Pyridaben 20% WP

(Contact Insecticide)

Pyridaben 20 % WP is a novel insecticide/ acaricide. It is recommended for controlling yellow mites on chilli, red spider mites on Tea and white flies on cotton.

| Chemical Composition: | Ingredient | %W/W |
|--|-------------------|--------------------|
| Inorganic Mineral clay (Aluminum Silicate Hydroxide) | | QS |
| Mixture of silicon dioxide and surfactant | | 3.00 % |
| Pyridaben | a.i. | 20.00 % |
| Sodium Lignosulfonate | | 2.00 % |
| Total: | | 100.00% w/w |

Recommendation

| Crop(s) | Common Name of Pest | Dosage/HA | | Dilution in Water Liter | Crop Stage | Re-entry Period | Pre Harvest | Frequency |
|----------------|----------------------------|------------------|-----------------------|--------------------------------|-------------------|------------------------|--------------------|------------------|
| | | AI gm | Formulation gm | | | | | |
| Cotton | Whitefly | 100 | 500 | 500 | - | - | 28 | - |
| Tea | Red spider mite | 100 | 500 | 500 | - | - | 5 | - |

Note:-

Good Practices relating to pesticide application techniques

Direction of Use

Mix thoroughly the recommended quantity of the product and mix it well with small quantity of water. Add the remaining quantity of water as specified through agitation for total coverage of crop with suitable sprayer.

Weather Condition(in general):

Weather should be clear, calm, no rains and no strong winds. Avoid applications hot weather and moisture stress conditions.

Soil & Water(whenever applicable):

No specific soil conditions are prescribed. Clean water to be used for spray.

Crop Stage for application:

-

Application Technique

Should be applied as foliar spray

Equipment Type:

Knapsack sprayer, Taiwan sprayer and foot sprayer

NozzleType:

=

Dosage:

Chillies: 75 . 100 gm a.i. /ha (375- 500 ml/ha formulation), Cotton & Tea: 100 gm a.i. /ha (500 ml/ha formulation).

Instruction for Mixing:

-

Caution: Not to Be Used on Crops Other Than Specified on This Label/Leaflet

Re-entry Period

-

Manner and Time of Application

Avoid application in afternoon hours. Ideal timing for application is morning and evening hours. Do not spray against wind

Application Timing

No restriction. Avoid application under high wind, before rain.

Frequency

-

Stages during which pesticides should not be applied on any crop :

=

Precautions to be taken to avoid harm to the beneficial insects like honey bees and natural enemies of pests :

do not spray during active bee-foraging period of the day.

Toxic to fish and aquatic animals, hence, should not be used near aquaculture.

Symptoms Of Poisoning

The early symptoms may be combination of nausea, vomiting. When inhaled as fine dust it may be irritating to be bronchial tubes and lung tissues.

First Aid

If ingested: If person is conscious and alert, rinse mouth with water and give 1 or 2 glass of water to drink. Never give anything by mouth to an unconscious person. Call the doctor. Do not induced vomiting until and unless desired by attending physician.

If inhaled: Take the patient to fresh air and take care of body temperature. If patient is not breathing or breathing with difficulty, give artificial respiration, preferably with mouth to mouth breathing. Consult a physician.

In case of skin contact: Wash thoroughly the affected part of body with soap and plenty of water including hairs and under fingernails. If pain, redness or irritation persists, consult a doctor. All the contaminated clothes should be segregated and thoroughly washed with soap and water separately before use.

In case of eye contact: Rinse gently with plenty of water at least for 15 minutes. If pain, irritation, redness or photophobia persists. Consult eye specialist.

Antidote

No specific antidote is known, treat symptomatically.

Phytotoxicity

Pyridaben 20% WP is not phytotoxic at recommended dosage.

Storage Conditions

1. The packages containing the insecticides should be stored in original containers in separate rooms or premises away from the rooms or premises used for storing other articles, particularly, articles of food or shall be kept in separate almirahs under lock and key depending upon the quality and nature.

2. The rooms or premises meant for storing the insecticide shall be well built, dry, well-lit, ventilated and of sufficient dimensions so as to avoid contamination with vapors.

Safety Precaution:

1. Keep away from foodstuffs, empty foodstuff containers and animals feed
2. Avoid contact with mouth, eyes, and skin.
3. Avoid inhaling the insecticide spray mist.
4. Wear full protective clothing, while handling.
5. Wash thoroughly the contaminated clothes and body parts after handling.
6. Do not eat, drink or smoke while applying.

Cautionary Statement:

Caution: Not to Be Used on Crops Other Than Specified on This Label/Leaflet "

not to be used on crops other than mentioned on this label leaflets. not to be used for post-harvest applications. hazards to humans and domestic animals. pyridaben is toxic to fish and as such may not be used in and around aquaculture. the molecule is highly toxic to honey bee and as such may not be applied during active foraging of bees. destroy the container after use as directed on leaflet. dangerous to use the empty container.

Disposal of used containers, washing from equipment and surplus material :

1. It shall be the duty of manufactures, formulators of insecticides and operators to dispose packages or surplus material and washings in a safe manner so as to prevent environmental or water pollution.
2. The used packages shall not be left outside to prevent their re-use.
3. The packages shall be broken and buried away from habitation.

Manufacturer Premises :

E-24, M.I.D.C. Lote Parshuram, Tal. Khed, Dist. Ratnagiri, Pin-415722, Maharashtra, India.
Maharashtra

Lane No.7, Industrial Growth Centre, Samba, Jammu . 184121,
Jammu and Kashmir, India.
Maharashtra

Imported and Repacked by

Godrej Agrovet Limited
PIROJSHANAGAR, EASTERN EXPRESS HIGHWAY, VIKHROLI
(E), MUMBAI - 400 079 MUMBAI Maharashtra 400079

Customer Care Details:

Address: Godrej Agrovet Limited, PIROJSHANAGAR, EASTERN EXPRESS HIGHWAY, VIKHROLI(E), MUMBAI -400 079,
Contact no 022-25188010,
Email: sushil.gather@godrejagrovvet.com

Safety Pictograms:



Caution: Not to Be Used on Crops Other Than Specified on This Label/Leaflet