

Primary Package Label

[Ultra-small (1ml or gm to 50 ml or gm)] & [small (51 ml or gm to 250 ml or gm)]

Read leaflet before use:

Common Name:

Pyroxasulfone 85% WG

BRAND NAME: -

Chemical Composition :

Content % w/w

Alkyl naphthalene sulfonic acid formalin condensate sodium salt	Impurity	3.00 % w/w
Lignin Sulfonic acid sodium	Impurity	8.00 % w/w
Diatomaceous earth	Impurity	QS % w/w
Total		100.00 % w/w
Pyroxasulfone a.i.	Active Ingredient	85.00 % w/w
Polyoxyethylene arylphenyl ether	Impurity	1.00 % w/w
Total:		100.00%

Please refer leaflet for details

Antidote

no specific antidote is known. treat symptomatically.

Manufactured by

Kumiai Chemical Industry Co. Ltd., 4-26, Ikenohata 1-Chome, Taitoh-Ku, Tokyo-110-8782, Japan

Supplied by

Imported and Repacked by

P I Industries Ltd
Udaisagar Road, Udaipur-313 001 Udaipur Rajasthan
313001

Pyroxasulfone 85% WG

® 3 ʻ a° ° yʻ ʻ [X ʻ ʻ ± " ±

Selective Herbicide

œ³ - n² ʻ ʻ ʻ ʻ ʻ ʻ ʻ ʻ ʻ



° çœʻ ʻ ʻ ʻ ʻ œʻ ʻ ʻ ʻ ʻ ʻ ʻ ʻ

Keep out of reach of children.

° ʻ

Keep in cool, dry place away from heat and open flame.

Regn. No. _____

Mfg. Lic. No. _____

Batch No. _____

Mfg Date _____

Exp. Date _____

Net Content / Volume _____

Max. Retail Price _____

Customercare _____

q®³ TM° ʻ ʻ ® ʻ µ ʻ ® ʻ

® 3 ʻ a° ° yʻ ʻ [X ʻ ʻ ± " ±

ʻ ʻ

ʻ ʻ

wy-µ ʻ ʻ ʻ ʻ ʻ a µ ʻ ʻ ʻ m® . © _____ 3.00 % w/w

° yʻ ʻ

ʻ ʻ

° ʻ

µ TM ʻ

w° ʻ

ʻ ʻ

—µ _____ 100.00 % w/w

® 3 ʻ a° ° yʻ ʻ ʻ ʻ ʻ ! © ʻ

® µ y ʻ ʻ ʻ a° ° a pµ ʻ ʻ ʻ m® . © _____ 1.00 % w/w

w µ ʻ

3 TM - TSS!SS

ʻ ʻ

— p ʻ

—² n p ʻ

« â³ ŽTTSž[Z[Už ʻ

—² n p ʻ

« â³ ŽTTSž[Z[Už ʻ

® ʻ

᳀ 3 ʻ

Premises Address

(1). 237, GIDC Industrial Estate, Panoli, District Bharuch, 394116,
Gujarat
Gujarat

(2). Plot No 3133 to 3139 and others, GIDC Estate, Panoli, District
Bharuch, Gujarat
Gujarat

(3). Plot No. 104/1/A, GIDC, Halol-2, Dist:-Panchmahal-389350,
Gujarat

(4). Udaisagar Road, Udaipur-313001, Rajasthan
Rajasthan

Customer Care Details

Address: P I Industries Ltd, Udaisagar Road, Udaipur-313 001,
Contact no: 0124-6780290
Email: sm.ahsan@piind.com

Safety Pictograms:



313001

® 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67 68 69 70 71 72 73 74 75 76 77 78 79 80 81 82 83 84 85 86 87 88 89 90 91 92 93 94 95 96 97 98 99 100

(1).

(2).

(3). ?????? ??, ???/?/?, ??,??,??,??., ??????-?, ????? -???????, ??? ?????
???????, ????????

(4).

»—« ± μ

Address: P I Industries Ltd, Udaisagar Road, Udaipur-313 001,
Contact no: 0124-6780290
Email: sm.ahsan@piind.com

Secondary Package Label

[Ultra-small (1ml or gm to 50 ml or gm)] & [small (51 ml or gm to 250 ml or gm)]

Read leaflet before use:

Common Name:

Pyroxasulfone 85% WG

BRAND NAME: -

Crops and Pest Groups: -

Dosage, Direction for use and Manner and time of application : Please refer leaflet for details

Purpose:

for agricultural use.

Re-entry:

allow entry into treated areas only after 24 hrs.

Chemical Composition :

Content % w/w

Alkyl naphthalene sulfonic acid formalin condensate sodium salt	Impurity	3.00 % w/w
Lignin Sulfonic acid sodium	Impurity	8.00 % w/w
Diatomaceous earth	Impurity	QS % w/w
Total		100.00 % w/w
Pyroxasulfone a.i.	Active Ingredient	85.00 % w/w
Polyoxyethylene arylphenyl ether	Impurity	1.00 % w/w

Total: 100.00%

Safety Precautions, Symptom of Poisoning and First Aid : Please refer leaflet for details.

Antidote Statement:

no specific antidote is known. treat symptomatically.

Cautionary statement:

Pyroxasulfone 85% WG

Pyroxasulfone 85% WG

Selective Herbicide

Pyroxasulfone 85% WG



Keep out of reach of children.

Keep in cool, dry place away from heat and open flame.

Keep in cool, dry place away from heat and open flame.

Regn. No. _____

Mfg. Lic. No. _____

Batch No. _____

Mfg Date _____

Exp. Date _____

Net Content / Volume _____

Pyroxasulfone 85% WG

Pyroxasulfone 85% WG

Pyroxasulfone 85% WG

Pyroxasulfone 85% WG

Pyroxasulfone 85% WG

Pyroxasulfone 85% WG

Pyroxasulfone 85% WG

Pyroxasulfone 85% WG

Pyroxasulfone 85% WG

Pyroxasulfone 85% WG

Pyroxasulfone 85% WG

Pyroxasulfone 85% WG

Pyroxasulfone 85% WG

Pyroxasulfone 85% WG

Pyroxasulfone 85% WG

Pyroxasulfone 85% WG

Pyroxasulfone 85% WG

Pyroxasulfone 85% WG

Pyroxasulfone 85% WG

Pyroxasulfone 85% WG

Pyroxasulfone 85% WG

Pyroxasulfone 85% WG

Pyroxasulfone 85% WG

Pyroxasulfone 85% WG

Pyroxasulfone 85% WG

Pyroxasulfone 85% WG

Big Label

(> 250 mL Primary and Secondary Package Label)

Read leaflet before use:

Common Name:

Pyroxasulfone 85% WG

BRAND NAME: -

Crops and Pest Groups: -

Dosage, Direction for use and Manner and time of application : Please refer leaflet for details

Purpose:

for agricultural use.

Re-entry:

allow entry into treated areas only after 24 hrs.

Chemical Composition :

		Content % w/w
Alkyl naphthalene sulfonic acid formalin condensate sodium salt	Impurity	3.00 % w/w
Lignin Sulfonic acid sodium	Impurity	8.00 % w/w
Diatomaceous earth	Impurity	QS % w/w
Total		100.00 % w/w
Pyroxasulfone a.i.	Active Ingredient	85.00 % w/w
Polyoxyethylene aryphenyl ether	Impurity	1.00 % w/w

Total:100.00%

Safety Precautions:

Pyroxasulfone 85% WG

© 3 a ° ° y - [X ± ± ±

Selective Herbicide

© 3 - n² - - - - -



° çœ - - - - -

Keep out of reach of children.

° - - - - -

Keep in cool, dry place away from heat and open flame.

Regn. No. _____

Mfg. Lic. No. _____

Batch No. _____

Mfg Date _____

Exp. Date _____

Net Content / Volume _____

Max. Retail Price _____

q 83 TM ° ° ® μ ° - - - - -

© 3 a ° ° y - [X ± ± ±

- - - - -

- - - - -

- 1 q 83 TM ° ° μ wQ

% 'š a' - - - - - q 83 ° ° ¼ ' 2 ' - - - - - m - 2 ° ° « Q

- - - - - 2 ° ° ± ±

w y - μ - - - - - μ - - - - - m ® . © 3.00 % w/w

° y - - - - - w ° | ' - - - - - μ - - - - - ð ° a'

° | 3 2 ° ° y a

μ TM - - - - - y - - - - - m ® . © 8.00 % w/w

w ° | ' ° | 3 2

| 3 a 2 ° 3 ° ° m a | m ® . © QS % w/w

- μ 100.00 % w/w

© 3 a ° ° y - - - - - ! © | ° ° 3 š a - 85.00 % w/w

® μ y a ° o a μ - - - - - m ® . © 1.00 % w/w

w μ - - - - - μ ' p a'

3 TM - TSSISS

1. keep away from foodstuffs, empty foodstuff containers and animals feed. 2. avoid contact with mouth, eyes and skin and inhalation of the spray mist. 3. wash thoroughly the contaminated clothes and parts of the body after using. 4. do not smoke, drink, eat and chew anything while using the herbicide. 5. use protective clothing which includes long sleeved shirt and long pants, chemical resistant gloves, shoes, goggles and socks while spraying.

Symptom of Poisoning:

mild skin irritant, moderate eye irritant and skin sensitizer, salivation, nasal discharge, lethargy, abnormal gait, tremors and ataxia.

First Aid:

- in case of inhalation: immediately move victim to fresh air. if breathing is irregular or stopped, administer artificial respiration. keep patient warm and at rest. call doctor immediately.
in case of ingestion: if swallowed, seek medical advice immediately. do not induce vomiting. never give anything by mouth to an unconscious person.
in case of skin contact: take off all contaminated clothing immediately and thoroughly wash the affected parts of the body with plenty of water. wash contaminated clothes before re-use.
in case of eye contact: rinse immediately with plenty of water, also under the eyelids for atleast 15 minutes. if pain or irritation persists, consult eye specialist.

Antidote

no specific antidote is known. treat symptomatically.

Cautionary statements:

the product is toxic to fish and aquatic invertebrates thus the product may be avoided near aquaculture. Not to be used on crops other than those prescribed on label and leaflets. Destroy the container after use as directed in the leaflet.

Manufactured by

Kumiai Chemical Industry Co. Ltd., 4-26, Ikenohata 1-Chome, Taitoh-Ku, Tokyo-110-8782, Japan

Supplied by

Imported and Repacked by

P I Industries Ltd
Udaisagar Road, Udaipur-313 001 Udaipur Udaipur Rajasthan
313001

3. keep away from foodstuffs, empty foodstuff containers and animals feed. 2. avoid contact with mouth, eyes and skin and inhalation of the spray mist. 3. wash thoroughly the contaminated clothes and parts of the body after using. 4. do not smoke, drink, eat and chew anything while using the herbicide. 5. use protective clothing which includes long sleeved shirt and long pants, chemical resistant gloves, shoes, goggles and socks while spraying.

in case of inhalation: immediately move victim to fresh air. if breathing is irregular or stopped, administer artificial respiration. keep patient warm and at rest. call doctor immediately.

in case of ingestion: if swallowed, seek medical advice immediately. do not induce vomiting. never give anything by mouth to an unconscious person.
in case of skin contact: take off all contaminated clothing immediately and thoroughly wash the affected parts of the body with plenty of water. wash contaminated clothes before re-use.
in case of eye contact: rinse immediately with plenty of water, also under the eyelids for atleast 15 minutes. if pain or irritation persists, consult eye specialist.

no specific antidote is known. treat symptomatically.

the product is toxic to fish and aquatic invertebrates thus the product may be avoided near aquaculture. Not to be used on crops other than those prescribed on label and leaflets. Destroy the container after use as directed in the leaflet.

Manufactured by
Kumiai Chemical Industry Co. Ltd., 4-26, Ikenohata 1-Chome, Taitoh-Ku, Tokyo-110-8782, Japan

Supplied by
P I Industries Ltd
Udaisagar Road, Udaipur-313 001 Udaipur Udaipur Rajasthan
313001

Imported and Repacked by
P I Industries Ltd
Udaisagar Road, Udaipur-313 001 Udaipur Udaipur Rajasthan
313001

© 1998

313001

Premises Address

- (1). 237, GIDC Industrial Estate, Panoli, District Bharuch, 394116, Gujarat
- (2). Plot No 3133 to 3139 and others, GIDC Estate, Panoli, District Bharuch, Gujarat
- (3). Plot No. 104/1/A, GIDC, Halol-2, Dist:-Panchmahal-389350, Gujarat
- (4). Udaisagar Road, Udaipur-313001, Rajasthan

© 2015 P I Industries Ltd. All rights reserved.

- (1).
- (2).
- (3). ?????? ??, ??????/?/? , ??,??,??,??,?, ??????-?, ?????-???????, ??? ????? ???????, ???????
- (4).

Customer Care Details

Address: P I Industries Ltd, Udaisagar Road, Udaipur-313 001,
Contact no: 0124-6780290
Email: sm.ahsan@piind.com

»—« ± μ · · · »

Address: P I Industries Ltd, Udaisagar Road, Udaipur-313 001,
Contact no: 0124-6780290
Email: sm.ahsan@piind.com

Safety Pictograms:



Pyroxasulfone 85% WG

(Selective Herbicide)

Pyroxasulfone 85% w/w WG provides effective & selective control of annual grasses and annual broadleaf weeds in Wheat, Maize and Soybean crops.

Chemical Composition:	Ingredient	%W/W
Alkyl naphthalene sulfonic acid formalin condensate sodium salt	Impurity	3.00 % w/w
Diatomaceous earth	Impurity	QS % w/w
Lignin Sulfonic acid sodium	Impurity	8.00 % w/w
Polyoxyethylene arylphenyl ether	Impurity	1.00 % w/w
Pyroxasulfone a.i.	Active Ingredient	85.00 % w/w
Total		100.00 % w/w
Total:		100.00% w/w

Recommendation

Crop(s)	Common Name of Pest	Dosage/HA		Dilution in Water	Crop Stage	Re-entry Period	Pre Harvest	Frequency
		AI	Formulation					
Wheat	Phalaris minor	127.5	150	500	0-3 days after sowing	24 hours	131	One spray
Maize	Echinochloa crusgalli, Eleusine indica, Phyllanthus niruri	127.5	150	500	0-3 days after sowing	24 hours	103	One spray
Soybean	Echinochloa colonum, Celosia argentic, Trianthema portulacastrum, Amaranthus viridis, Digeria arvensis	127.5	150	500	Pre-plant application	24 hours	94	One spray

Note:-

Good Practices relating to pesticide application techniques

Direction of Use

Pyroxasulfone 85% w/w WG provides effective & selective control of annual grasses and annual broadleaf weeds in Wheat, Maize and Soybean crops.

Weather Condition(in general):

Avoid applications under high wind and heavy rains forecasted.

Soil & Water(whenever applicable):

Soil: Soil should be fine tith (clods free). First irrigation must be done on 21th day after sowing for better efficacy.

Water: Clean water to be used for spray.

Crop Stage for application:

0-3 days after sowing

Application Technique

The product can be sprayed using knapsack sprayer fitted with flat fan nozzle using sufficient quantity of water to ensure thorough coverage.

Equipment Type:

Knapsack sprayer

NozzleType:

Caution: Not to Be Used on Crops Other Than Specified on This Label/Leaflet "

Flat pan nozzle

Dosage:

-

Instruction for Mixing:

-

Re-entry Period

24 hours

Manner and Time of Application

-

Application Timing

Should be applied preferably in the morning and evening

Frequency

One spray

Stages during which pesticides should not be applied on any crop :

Post-emergence

Precautions to be taken to avoid harm to the beneficial insects like honey bees and natural enemies of pests :

The product is toxic to fish and aquatic invertebrates thus may be avoided near aquaculture.

Symptoms Of Poisoning

Mild skin irritant, Moderate eye irritant and Skin sensitizer, Salivation, Nasal discharge, lethargy, abnormal gait, tremors and ataxia.

First Aid

In case of Inhalation: Immediately move victim to fresh air. If breathing is irregular or stopped, administer artificial respiration. Keep patient warm and at rest. Call doctor immediately.

In case of Ingestion: If swallowed, seek medical advice immediately. Do not induce vomiting. Never give anything by mouth to an unconscious person.

In case of skin contact: Take off all contaminated clothing immediately and thoroughly wash the affected parts of the body with plenty of water. Wash contaminated clothes before re-use.

In case of eye contact: Rinse immediately with plenty of water, also under the eyelids for atleast 15 minutes. If pain or irritation persists, consult eye specialist.

Antidote

No specific antidote is known. Treat symptomatically.

Phytotoxicity

The product is not phytotoxic when used as per field recommendation.

Storage Conditions

1. The packages containing the herbicide shall be stored in separate rooms and premises, away from the rooms and premises used for storing other articles particularly food, or shall be kept in separate almirah under lock and key depending upon the quantity and nature of the herbicide.

2. The rooms and premises meant for storing the herbicide shall be well built, dry, well lit, ventilated and of sufficient dimensions

Safety Precaution:

Caution: Not to Be Used on Crops Other Than Specified on This Label/Leaflet "

1. Keep away from foodstuffs, empty foodstuff containers and animals feed.
2. Avoid contact with mouth, eyes and skin and inhalation of the spray mist.
3. Wash thoroughly the contaminated clothes and parts of the body after using.
4. Do not smoke, drink, eat and chew anything while using the herbicide.
5. Use protective clothing which includes long sleeved shirt and long pants, chemical resistant gloves, shoes, goggles and socks while spraying.

Cautionary Statement:

the product is toxic to fish and aquatic invertebrates thus the product may be avoided near aquaculture. It is not to be used on crops other than those prescribed on label and leaflets. Destroy the container after use as directed in the leaflet.

Disposal of used containers, washing from equipment and surplus material :

1. It shall be the duty of manufactures, formulators of insecticides and operators to dispose packages or surplus material and washings in a safe manner so as to prevent environmental or water pollution.
2. The used packages shall not be left outside to prevent their re-use.
3. The packages shall be broken and buried away from habitation.

Manufacturer Premises :

237, GIDC Industrial Estate, Panoli, District Bharuch, 394116,
Gujarat
Haryana

237, GIDC Industrial Estate, Panoli, District Bharuch, 394116,
Gujarat
Rajasthan

Plot No 3133 to 3139 and others, GIDC Estate, Panoli, District
Bharuch, Gujarat
Haryana

Plot No 3133 to 3139 and others, GIDC Estate, Panoli, District
Bharuch, Gujarat
Rajasthan

Plot No. 104/1/A, GIDC, Halol-2, Dist:-Panchmahal-389350,
Gujarat
Haryana

Plot No. 104/1/A, GIDC, Halol-2, Dist:-Panchmahal-389350,
Gujarat
Rajasthan

Udaisagar Road, Udaipur-313001, Rajasthan
Haryana

Udaisagar Road, Udaipur-313001, Rajasthan
Rajasthan

Imported and Repacked by

P I Industries Ltd
4th Floor, Tower-A, Mellennium Plaza, Sector-27, Gurgaon-122 002
Gurgaon Haryana

Customer Care Details:

Address: P I Industries Ltd, Udaisagar Road, Udaipur-313 001,
Contact no: 0124-6780290
Email: sm.ahsan@piind.com

Safety Pictograms:



Caution: Not to Be Used on Crops Other Than Specified on This Label/Leaflet