





Safety Pictograms:



Secondary Package Label

[Ultra-small (1ml or gm to 50 ml or gm)] & [small (51 ml or gm to 250 ml or gm)]

**Read leaflet before use:**

**Common Name:**

Sulfoxaflor 21.8% w/w SC

**BRAND NAME: -**

**Crops and Pest Groups: please refer leaflet for details.**

Dosage, Direction for use and Manner and time of application : Please refer leaflet for details

**Purpose:**

for agricultural use

**Re-entry:**

24 hours

**Chemical Composition :**

**Content % w/w**

Water (Diluent)	Water (Diluent)	q.s w/w
1,2- Benzisothiazol-3-one (Antimicrobial)	1,2- Benzisothiazol-3-one (Antimicrobial)	0.02 w/w
Sulfoxaflor a.i.	Sulfoxaflor a.i.	21.8 w/w
Polydimethylsiloxane (antifoam)	Polydimethylsiloxane (antifoam)	0.1 w/w
Xanthun gum (Suspending aid)	Xanthun gum (Suspending aid)	0.18 w/w
Mixture of celluloses (CAS No: 9004-34-6, 9004-32-4) (Suspending aid)	Mixture of celluloses (CAS No: 9004-34-6, 9004-32-4) (Suspending aid)	0.9 w/w
Oxirane, methyl-polymer with oxirane, mono [2-(2-butoxyethoxy) ethyl] ether (Wetting agent)	Oxirane, methyl-polymer with oxirane, mono [2-(2-butoxyethoxy) ethyl] ether (Wetting agent)	1.8 w/w
Oxirane polymer with methacrylates (Dispersent)	Oxirane polymer with methacrylates (Dispersent)	1.8 w/w
Citric acid (Stabilizer)	Citric acid (Stabilizer)	0.18 w/w

**Sulfoxaflor 21.8% w/w SC**

Systemic Insecticide

**Systemic Insecticide**

Blue



Keep out of reach of children.

Keep in cool, dry place away from heat and open flame.

Regn. No.

Mfg. Lic. No.

Batch No.

Mfg Date

Exp. Date

Net Content / Volume

Sulfoxaflor 21.8% w/w SC

Systemic Insecticide

Blue

Regn. No.

Mfg. Lic. No.

Batch No.

Mfg Date

Exp. Date

Net Content / Volume

Net Content / Volume

Net Content / Volume

Net Content / Volume

Net Content / Volume

Net Content / Volume

Net Content / Volume

Net Content / Volume

Net Content / Volume

Net Content / Volume

Net Content / Volume

Net Content / Volume

Net Content / Volume

Net Content / Volume

Net Content / Volume

Net Content / Volume

Net Content / Volume

Net Content / Volume

Methylnaphthalene sulfonic acid-formaldehyde condensate, sodium salt (Dispersent)	Methylnaphthalene sulfonic acid-formaldehyde condensate, sodium salt (Dispersent)	2.7 w/w
Propylene glycol (Antifreeze)	Propylene glycol (Antifreeze)	3.6 w/w

Max. Retail Price m 1—02 11 « 112 ý3

**Total: 100.00%**

Safety Precautions, Symptom of Poisoning and First Aid  
:Please refer leaflet for details.

Antidote Statement:

no specific antidote available. treat symptomatically

Cautionary statement:

cautionary statement 1. toxic to honey bees. product should not be used where honey bees are actively foraging. 2. not to be used on crops other than those subscribed on label and leaflet. 3. dangerous to re use empty container 4. Toxic to Fish, hence should not be used near aquaculture.

**Manufactured by**

9330 ?????????????? ???, ?????????????, ?? 46268, ?? ?? ?.? Helena Industries Inc. 423 Fenn Road Cordele, GA 31015 USA

**Supplied by**

Dow AgroSciences LLC  
9330 Zionsville Road, Indianapolis, IN 46268. USA

**Imported and Repacked by**

y á° í-ž 2ª omž	y á° í-ž 2ª omž	1.8 w/w
2 - ' f%žfi %ž° x á°	2 - ' f%žfi %ž° x á°	
oª á° floª omfl pª	oª á° floª omfl pª	
fi . — wj õæfl	fi . — wj õæfl	
y á° µª° µ² ' . a ' 2ª omª° fi! @i õæ	y á° µª° µ² ' . a ' 2ª omª° fi! @i õæ	1.8 w/w
° o — w°   ' fi x° µ i ' fl	° o — w°   ' fi x° µ i ' fl	0.18 w/w
2ª om' —ª µ — ° ý — w°   ž 2 lwý! » o! —õ! õ° xž°   3 2 ° ýª fi! @i õæfl	2ª om' —ª µ — ° ý — w°   ž 2 lwý! » o! —õ! õ° xž°   3 2 ° ýª fi! @i õæfl	2.7 w/w
@µ — äµ ³ —µ fiwª i	@µ — äµ ³ —µ fiwª i	3.6 w/w

3 TM -TSS!SS

—p' ° ' . 1 » ' « . ' q@µø' — » ! µ ¼' — m—° ' ' om i — ' Q

1!2 —2 á 3 — µž . 1 á© »! ± j — ' »©° 3 2 —2 á 3 —2 | ' — . µ' a — — n ° @° ' o° qñ® « — 3 TM — — Q2! ' o° ' µ° µ" — ' ®° ° ø° o° — w™ x ' ° µ — mµ . mō³ ' ° µ ' ®° ' o ©2 µ — — Q 3! ' — µ | ø° — ' « ' ' 3 TM — — ' ' © — — » Q2! ' 2 ý µ | ' ' j µ 3 ' j . — µ w mñ³ — — ' 1 á© »! o° µ vž vâ . — ýæ' — ' ®° ' o ©2 µ — — » — 3 ' j — ' æ » vQ

**qñ® « —**

| q' w ° o° ' vµ ' vµ ' ° »µ — ' o! Á ' o — 434 ' — ' | ž — | µž j i n ' 31015 ž 3 ' wª ' wQ

**©© ' — © †**

| q' w ° o° ' vµ ' vµ ' ° ž 9330 © 3 õ° . ýµ ' ' | ž o! 3 — @µ ° ž o — 46268 ž 3 ' wª ' wQ

n 3 © | ' ' @ — @ — TM — © †

Dow AgroSciences India (P) Ltd  
 1st Floor, Block-B, Gate No.-2, Godrej IT Park, Godrej Business  
 District, Pirojshanagar, L.B.S Marg, Vikhroli Mumbai Mumbai  
 Maharashtra 400079

**Premises Address**

(1). 3) Plot no. 98, N.H. No.8, At: Limbadia, P.O. Naroda, District:  
 Gandhinagar-382330, Gujarat.  
 Gujarat

(2). M/s Dow AgroSciences India Pvt Ltd., 1) A-1, Lote Parusharam  
 Industrial Area, Tal:- Khed, Dist. :- Ratnagiri. Maharashtra 415722.  
 2) Plot No. 228, G.I.D.C. Estate, Panoli, Distt. . Bharuch, Gujarat.  
 Pin . 394116  
 Gujarat

**Customer Care Details**

Address: Dow AgroSciences India (P) Ltd, 1st Floor, Block-B, Gate  
 No.-2, Godrej IT Park, Godrej Business District, Pirojshanagar,  
 L.B.S Marg, Vikhroli,  
 Email: [rajeev.pant@corteva.com](mailto:rajeev.pant@corteva.com),  
 Contact no: 07042-494099

**Safety Pictograms:**



400079

© 2021 Corteva

(1).

(2).

[rajeev.pant@corteva.com](mailto:rajeev.pant@corteva.com)

© 2021 Corteva. All rights reserved. Corteva and the Corteva logo are trademarks of Corteva. Other trademarks are the property of their respective owners. For more information, visit [www.corteva.com](http://www.corteva.com)

[rajeev.pant@corteva.com](mailto:rajeev.pant@corteva.com)

07042-494099

**Big Label**

(> 250 mL Primary and Secondary Package Label)

**Read leaflet before use:**

**Comman Name:**

Sulfoxaflor 21.8% w/w SC

**BRAND NAME: -**

**Crops and Pest Groups: please refer leaflet for details.**

Dosage, Direction for use and Manner and time of application : Please refer leaflet for details

**Purpose:**

for agricultural use

**Re-entry:**

24 hours

**Chemical Composition :**

**Content % w/w**

Water (Diluent)	Water (Diluent)	q.s w/w
1,2- Benzisothiazol-3-one (Antimicrobial)	1,2- Benzisothiazol-3-one (Antimicrobial)	0.02 w/w
Sulfoxaflor a.i.	Sulfoxaflor a.i.	21.8 w/w
Polydimethylsiloxane (antifoam)	Polydimethylsiloxane (antifoam)	0.1 w/w
Xanthun gum (Suspending aid)	Xanthun gum (Suspending aid)	0.18 w/w
Mixture of celluloses (CAS No: 9004-34-6, 9004-32-4) (Suspending aid)	Mixture of celluloses (CAS No: 9004-34-6, 9004-32-4) (Suspending aid)	0.9 w/w
Oxirane, methyl-polymer with oxirane, mono [2-(2-butoxyethoxy) ethyl] ether (Wetting agent)	Oxirane, methyl-polymer with oxirane, mono [2-(2-butoxyethoxy) ethyl] ether (Wetting agent)	1.8 w/w
Oxirane polymer with methacrylates (Dispersent)	Oxirane polymer with methacrylates (Dispersent)	1.8 w/w
Citric acid (Stabilizer)	Citric acid (Stabilizer)	0.18 w/w

**Sulfoxaflor 21.8% w/w SC**

Systemic Insecticide

Systemic Insecticide

Blue



Keep out of reach of children.

Keep in cool, dry place away from heat and open flame.

Regn. No.

Mfg. Lic. No.

Batch No.

Mfg Date

Exp. Date

Net Content / Volume

Max. Retail Price

Sulfoxaflor 21.8% w/w SC

Systemic Insecticide

Systemic Insecticide

Blue

Blue

Keep out of reach of children.

Keep in cool, dry place away from heat and open flame.

Regn. No.

Mfg. Lic. No.

Batch No.

Mfg Date

Exp. Date

Net Content / Volume

Max. Retail Price

Sulfoxaflor a.i.	Sulfoxaflor a.i.	21.8 w/w
Polydimethylsiloxane (antifoam)	Polydimethylsiloxane (antifoam)	0.1 w/w
Xanthun gum (Suspending aid)	Xanthun gum (Suspending aid)	0.18 w/w
Mixture of celluloses (CAS No: 9004-34-6, 9004-32-4) (Suspending aid)	Mixture of celluloses (CAS No: 9004-34-6, 9004-32-4) (Suspending aid)	0.9 w/w
Oxirane, methyl-polymer with oxirane, mono [2-(2-butoxyethoxy) ethyl] ether (Wetting agent)	Oxirane, methyl-polymer with oxirane, mono [2-(2-butoxyethoxy) ethyl] ether (Wetting agent)	1.8 w/w
Oxirane polymer with methacrylates (Dispersent)	Oxirane polymer with methacrylates (Dispersent)	1.8 w/w
Citric acid (Stabilizer)	Citric acid (Stabilizer)	0.18 w/w

Methylnaphthalene sulfonic acid-formaldehyde condensate, sodium salt (Dispersent)	Methylnaphthalene sulfonic acid-formaldehyde condensate, sodium salt (Dispersent)	2.7 w/w
Propylene glycol (Antifreeze)	Propylene glycol (Antifreeze)	3.6 w/w

---

**Total:100.00%**

---

**Safety Precautions:**

Use good personal hygiene. Do not consume or store food in the work area, Wash hands and exposed skin before eating, drinking or smoking and after work. Avoid eye contact. For most conditions, no respiratory protection should be needed. In dusty atmospheres, use an approved particulate respirator. Use chemically resistant gloves and wear clean body covering. Use chemical goggles for eye and face protection

**Symptom of Poisoning:**

No specific symptoms are known. May cause vomiting, dizziness, nausea and headache.

**First Aid:**

y á° í-ž 2ª omž'	y á° í-ž 2ª omž'	1.8 w/w
® μ² íí . á' y á° í-ž	® μ² íí . á' y á° í-ž	
2 - íí fížfi %ž' ¢ á° íí	2 - íí fížfi %ž' ¢ á° íí	
oª á° fl oª om fl pª	oª á° fl oª om fl pª	
fi . - wj õpfl	fi . - wj õpfl	
y á° μ ¢ ® μ² íí . á'	y á° μ ¢ ® μ² íí . á'	1.8 w/w
2ª om ¢ ífi! ®í õp	2ª om ¢ ífi! ®í õp	
° o - w° íí	° o - w° íí	0.18 w/w
fi ¢ ° μ í í fl	fi ¢ ° μ í í fl	
2ª om í-ª μ - í	2ª om í-ª μ - í	2.7 w/w
° ýí - -í	° ýí - -í	
w° íž 2 lwý! » oíí	w° íž 2 lwý! » oíí	
-õí õ° ¢ž ° í 3 2 í	-õí õ° ¢ž ° í 3 2 í	
° ý ¢ ífi! ®í õpfl	° ý ¢ ífi! ®í õpfl	
®μ - í äμ 3 - μ í	®μ - í äμ 3 - μ í	3.6 w/w
fíwª í	fíwª í	

3 TMI - TSSISS

· çÿ © í - w íí - -í ® íí 3 μ íí Q - 2 - íí - íí TMª ® íí - ž® - íí  
 - íí œí íí - íí © ± íí íí - Q | íí - » q - - q ® 3 TMQ - 2 íí ® íí » íí - íí  
 - íí ° « íí ©ª - ýíí - ž® - 3 íí ® - íí - íí ° ® μ íí m® - íí »ª | íí - íí íí  
 - íí - μ íí » ° íí - mçÿ íí © íí - íí | μ Q n íí - íí ® íí - íí ° œwQ 3 « © íí  
 « { íí 2 ž . íí - íí ° íí ¼ - íí - p íí n . 3 - © - íí » Q - μ íí . μ 2 » μ 2 íí  
 - p íí ° ç 3 TMB íí ® íí ¢ íí o © 2 μ íí - Q - 2 - μ íí © íí - íí « © - íí | íí  
 íí - íí - m íí © íí - íí . μ íí - íí ž íí - íí . íí ® - Q n íí | íí œ íí - íí ° ¼ íí  
 - íí μ w - 2 - μ íí œ 2 - íí o © 2 μ íí - Q

- p íí . 1 íí μ ¼ íí ½ © íí - » íí : qý ¢ ž œ íí - íí n - ž 2 œ μ íí | íí - íí « íí - íí  
 - íí - íí - íí - íí - íí » Q



If ingested If person is conscious and alert, rinse mouth with water and give 1 or 2 glass of water to drink. Never give anything by mouth to an unconscious person. Call the doctor. Do not induce vomiting until and unless desired by attending physician. If inhaled Take the patient to fresh air and take care of body temperature. If patient is not breathing or breathing with difficulty, give respirations, preferably with mouth to mouth breathing. Consult a physician.

In case of skin contact Wash thoroughly the affected part of the body with soap and plenty of water including hair and under finger nails. If pain, redness or irritation persists, consult a doctor. All the contaminated clothes should be segregated and thoroughly washed with soap and water separately before use.

In case of eye contact Rinse gently with plenty of water at least for 15 minutes. If pain, irritation, redness or photophobia persists, consult eye specialist.

**Antidote**

no specific antidote available. treat symptomatically

Cautionary statements:

cautionary statement 1. toxic to honey bees. product should not be used where honey bees are actively foraging. 2.not to be used on crops other than those subscribed on label and leaflet.3. dangereous to re use empty container 4. Toxic to Fish, hence should not be used near aquaculture.

**Manufactured by**

9330 ?????????????? ???, ?????????????, ?? 46268, ?? ?? ?.? Helena Industries Inc.423 Fenn RoadCordele, GA 31015 USA

**Supplied by**

Dow AgroSciences LLC  
9330 Zionsville Road, Indianapolis, IN 46268. USA

**Imported and Repacked by**

Dow AgroSciences India (P) Ltd  
1st Floor, Block-B, Gate No.-2, Godrej IT Park, Godrej Business District, Pirojshanagar, L.B.S Marg, Vikhroli Mumbai Mumbai Maharashtra 400079

m™™ «. . -™µ' µ³ ' » ' m™™ y³ ā©'° j™™ ©ª '° ©-† » Ž ©'® - '° 2 »  
-ýµ' -' | ' ' \$' 3 ' %'™µ ° '® - '® - ' - ' µw «Ž y³ ā©'° » , ' » ©'°  
2 » «. . -' -Y ± ' -' «Ž | āª' -' -'° µ -' j ' ° © - q® ' a ©'° œ - ĩ' -'  
«. . ' qýª -' -' -' µw → -' j w ©'° © - qýª -' -' Q m™™ ° ° 2 '  
™p' ©'™™ -' -' µ' » . 2 ' µ j w | ' ' ' ' ©®2 -' -' °3 -' -' Ž m™™  
'™™ ° ° -' -' µ' » » 3 ' ° ° µ - 2 ' -Y - p' » ' © - 2 ' . ° - « Ž  
, 1 ©' 2 » ° 2 » . ° - « j wŽ œ - ĩ' -' ° 2 , I - Q m™™ ĩ' œ ' ° °  
° ® - † » ' © ' ' ' -' « 1 ©' ±™™ ° ° -' | ' ±' ®'® - ' ° ° ĩ' pW j ' ° 2 '  
° µ | ' -' -' , 2 µ' » Ž m™™ « « Ē j µ - Ž µ µ³ j µ - ' ° - ' » ©' » Ž ©'  
| āª' ° ° ® 2 , I - Q ° ± ' « 1 ©' - ® j ' mµ™™ µµ™™ | ' ' mçY ' ©' » ° °  
mµ™™ ° ° q®3™™ -' -' ° ° ® » µ ' ° ° -' | ' ® - ' ° ° ĩ' 3 j -' -' œ » wQ m™™  
° ° ° ° ® - † » ' © ' ĩ' -' ° ° ° ° ® - ' ° ° 2 ° ° 2 \$ ( 2 -ª -  
Y ®Y ® wŽ m™™ « « Ē j µ - Ž µ µ³ j µ - ' ° - ' » ' ©' -' -' œ ā ĩ' -' ° °  
® 2 , I - Q

. 1 - , -' -  
-p' -' ° ° 1 » ' «. . ' q®µø' - » ! µ¼' -' -' m-° ' ĩ' oµ j -' -' Q

1!2 -2 ā' 3 -' -' µŽ . 1 ā©'° ! ± j -' -' » ©' ° 3 2 -2 ā' 3 -' -' 1 -' -'  
. µ' ' a -' -' n ° ® ° ° ° ° qñ® « -' -' 3™™ -' -' Q 2! ' ° ° µ ° µ"® -' -' ®'  
° ø' ° ° ° -w™™ x' -' ° µ -' mµ . ' mō3' -' ° µ ' ®' ° ° 2 µ -' -' Q  
3! -' -' µ' j ø' -' -' «. . ' 3™™ -' -' -' ©' -' -' » Q 2! 2 Yµ' | ' j µ 3 '  
j -' -' µw mñ³ -' -' . 1 ā©'° ! ° µ wŽ vā . -ýœ' -' -' ® ° ° 2 µ -' -' »  
-3' j -' -' œ » wQ

qñ® « -  
| q' w ° ° ° ° vµ' vµ' °  
»µ -' o| Ā' o- 434' -' -' | Ž - | µ Ž j j n ' 31015 Ž 3 ' w' wQ  
®©' -' -' © †  
| q' w ° ° ° ° vµ' vµ' ° Ž  
9330 © 3 ° ° . ýµ' ' | Ž o| 3 - ®µ ° Ž o- 46268 Ž 3 ' w' wQ  
n 3 ©' | ' ' ® - ® -™™ -' -' © †

**Premises Address**

(1). 3)Plot no. 98, N.H. No.8, At: Limbadia, P.O. Naroda, District: Gandhinagar-382330, Gujarat. Gujarat

(2). M/s Dow AgroSciences India Pvt Ltd., 1) A-1, Lote Parusharam Industrial Area, Tal:- Khed, Dist. :- Ratnagiri. Maharashtra415722. 2) Plot No. 228, G.I.D.C. Estate, Panoli, Distt. . Bharuch, Gujarat. Pin . 394116 Gujarat

**Customer Care Details**

Address: Dow AgroSciences India (P) Ltd, 1st Floor, Block-B, Gate No.-2, Godrej IT Park, Godrej Business District, Pirojshanagar, L.B.S Marg, Vikhroli, Email: rajeev.pant@corteva.com, Contact no: 07042-494099

**Safety Pictograms:**



© 2018 Corteva

(1).

(2).

»-« ± μ . . .

© 2018 Corteva. All rights reserved. Corteva and the Corteva logo are trademarks of Corteva. Corteva is a leader in providing solutions for crop protection and nutrition. For more information, visit [www.corteva.com](http://www.corteva.com). Contact us at [rajeev.pant@corteva.com](mailto:rajeev.pant@corteva.com) or 07042-494099.

° ȳ ā μ ± μ %!+ " ' w°

fi m@l. » — μ — fl

° ȳ ā μ ± μ 21.8% " ' w° — @ ° 2 ° μ Ž 2 » Ž ° « 2 ā ° | ° m™ — É ° — ° 2 ° — 2 ° ± ° @ ° — ° | ° ° « ° @ ° — ° — ° 2 ° — μ w w — m° l » — μ — fl » Q  
 ° 3 — ° ° œ °

\$Ž/ž ° ȫl ° ° a 3 Å μ ž&ž — f w ° 2 3 ° ° 3 μ fl	\$Ž/ž ° ȫl ° ° a 3 Å μ ž&ž — f w ° 2 3 ° ° 3 μ fl	0.02 w/w
° o — w°   ° fi ° μ   ° fl	° o — w°   ° fi ° μ   ° fl	0.18 w/w
2 a o μ — ± a μ — ° ȳ — w°   ž 2 w y   » o   2 a o μ — ± a μ — ° ȳ —		2.7 w/w
— ȫl ö° ž °   3 2 ° ° ȳ ° fi   @̄l ö ° fl	w°   ž 2 w y   » o   — ȫl ö° ž °   3 2 ° ° ȳ ° fi   @̄l ö ° fl	
° μ μ ° ° — ° 2 ° ° ff w w ° — ! °	° μ μ ° ° — ° 2 ° ° ff w w ° — ! °	0.9 w/w
, ##' ž& ž) Ž ##' ž&ž fl ° fi Y ° — ° 2 ° ° » 3 — fl	, ##' ž& ž) Ž ##' ž&ž fl ° fi Y ° — ° 2 ° ° » 3 — fl	
y ā ° μ ° @ μ 2 ° ° . a 2 a o μ ° ° fi   @̄l ö °	y ā ° μ ° @ μ 2 ° ° . a 2 a o μ ° ° fi   @̄l ö °	1.8 w/w
y ā ° — Ž 2 a o μ ž @   μ 2 ° ° . a y ā ° — ° 2 —	y ā ° — Ž 2 a o μ ž @   μ 2 ° ° . a y ā ° — ° 2 —	1.8 w/w
f ž fi %ž ° a ā ° ° a ā ° fl o° o μ fl p a ° fi ° —	f ž fi %ž ° a ā ° ° a ā ° fl o° o μ fl p a ° fi ° —	
w y ö ° fl	w y ö ° fl	
@ μ   o 2 a o μ ° ° o μ ā ° — f w ° 2	@ μ   o 2 a o μ ° ° o μ ā ° — f w ° 2	0.1 w/w
@ μ — ä μ 3 — μ f w ° i	@ μ — ä μ 3 — μ f w ° i	3.6 w/w
° ȳ ā ° μ ° ° ! °	° ȳ ā ° μ ° ° ! °	21.8 w/w
@ — ° f @ μ — ° — ° μ w fl	@ — ° f @ μ — ° — ° μ w fl	@ 3 b ° @ ° ° 2 ° ° w/w
v ā ° a 2 ° ° T M 2 ° ° fi Y ° — ° 2 ° ° » 3 — fl	v ā ° a 2 ° ° T M 2 ° ° fi Y ° — ° 2 ° ° » 3 — fl	0.18 w/w

3 ° T M — T S S I S S ° ± ° ± °

° μ	— μ — 2	° » ā ° 3 ° 2		° — ° 2	° μ m ° a	@ — μ	@ l ° μ	n °
		° ! ° ħ	° ° œ °					
— @ °	@ μ — ° f m 2 ° — ° T M μ ° ° T M μ f Ž 2 » ° f w ° ° ° T M ° @ fl	ZX	VTV	V&SžXSS			TW	
	° ° « 2 ā ° ff 2 ° 3 ° ° — f Ž — @ ° — ° m T M ° — É fi — ° ° @ fl	\S	VZX	V&SžXSS			TW	
	± ° ° @ — ° μ   fi — μ @ ° k ° μ T M ° f Ž ° ° « ° @ — ° μ   ff T M μ ° °   ° fl	\S	VZX	XSS			1W	

Note:-

g @ 3 ° T M — μ w — « °

Caution: Not to Be Used on Crops Other Than Specified on This Label/Leaflet





»—«±µ·· ··—

©©···· w ° o° ·o·3 ·f·fl µ 2 ·q·ž· »µ ·2 ·µ·ž· qµ —ž· ž·™·—°···  
žž·™·«·j··n p··°—ž·™·«·j··°·j·—°·j· · a·ž·—·j·—™·ž·vµ°·2·™·ž·  
· ·µ·ž·  
p² µ ·rajeev.pant@corteva.com,  
° ·—j·—°· ·· 07042-494099

° ·14· ·œ· ·µ· ·°-



Caution: Not to Be Used on Crops Other Than Specified on This Label/Leaflet " "

**Sulfoxaflor 21.8% w/w SC****( Systemic Insecticide )**

Sulfoxaflor 21.8% w/w SC is a systemic insecticide for managing jassids, aphids, whiteflies and mealybugs in cotton for effective management of brown plant hopper and white backed plant hopper on rice.

<b>Chemical Composition:</b>	<b>Ingredient</b>	<b>%W/W</b>
1,2- Benzisothiazol-3-one (Antimicrobial)	1,2- Benzisothiazol-3-one (Antimicrobial)	0.02 w/w
Citric acid (Stabilizer)	Citric acid (Stabilizer)	0.18 w/w
Methylnaphthalene sulfonic acid-formaldehyde condensate, sodium salt (Dispersent)	Methylnaphthalene sulfonic acid- formaldehyde condensate, sodium salt (Dispersent)	2.7 w/w
Mixture of celluloses (CAS No: 9004-34-6, 9004-32-4) (Suspending aid)	Mixture of celluloses (CAS No: 9004-34-6, 9004-32-4) (Suspending aid)	0.9 w/w
Oxirane polymer with methacrylates (Dispersent)	Oxirane polymer with methacrylates (Dispersent)	1.8 w/w
Oxirane, methyl- polymer with oxirane, mono [2-(2-butoxyethoxy) ethyl] ether (Wetting agent)	Oxirane, methyl- polymer with oxirane, mono [2-(2-butoxyethoxy) ethyl] ether (Wetting agent)	1.8 w/w
Polydimethylsiloxane(antifoam)	Polydimethylsiloxane(antifoam)	0.1 w/w
Propylene glycol (Antifreeze)	Propylene glycol (Antifreeze)	3.6 w/w
Sulfoxaflor a.i.	Sulfoxaflor a.i.	21.8 w/w
Water (Diluent)	Water (Diluent)	q.s w/w
Xanthun gum (Suspending aid)	Xanthun gum (Suspending aid)	0.18 w/w
<b>Total:</b>		<b>100.00% w/w</b>

**Recommendation**

<b>Crop(s)</b>	<b>Common Name of Pest</b>	<b>Dosage/HA</b>		<b>Dilution in Water</b>	<b>Crop Stage</b>	<b>Re-entry Period</b>	<b>Pre Harvest</b>	<b>Frequency</b>
		<b>AI</b>	<b>Formulation</b>					
Cotton	Jassid (Amrasca bigutulla bigutulla), Aphid (Aphis gossypii)	75	313	400-500			14	
	Whitefly (Bemisia tabaci), Cotton mealybug (Phenacoccus spp.)	90	375	400-500			14	
Rice	Brown Plant Hopper- (Nilaparvata lugens), White Backed Plant Hopper- (Sogatella furcifera)	90	375	500			14	

**Note:-**

Good Practices relating to pesticide application techniques

**Direction of Use**

Apply as directed spray when the incidence of pests is observed

**Weather Condition(in general):**

Spray preferably during morning and evening hours. Do not apply on a windy day or before rain

**Soil & Water(where ever applicable):**

-

**Caution: Not to Be Used on Crops Other Than Specified on This Label/Leaflet**

**Crop Stage for application:**

**Application Technique**

Spray directed towards the plant with knapsack sprayer using hollow cone nozzle is to be used. Spray uniformly and ensure proper coverage of the spray on the plant.

**Equipment Type:**

**Knapsack sprayer, tractor mounted sprayer, low volume sprayer, motorized power sprayer**

**NozzleType:**

**Hollow cone nozzle**

**Dosage:**

Crop Rice Brown Plant Hopper- White Backed Plant Hopper- 90a.i.  
(gm/ha) 375 Formulation (ml/ha) 500 Water (L/ha)  
Cotton Jassid, Aphid, 75 a.i. (gm/ha) 313 Formulation (ml/ha) 400-500 Water (L/ha) Whitefly 90 a.i. (gm/ha) 375 Formulation (ml/ha) 400-500 Water (L/ha)

**Instruction for Mixing:**

-

**Re-entry Period**

**Manner and Time of Application**

Avoid application in afternoon hours. Ideal timing for application is morning and evening hours. Do not spray against wind

**Application Timing**

Spray preferably during morning and evening hours. Avoid application on a windy day or before rain

**Frequency**

**Stages during which pesticides should not be applied on any crop :**

=

**Precautions to be taken to avoid harm to the beneficial insects like honey bees and natural enemies of pests :**

Toxic to honey-bee. Do not spray during active bee-foraging period of the day.

1. toxic for fish and other aquatic animals. Therefore, should not be used near aquaculture.

**Symptoms Of Poisoning**

No specific symptoms are known. May cause vomiting, dizziness, nausea and headache.

**First Aid**

If ingested If person is conscious and alert, rinse mouth with water and give 1 or 2 glass of water to drink. Never give anything by mouth to an unconscious person. Call the doctor. Do not induce vomiting until and unless desired by attending physician.

If inhaled Take the patient to fresh air and take care of body temperature. If patient is not breathing or breathing with difficulty, give respirations, preferably with mouth to mouth breathing. Consult a physician.

In case of skin contact Wash thoroughly the affected part of the body with soap and plenty of water including hair and under finger nails. If pain, redness or irritation persists, consult a doctor. All the contaminated clothes should be segregated and thoroughly washed with soap and water separately before use.

In case of eye contact Rinse gently with plenty of water at least for 15 minutes. If pain, irritation, redness or photophobia persists, consult eye specialist.

**Antidote**

**Caution: Not to Be Used on Crops Other Than Specified on This Label/Leaflet "**



No specific antidote available. Treat symptomatically

#### **Phytotoxicity**

-

#### **Storage Conditions**

The package containing formulated grade insecticide should be stored in original containers in a separate room or almirah under lock and key in cool and dry place away from the reach of children, food & animal feeds and other articles. The premise should be well built, well lit, sufficient in dimension and well ventilated.

#### **Safety Precaution:**

Use good personal hygiene. Do not consume or store food in the work area, Wash hands and exposed skin before eating, drinking or smoking and after work. Avoid eye contact. For most conditions, no respiratory protection should be needed. In dusty atmospheres, use an approved particulate respirator. Use chemically resistant gloves and wear clean body covering. Use chemical goggles for eye and face protection

#### **Cautionary Statement:**

**cautionary statement 1. toxic to honey bees. product should not be used where honey bees are actively foraging. 2.not to be used on crops other than those subscribed on label and leaflet.3. dangereous to re use empty container 4. Toxic to Fish, hence should not be used near aquaculture.**

#### **Disposal of used containers, washing from equipment and surplus material :**

1. It shall be the duty of manufactures, formulators of insecticides and operators to dispose packages or surplus material and washings in a safe manner so as to prevent environmental or water pollution.
2. The used packages shall not be left outside to prevent their re-use.
3. The packages shall be broken and buried away from habitation.

#### **Manufacturer Premises :**

3)Plot no. 98, N.H. No.8, At: Limbadia, P.O. Naroda, District: Gandhinagar-382330, Gujarat. Maharashtra

M/s Dow AgroSciences India Pvt Ltd., 1) A-1, Lote Parusharam Industrial Area, Tal:- Khed, Dist. :- Ratnagiri. Maharashtra 415722.

2) Plot No. 228, G.I.D.C. Estate, Panoli, Distt. . Bharuch, Gujarat. Pin . 394116 Maharashtra

#### **Imported and Repacked by**

Dow AgroSciences India (P) Ltd  
1st Floor, Block-B, Gate No.-2, Godrej IT Park, Godrej Business District, Pirojshanagar, L.B.S Marg, Vikhroli Mumbai Maharashtra 400079

#### **Customer Care Details:**

Address: Dow AgroSciences India (P) Ltd, 1st Floor, Block-B, Gate No.-2, Godrej IT Park, Godrej Business District, Pirojshanagar, L.B.S Marg, Vikhroli,  
Email: rajeev.pant@corteva.com,  
Contact no: 07042-494099

#### **Safety Pictograms:**



**Caution: Not to Be Used on Crops Other Than Specified on This Label/Leaflet "**