

Primary Package Label

[Ultra-small (1ml or gm to 50 ml or gm)] & [small (51 ml or gm to 250 ml or gm)]

Read leaflet before use:

Common Name:

Sulphur 80 WDG

BRAND NAME: -

Chemical Composition :

		Content % w/w
Sulphur a.i.	A.I.	80 W/W
Sodium Salt of Phenol Sulphonic acid condensate	Dispersing agent :	8 W/W
China Clay	other ingredient	Q.S. W/W
Sodium salt of alkyl Naphthalene Sulphonic acid and aromatic Sulphonic acid condensate	Wetting agent	2 W/W
Total:		100.00%

Please refer leaflet for details

Antidote

No specific antidote, symptomatic and supportive therapy

Manufactured by

Sulphur Mills Limited
SULPHUR MILLS LIMITED, 604/605, Business Point, 6th floor, Plot No. 349, Western Express Highway, Andheri (E) Mumbai. 400 069, INDIA Mumbai Maharashtra

Premises Address

Sulphur 80 WDG

°µ[S °y³

Contact Fungicide

® 3 « — —



°çæ — »æ ° «

Keep out of reach of children.

° ± ¥ð; ; TM» ® n TM ° «

Keep in cool, dry place away from heat and open flame.

Regn. No. ; ! —!

Mfg. Lic. No. 2 —3 ! µ ! —!

Batch No. °æ —!

Mfg Date 2 —3 ! © !

Exp. Date ç n² » — — © !

Net Content / Volume , ± ç³ © —

Max. Retail Price m — — ©² » « ² y³

Customercare

q®3 TM ° « µ ® — »E-

— — —

°µ[S °y³

® 3 « — —

° 3 — — °æ —

.....2 ± ±

°µ[3 3 ©ñ 3 3 ©ñ 80 W/W

° | 3 2 ° µ æ | ° ® ° TM VY ðæ 8 W/W

y — — — µ ° µ — —

W° | — — | — ° æ

æ — à µ mō³ 'š æ — ®3 b©² — — — — — W/W

° | 3 2 ° µ æ y — — — — æ TM VY ðæ 2 W/W

mµ — µ — — © µ —

° µ — — — W° |

x ' 2 æ — ° µ — —

W° | — — | — ° æ

3 TM - TSSISS

.. 1 — — — —

— p' . . . æ . . 1 » ' | 1 — — » ' » Ž µ ¼ — — q®æ — —

° TM æ — | ' ° » 3 — — æ — n° — — — Q

qñ® « —

® ° — — — ® © —

(1). Sulphur Mills Limited, Plot No. A-1818/ 1904-1905/1928-30,
G.I.D.C. Estate, Panoli, Taluka: Ankleshwar Dist. - Bharuch, State -
GUJARAT.
Gujarat

(2). Sulphur Mills Limited, Plot No.2, G.I.D.C. Estate, Panoli,
Taluka: Ankleshwar, Dist: Bharuch, State-Gujarat, Pin code-
394116
Gujarat

(3). Sulphur Mills Limited, Shed No. 1501-1502, G.I.D.C. Estate,
Panoli, Taluka: Ankleshwar, Dist: Bharuch, State-Gujarat, Pin code-
394116
Gujarat

(4). Sulphur Mills Limited, Plot No- 230/231/232, ,G.I.D.C., Panoli,
Dist- Bharuch, State - GUJARAT.
Gujarat

Customer Care Details

Address: SULPHUR MILLS LIMITED, 604/605, Business
Point, 6th
floor, Plot No. 349, Western Express Highway,
Andheri
(E) Mumbai . 400 069, INDIA,
Email: bineet.s@sulphurmills.com,
Contact No. 022-43452222

Safety Pictograms:



(1).

(2).

(3).

(4).

»—« ± μ

© SULPHUR MILLS LIMITED, 604/605, Business
Point, 6th
floor, Plot No. 349, Western Express Highway, Andheri (E)
Mumbai . 400 069, INDIA,
p² μ - bineet.s@sulphurmills.com,
Contact No. 022-43452222

Secondary Package Label

[Ultra-small (1ml or gm to 50 ml or gm)] & [small (51 ml or gm to 250 ml or gm)]

Read leaflet before use:

Common Name:

Sulphur 80 WDG

BRAND NAME: -

Crops and Pest Groups: Sulphur 80% WDG is a contact fungicide which is used for the control of powdery mildew of Grape, Cowpea, Guar, Pea, Cumin and Mango and scab of Apple.

Dosage, Direction for use and Manner and time of application : Please refer leaflet for details

Purpose:

For agricultural use only

Re-entry:

48 hours.

Chemical Composition :

Content % w/w

Sulphur a.i.	A.I.	80 W/W
Sodium Salt of Phenol Sulphonic acid condensate	Dispersing agent :	8 W/W
China Clay	other ingredient	Q.S. W/W
Sodium salt of alkyl Naphthalene Sulphonic acid and aromatic Sulphonic acid condensate	Wetting agent	2 W/W

Total: 100.00%

Safety Precautions, Symptom of Poisoning and First Aid :Please refer leaflet for details.

Antidote Statement:

No specific antidote, symptomatic and supportive therapy

Sulphur 80 WDG

° µ [S ° y³]

Contact Fungicide

®, 3 « — , —



° çœ — ° œ «

Keep out of reach of children.

° | ÷ ð | | ° n ° «

Keep in cool, dry place away from heat and open flame.

Regn. No. _____

Mfg. Lic. No. _____

Batch No. _____

Mfg Date _____

Exp. Date _____

q® TM ° µ — E-

° µ [S ° y³]

— A

— µ — q® TM — µ vQ

' + š æ — ° « Q

_____ 2 ± ±

° µ 3 3 ° ñ 3 3 ° ñ 80 W/W

° | 3 2 ° µ æ | ° ® ° TM vQ õæ 8 W/W

y — — µ ° µ —

w° | — | — ° æ

œ — â µ mō š æ — ®š bœ 2 ° — — — W/W

° | 3 2 ° µ æ y — — æ TM vQ õæ 2 W/W

mµ — µ — ° µ —

° µ — — w° |

x' 2 æ — ° µ —

w° | — | — ° æ

3 TM - TSSISS

— p' . . æ — ' 1 » ' | ' — ' — » Ž µ ¼ — — q®œ — —

° TM œ — | ° ° » 3 — œ — fP — — Q

Cautionary statement:

1. Not be used on any other crops than those subscribed on label and leaflets
2. Destroy the container after use as directed on leaflet.
3. Do not apply on sulphur shy vegetables like cucurbits and certain varieties of fruits. it is phytotoxic where high temperatures prevail.
4. Toxic to fish, aquatic organisms hence should not be used near water bodies, aquaculture or pisciculture.

Manufactured by

Sulphur Mills Limited
 SULPHUR MILLS LIMITED, 604/605, Business Point, 6th floor, Plot No. 349, Western Express Highway, Andheri (E) Mumbai. 400 069, INDIA Mumbai Mumbai Maharashtra

Premises Address

- (1). Sulphur Mills Limited, Plot No. A-1818/ 1904-1905/1928-30, G.I.D.C. Estate, Panoli, Taluka: Ankleshwar Dist. - Bharuch, State - GUJARAT. Gujarat
- (2). Sulphur Mills Limited, Plot No.2, G.I.D.C. Estate, Panoli, Taluka: Ankleshwar, Dist: Bharuch, State-Gujarat, Pin code- 394116 Gujarat
- (3). Sulphur Mills Limited, Shed No. 1501-1502, G.I.D.C. Estate, Panoli, Taluka: Ankleshwar, Dist: Bharuch, State-Gujarat, Pin code- 394116 Gujarat
- (4). Sulphur Mills Limited, Plot No- 230/231/232, ,G.I.D.C., Panoli, Dist- Bharuch, State - GUJARAT. Gujarat

Customer Care Details

Address: SULPHUR MILLS LIMITED, 604/605, Business Point, 6th floor, Plot No. 349, Western Express Highway, Andheri (E) Mumbai . 400 069, INDIA,
 Email: bineet.s@sulphurmills.com,
 Contact No. 022-43452222

Safety Pictograms:



Net Content / Volume
 Max. Retail Price

μ°μ | ... TM3 ... mō3 ... q « 3 ... μwq®3 TM
 -» ... « 3 ... m-° ...
 ... μ ... μ ... p q 3 ... TM3 ... p mō3
 ... μ ... ©2 μ ... m ... © ... ¼ ... 3 ...
 3 á° ... » :
 2 Ÿ μ³ Ž j μ³ j ... μ w j » μ » o° μ w j μ ... 3 Ž j μ³ ...
 ... ©2 μ ... » ... « w Q

qñ®«—

® ° ... © ...

- (1).
- (2).
- (3).
- (4).

»—« ± μ ...

®© ... SULPHUR MILLS LIMITED, 604/605, Business Point, 6th floor, Plot No. 349, Western Express Highway, Andheri (E) Mumbai . 400 069, INDIA,
 p² μ ... bineet.s@sulphurmills.com,
 Contact No. 022-43452222

(1). Sulphur Mills Limited, Plot No. A-1818/ 1904-1905/1928-30,
G.I.D.C. Estate, Panoli, Taluka: Ankleshwar Dist. - Bharuch, State -
GUJARAT.
Gujarat

(2). Sulphur Mills Limited, Plot No.2, G.I.D.C. Estate, Panoli, Taluka:
Ankleshwar, Dist: Bharuch, State-Gujarat, Pin code- 394116
Gujarat

(3). Sulphur Mills Limited, Shed No. 1501-1502, G.I.D.C. Estate,
Panoli, Taluka: Ankleshwar, Dist: Bharuch, State-Gujarat, Pin code-
394116
Gujarat

(4). Sulphur Mills Limited, Plot No- 230/231/232, ,G.I.D.C., Panoli,
Dist- Bharuch, State - GUJARAT.
Gujarat

(1).

(2).

(3).

(4).

Customer Care Details

Address: SULPHUR MILLS LIMITED, 604/605, Business
Point, 6th
floor, Plot No. 349, Western Express Highway,
Andheri
(E) Mumbai . 400 069, INDIA,
Email: bineet.s@sulphurmills.com,
Contact No. 022-43452222

»-« ± μ · · · ·

©© SULPHUR MILLS LIMITED, 604/605, Business
Point, 6th
floor, Plot No. 349, Western Express Highway, Andheri (E)
Mumbai . 400 069, INDIA,
p² μ - bineet.s@sulphurmills.com,
Contact No. 022-43452222

Safety Pictograms:



° μ [S° y³]

fi @, 3 « - , - fl

° y [S° qm° w° @, 3 « - , - » i ° 3 TM m° Ž μ ± n ŽMh Ž 2 x Ž | n 2 — œ « ° @ 2 TM — a 2 — μ w — 3 i © » Q
 ° 3 — ° œ

œ á μ	m0³ š —	@3 b° 2 — W/W
° 3 2 ° μ a° y — m μ — μ — © μ —	· a° TM W ō a	2 W/W
° μ — w° x° 2 a — ° μ — w° — — ° a		
° 3 2 ° μ a° y — μ ° μ — w° ° @ ° TM W ō a		8 W/W
° μ — — ° a		
° μ — 3 3 ° ħ	3 3 ° ħ	80 W/W

3 TM — TSSISS ± ±

° μ	— a° — 2	© » a³ 2		° — 2 μ a°	° μ m° a	° — μ	° l° μ	n ·
		° l° ħ — !	° œ — !					
m°	œ «	T!XSZUISS	T![ZXZUIXS	ZXSZTSSS	— μ — μ ° a° TM — « — œ —	48	-	« ° © — μ 3 ° 2 — © μ ° — @ ° 3 ° 2 ° 2 — a ° m — μ » — @ ° * ° \$ ° « — m° μ ° —
n 2	œ «	T!XSZUISS	T![ZXZUIXS	ZXSZTSSS	— μ — μ ° a° TM — « — œ —	48	-	« ° © — μ 3 ° 2 — © μ ° — @ ° 3 ° 2 ° 2 — a ° m — μ » — @ ° * ° \$ ° « — m° μ ° —
TMh	œ «	T!XSZUISS	T![ZXZUIXS	ZXSZTSSS	— μ — μ ° a° TM — « — œ —	48	-	« ° © — μ 3 ° 2 — © μ ° — @ ° 3 ° 2 ° 2 — a ° m — μ » — @ ° * ° \$ ° « — m° μ ° —

Caution: Not to Be Used on Crops Other Than Specified on This Label/Leaflet

i	œ	T!XSZUISS	T![ZXZUIXS	ZXSZTSSS	μ μ ° 48	-	« μ 3 2 μ μ o @ 3 2 o 2 a m μ » * \$ « m μ -
2 μ	œ	T!XSZUISS	T![ZXZUIXS	ZXSZTSSS	μ μ ° 48	-	« μ 3 2 μ μ o @ 3 2 o 2 a m μ » * \$ « m μ -
μ ± 3	œ	T!XSZUISS	T![ZXZUIXS	ZXSZTSSS	μ μ ° 48	-	« μ 3 2 μ μ o @ 3 2 o 2 a m μ » * \$ « m μ -
o °	@ 2 TM	T!XSZUISS	T![ZXZUIXS	ZXSZTSSS	μ μ ° 48	-	« μ 3 2 μ μ o @ 3 2 o 2 a m μ » * \$ « m μ -

Note:-

qTM μ w -«

2 μ , œ | 2 » μ a Ê @ 2 2 μ 3 | Ÿ Ê ° mc Ÿ — s μ μ Q o ° « @ — 2 — 2 μ —

— | ° Ÿ Ê — 2 © 3 — μ Q

2 o 2 — a ©

o ° » | 2 2 3 o © 2 μ — é 3 « » » » » Q ° » i » » » » Ÿ Ê — — ° œ ° , — — © 2 o 2 —

« — Ÿ Ê — Q

2 μ | — @ —

3 » ° ú 2 @ a | © Ÿ Ê — μ w qTM — 3 i © » ° μ w 2 μ ° o — p — « — » μ — i μ 3 — 1 2 | — o — n °

® ° qTM — Q

° μ m a

μ | μ ° μ ° — « — œ — |

n · « —

® 3 ° Ÿ Ê — | μ μ — μ μ μ w » w @ ¥ 2 μ — Ÿ Ê — 3 o © 2 μ — Q ° » » w m ± o © 2 μ — 3 i — « » Q

Caution: Not to Be Used on Crops Other Than Specified on This Label/Leaflet

—@P —' 3 'H- 3 ' — 3 TM ± ' —' ° —@' »Q

÷μ 3' —' — j μQ

As mentioned in recommendation table.

—@3 ' / q@3 TM' —' —«, ' / «' Q

48

' TM' —', n © ' μ¼'' — j ' n —' @' 3 ' 2 ° 2 ' —' a ©' —' m—μ' » —' @' ' Y Y | —' —' Q

n . «' —' ° 2 3

' TM' —', n © ' μ¼'' — j ' n —' @' 3 ' 2 ° 2 ' —' a ©' —' m—μ' » —' @' ' Y Y | —' —' Q

«' ° © —' — μ 3 ' —' ° 2 ' —' — @» μ' ° — ©' @' 3 ' 2 ° 2 ' —' a ©' —' m—μ' » —' @' ' * ' ° ' \$' ' «' —' — m ©' μ' @' —' |

' ° μ' @ —' @' | ' ° μ' — 3' ° ' , ' @» μ' q@3 TM' —' —' Q

· 1' — μ¼''

· · ©' 2 ' μ¼'' ' ° a ' 2 ' » ' ° — ©' » | ' ° 2 ° μ Ž q μ 3 Ž n —' 2 ' Ž ñ œ | ' ' ' ° —' ' ' μ —' @' — μ ' 2 ' j μ —:

® «®' n · 1 μ ©

° μ —' —' ° μ —' # p q q 3 ' j ' ° ' , ' TM 3 ' —' ° μ | ' — p m 3 ' ©' » —' μ' @' ' ° © 2 μ' —' —' m —' © @ 2 —' ¼ ' 2 ' 3 » —' 3 3 ' 3 â ° —' » ©' »:

_____:

Caution: Not to Be Used on Crops Other Than Specified on This Label/Leaflet

© 2014 Bayer CropScience



Caution: Not to Be Used on Crops Other Than Specified on This Label/Leaflet

Sulphur 80 WDG

(Contact Fungicide)

Sulphur 80% WDG is a contact fungicide which is used for the control of powdery mildew of Grape, Cowpea, Guar, Pea, Cumin and Mango and scab of Apple.

Chemical Composition:	Ingredient	%W/W
China Clay	other ingredient	Q.S. W/W
Sodium salt of alkyl Naphthalene Sulphonic acid and aromatic Sulphonic acid condensate	Wetting agent	2 W/W
Sodium Salt of Phenol Sulphonic acid condensate	Dispersing agent :	8 W/W
Sulphur a.i.	A.I.	80 W/W
Total:		100.00% w/w

Recommendation

Crop(s)	Common Name of Pest	Dosage/HA		Dilution in Water liter	Crop Stage	Re-entry Period	Pre Harvest	Frequency
		AI kg	Formulation kg					
Grape	Powdery mildew	1.50-2.00	1.875-2.50	750-1000	Vegetative stage to Flower and fruit setting stage.	48	-	Two to three Foliar spray to be given at very first sign of disease or when weather conditions favor disease at 7 to 14 days interval
Mango	Powdery mildew	1.50-2.00	1.875-2.50	750-1000	Vegetative stage to Flower and fruit setting stage.	48	-	Two to three Foliar spray to be given at very first sign of disease or when weather conditions favor disease at 7 to 14 days interval
Guar	Powdery mildew	1.50-2.00	1.875-2.50	750-1000	Vegetative stage to Flower and fruit setting stage.	48	-	Two to three Foliar spray to be given at very first sign of disease or when weather conditions favor disease at 7 to 14 days interval
Cumin	Powdery mildew	1.50-2.00	1.875-2.50	750-1000	Vegetative stage to Flower and fruit setting stage.	48	-	Two to three Foliar spray to be given at very first sign of disease or when weather conditions favor disease at 7 to 14 days interval
Pea	Powdery mildew	1.50-2.00	1.875-2.50	750-1000	Vegetative stage to Flower and fruit setting stage.	48	-	Two to three Foliar spray to be given at very first sign of disease or when weather conditions favor disease at 7 to 14 days interval
Cowpea	Powdery mildew	1.50-2.00	1.875-2.50	750-1000	Vegetative stage to Flower and fruit setting stage.	48	-	Two to three Foliar spray to be given at very first sign of disease or when weather conditions favor disease at 7 to 14 days interval

Caution: Not to Be Used on Crops Other Than Specified on This Label/Leaflet

Apple	scab	1.50-2.00	1.875-2.50	750-1000	Vegetative stage to Flower and fruit setting stage.	48	-	Two to three Foliar spray to be given at very first sign of disease or when weather conditions favor disease at 7 to 14 days interval
-------	------	-----------	------------	----------	---	----	---	---

Note:-

Good Practices relating to pesticide application techniques

Direction of Use

Take a required quantity of formulation, dilute with little water and stir well using a stick. Then add the remaining quantity of water as per spray volume required & mix well again by stirring.

Weather Condition(in general):

Should be applied preferably in the morning and evening. Avoid applications under high wind. Apply during clear weather without rain

Soil & Water(where ever applicable):

This is foliar application product, so hardly have any relation to soil. However, avoid using near aquaculture.

Crop Stage for application:

Vegetative stage to Flower and fruit setting stage.

Application Technique

Foliar spray with Knapsack Sprayer fitted with flat fan nozzle is recommended. Foot sprayer can also be used.

Equipment Type:

Knapsack sprayer. Foot sprayer can also be used.

NozzleType:

Flat fan nozzle.

Dosage:

As mentioned in recommendation table.

Instruction for Mixing:

Please refer 'direction for use'.

Re-entry Period

48

Manner and Time of Application

Foliar spray to be given at very first sign of disease or when weather conditions favor disease.

Application Timing

Foliar spray to be given at very first sign of disease or when weather conditions favor disease.

Frequency

Two to three Foliar spray to be given at very first sign of disease or when weather conditions favor disease at 7 to 14 days interval

Stages during which pesticides should not be applied on any crop :

Not to be applied during crop maturity and just before crop harvest

Precautions to be taken to avoid harm to the beneficial insects like honey bees and natural enemies of pests :

Caution: Not to Be Used on Crops Other Than Specified on This Label/Leaflet "

Symptoms Of Poisoning

Early Symptoms may be any combination of nausea, vomiting, irritation of eyes, skin and bronchial tubes if inhaled.

First Aid

If ingested: if person is conscious and alert, rinse mouth with water and give 1 or 2 glass of water to drink. Never give anything by mouth to an unconscious person. Call the doctor. Do not induced vomiting until and unless desired by attending physician.

If inhaled: Take the patient to fresh air and take care of body temperature. If patient is not breathing or breathing with difficulty, give artificial respiration, Consult a physician.

In case of skin contact: Wash thoroughly the affected part of body with soap and plenty of water including hairs and under fingernails. If pain, redness or irritation persists, consult a doctor. All contaminated clothes should be segregated and thoroughly washed with soap and water separately before use.

In case of eye contact: Rinse gently with plenty of water at least for 15 minutes. If pain, irritation, redness or photophobia persists. Consult eye specialist

Antidote

No specific antidote, symptomatic and supportive therapy

Phytotoxicity

Do not apply on sulphur shy vegetables like cucurbits and certain varieties of fruits. It is phytotoxic where high temperatures prevail .

Storage Conditions

1. The packages containing the fungicide shall be stored in original containers in separate or premises, away from the room or premises used for storing other articles or shall be kept separately under lock and key.

2. The room or premises meant for storing the fungicide shall be well built, dry lit and well ventilated and of sufficient dimension to avoid contamination with vapor.

Safety Precaution:

1) Avoid inhalation and contact with skin and eyes. 2) Keep away from children, food stuff, animal feed, heat and flame. Store in cool and dry place under lock and key. 3) Do not mix the insecticides with bare hands. 4) Do not eat, drink, smoke or chew tobacco while spray. 5) Spray the insecticide only in the direction of wind blowing and not against it so as to prevent the setting of the drift on body. 6) The user should use full protective clothing with rubber gloves, boots. Face should be covered with face shield or dust mask and body should be covered with an overall or rubber apron and hood or hat. 7) Do not use as an ultra-low volume spray.

Cautionary Statement:

1. Not be used on any other crops than those subscribed on label and leaflets

2. Destroy the container after use as directed on leaflet.

3. Do not apply on sulphur shy vegetables like cucurbits and certain varieties of fruits. it is phytotoxic where high temperatures prevail.

4. toxic to fish, aquatic organisms hence should not be used near water bodies, aquaculture or pisciculture.

Disposal of used containers, washing from equipment and surplus material :

1. It shall be the duty of manufactures, formulators of insecticides and operators to dispose packages or surplus material and washings in a safe manner so as to prevent environmental or water pollution.

2. The used packages shall not be left outside to prevent their re-use.

3. The packages shall be broken and buried away from habitation.

Manufacturer Premises :

Sulphur Mills Limited, Plot No- 230/231/232, ,G.I.D.C., Panoli,
Dist- Bharuch, State - GUJARAT.
Maharashtra

Sulphur Mills Limited, Plot No. A-1818/ 1904-1905/1928-30,
G.I.D.C. Estate, Panoli, Taluka: Ankleshwar Dist. - Bharuch, State
-GUJARAT.
Maharashtra

Sulphur Mills Limited, Plot No.2, G.I.D.C. Estate, Panoli, Taluka:
Ankleshwar, Dist: Bharuch, State-Gujarat, Pin code- 394116
Maharashtra

Sulphur Mills Limited, Shed No. 1501-1502, G.I.D.C. Estate,
Panoli, Taluka: Ankleshwar, Dist: Bharuch, State-Gujarat, Pin
code- 394116
Maharashtra

Manufactured by

Sulphur Mills Limited
SULPHUR MILLS LIMITED, 604/605, Business Point, 6th floor,
Plot No. 349, Western Express Highway, Andheri (E) Mumbai . 400
069, INDIA Mumbai Maharashtra

Caution: Not to Be Used on Crops Other Than Specified on This Label/Leaflet "

Customer Care Details:

Safety Pictograms:



Caution: Not to Be Used on Crops Other Than Specified on This Label/Leaflet