

**Primary Package Label**

**[Ultra-small (1ml or gm to 50 ml or gm)] & [small (51 ml or gm to 250 ml or gm)]**

**Read leaflet before use:**

**Common Name:**

Sulphur 80% WP

**BRAND NAME: -**

**Chemical Composition :**

**Content % w/w**

Wetting or dispersing agent (Na-salt of alkylaryl sulfonate and CMC)	Wetting or dispersing agent	5.0 % w/w
China clay	other ingredient	14.6 % w/w
Sulphur Technical (Based on 99.5% w/w A.I.)	active ingredient	80.4 % w/w

**Total: 100.00%**

**Please refer leaflet for details**

**Antidote**

there is no specific antidote. hence symptomatic and supportive therapy should be given.

**Manufactured by**

Rallis India Limited  
Rallis India Limited, 111rd Block, 11nd Floor, KSCMF Ltd., Building, 8, Cunningham Road, Bangalore - 560052 Rallis India Limited  
156/157, Nariman Bhavan, 15th Floor, 228, Nariman Point, Mumbai - 400021 Bangalore Bangalore Karnataka 560052

**Premises Address**

**Sulphur 80% WP**

° y- [S- ]ø³!®

**Contact Fungicide**

® 3- - « - -



° - | ¥ø! i TM® n TM° «

Keep in cool, dry place away from heat and open flame.

Regn. No.	° j !-!	_____
Mfg. Lic. No.	2 -3 !- μ !-!	_____
Batch No.	° œ-!	_____
Mfg Date	2 -3 !- ©!	_____
Exp. Date	¿ ñ² » - - © !	_____
Net Content / Volume	± ñ³ ©-	_____
Max. Retail Price	m -œ² - « ² y³	_____
Customercare		_____

q®3 TM° i®µ i® -®É-

° y- [S- ]ø³!®

® 3- - « - -

° 3 - - ° œ- -

° TM n i i ° ® ° TM ° ° TM n i i ° ® ° TM ° XIS ° w/w

W µ ff i 3 2 ° y µ W µ

y Ó my—µ i oµ i

° y- - µ i ° a i

° !w² ! ° !f!

œo- i âµ mō³ i š µ TWY ° w/w

° y- i µ â—µ i ° 3 i š µ [S!W ° w/w

fē - ° i \\X ° ! ©!

® i n - i ©

3 TM - TSS!S

-p i ° µ i 1 » i i 1 n - » i » Q µ ¼ - m - ° i i œ-fp i -

n - i i ® i oµ i i « i - i œ » w Q

qñ® « -

i µ ° i o ð i 3 i µ ² µ i

i µ ° i o ð i 3 i µ ² µ i Ž 3 i µ —Ž 2 i µ i Ž —!w² ! ° !w² !w ! i µ i µ i o i TMŽ

8Ž —ō—ō TM ² i i Ž ° o TM µ . 560052 i µ ° i o ð i 3 i µ ² µ i Ž 156/157Ž

- i 2 - i ± - Ž 15 i µ i Ž 227 - i 2 - i ® o õ Ž 2 ú o p i . 400021 ° o TM µ i 560052

® ° i i - i ® © -

(1). M/s Rallis India Limited, Plot No. 3301, GIDC Industrial Area,  
Dist. Bharuch, Ankleshwar-393 002, GUJARAT  
Gujarat

(2). M/s Rallis India Limited, Plot No. 2808, G.I.D.C. Estate,  
Ankleshwar - 393002, Dist. Bharuch, GUJARAT  
Gujarat

(3). M/s Rallis India Limited, C-5/C-6, MIDC Industrial Area,Phase-  
III, Shivani, Akola . 444 104, MAHARASTHRA  
Maharashtra

**Customer Care Details**

Address: Rallis India Limited, IIIrd Block, IIInd Floor,  
KSCMF Ltd., Building, 8, Cunningham Road, Bangalore

560052,  
Contact No: 09810991089,  
Email: kjsrivalli@rallis.co.in

**Safety Pictograms:**



(1). ?????? ?????????? ?????????, ?????? ?? 3301, ?? ?? ?? ??.  
???????????????? ??????, ????? ?????, ??????????? 393002, ???????

(2). ?????? ?????????? ?????????, ?????? ?? 2808, ?? ?? ?? ??.  
???????????????? ??????, ????? ?????, ??????????? 393002, ???????

(3). ?????? ?????????? ?????????, ??-5/??-6, ?? ?? ?? ?? ?? ??-3, ??????,  
?????? - 444104, ????????????

»—« ± μ . . . . .

© - . . . . . Rallis India Limited, IIIrd Block, IIInd Floor,  
KSCMF Ltd., Building, 8, Cunningham Road, Bangalore -  
560052,  
Contact No: 09810991089,  
p² μ - . . . . . kjsrivalli@rallis.co.in







**Symptom of Poisoning:**

nausea, vomiting, abdominal pain, diarrhoea if swallowed. when inhaled as fine dust irritation to bronchial tubes and lungs tissues.

**First Aid:**

1. if ingested : if person is conscious and alert, rinse mouth with water and give 1 or 2 glass of water to drink. never give anything by mouth to an unconscious person. call the doctor. do not induce vomiting until and unless desired by attending physician. 2. if inhaled : take the patient to fresh air and take care of body temperature. if patient is not breathing or breathing with difficulty, give artificial respiration, preferably with mouth to mouth breathing. consult a physician. 3. in case of skin contact : wash thoroughly the affected part of body with soap and plenty of water including hairs and under fingernails. if pain, redness or irritation persists, consult a doctor. all the contaminated clothes should be segregated and thoroughly washed with soap and water separately before use. 4. in case of eye contact : rinse gently with plenty of water for at least 15 minutes. if pain, irritation, redness or photophobia persists, consult eye specialist.

**Antidote**

there is no specific antidote. hence symptomatic and supportive therapy should be given.

**Cautionary statements:**

- 1. Not to be used for any purpose other than subscribed on label & leaflets.
- 2. Destroy container after use as directed on leaflet.
- 3. Sulphur is not recommended for application on sulphur "shy" vegetables e.g. cucurbits etc and certain variety of apples, pears & other fruits where high temperature (85 or 30 degree Celsius) prevail sulphur phytotoxic.

**Manufactured by**

Rallis India Limited  
Rallis India Limited, 111rd Block, 11nd Floor, KSCMF Ltd., Building, 8, Cunningham Road, Bangalore - 560052 Rallis India Limited  
156/157, Nariman Bhavan, 15th Floor, 228, Nariman Point, Mumbai - 400021 Bangalore Bangalore Karnataka 560052

2023 09 27 10:00:00 AM

1. 2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20. 21. 22. 23. 24. 25. 26. 27. 28. 29. 30. 31. 32. 33. 34. 35. 36. 37. 38. 39. 40. 41. 42. 43. 44. 45. 46. 47. 48. 49. 50. 51. 52. 53. 54. 55. 56. 57. 58. 59. 60. 61. 62. 63. 64. 65. 66. 67. 68. 69. 70. 71. 72. 73. 74. 75. 76. 77. 78. 79. 80. 81. 82. 83. 84. 85. 86. 87. 88. 89. 90. 91. 92. 93. 94. 95. 96. 97. 98. 99. 100.

1. 2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20. 21. 22. 23. 24. 25. 26. 27. 28. 29. 30. 31. 32. 33. 34. 35. 36. 37. 38. 39. 40. 41. 42. 43. 44. 45. 46. 47. 48. 49. 50. 51. 52. 53. 54. 55. 56. 57. 58. 59. 60. 61. 62. 63. 64. 65. 66. 67. 68. 69. 70. 71. 72. 73. 74. 75. 76. 77. 78. 79. 80. 81. 82. 83. 84. 85. 86. 87. 88. 89. 90. 91. 92. 93. 94. 95. 96. 97. 98. 99. 100.

1. 2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20. 21. 22. 23. 24. 25. 26. 27. 28. 29. 30. 31. 32. 33. 34. 35. 36. 37. 38. 39. 40. 41. 42. 43. 44. 45. 46. 47. 48. 49. 50. 51. 52. 53. 54. 55. 56. 57. 58. 59. 60. 61. 62. 63. 64. 65. 66. 67. 68. 69. 70. 71. 72. 73. 74. 75. 76. 77. 78. 79. 80. 81. 82. 83. 84. 85. 86. 87. 88. 89. 90. 91. 92. 93. 94. 95. 96. 97. 98. 99. 100.

1. 2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20. 21. 22. 23. 24. 25. 26. 27. 28. 29. 30. 31. 32. 33. 34. 35. 36. 37. 38. 39. 40. 41. 42. 43. 44. 45. 46. 47. 48. 49. 50. 51. 52. 53. 54. 55. 56. 57. 58. 59. 60. 61. 62. 63. 64. 65. 66. 67. 68. 69. 70. 71. 72. 73. 74. 75. 76. 77. 78. 79. 80. 81. 82. 83. 84. 85. 86. 87. 88. 89. 90. 91. 92. 93. 94. 95. 96. 97. 98. 99. 100.

1. 2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20. 21. 22. 23. 24. 25. 26. 27. 28. 29. 30. 31. 32. 33. 34. 35. 36. 37. 38. 39. 40. 41. 42. 43. 44. 45. 46. 47. 48. 49. 50. 51. 52. 53. 54. 55. 56. 57. 58. 59. 60. 61. 62. 63. 64. 65. 66. 67. 68. 69. 70. 71. 72. 73. 74. 75. 76. 77. 78. 79. 80. 81. 82. 83. 84. 85. 86. 87. 88. 89. 90. 91. 92. 93. 94. 95. 96. 97. 98. 99. 100.



° y [S' |ø³!®

fi @, 3 « - » fl

° y [S' |ø³!® w @, 3 « - » i ° - 3 TM° Ž m Ž μ ° 3 Ž 2 TMž q|«Ž 2 œž ±| Ž n 2 | ° - 2 œ I m ° ©, 2 TM μ 2 pa-® I œ 2 pa 2 TM n | œ I m ° ©, i ° 2 « - » i « - » 2 μ w 3 i © » Q

° 3 œ

|   |          |          |
|---|----------|----------|
| œo- âμ  | mô³ š α— | TWY w/w  |
| ° y â—μ fë ° \\X ° !@! ® ° 3 š α—                             |          | [SIW w/w |
| n - ©   |          |          |
| ° 3 TM n ° ® ° TM w α ffl 3 2 ° y α y Ó ° 3 TM n ° ® ° TM w α |          | XIS w/w  |
| mý—μ ° μ ° y ° -α ° !W? ! ° fl                                |          |          |
| 3 TM - TSSISS ± ±   |          |          |

| ° μ'                    | —α'— 2             | © » â α³ ' 2                 |                     | ® — 2<br>® — 2 fμ α' fl | ° μ' m' a                 | ® — μ                             | ® I ° μ | n .   |
|-------------------------|--------------------|------------------------------|---------------------|-------------------------|---------------------------|-----------------------------------|---------|---|
|                         |                    | ° ! ©ñ<br>° 3 ©ñ<br>fi— 2 fl | ° œ<br>° œ fi— 2 fl |                         |                           |                                   |         |   |
| m™                      | œ I m ° ©          | UZW                          | UIXZXS              | ZXSZTSSS                | ° ® ° ° i —<br>m' a ° — Q | 3 TM — UW š α' —<br>° « » . . — Q |         | ° TM — « ° . . —<br>n — ® — TZU' ®<br>ÿ   — — Q |
| n 2                     | œ I m ° ©          | UIX                          | V!TV                | ZXSZTSSS                | ° ® ° ° i —<br>m' a ° — Q | 3 TM — UW š α' —<br>° « » . . — Q |         | ° TM — « ° . . —<br>n — ® — TZU' ®<br>ÿ   — — Q |
| i .                     | « - - - »          | UIWV!U 2<br>— i              | VZW 2 — i           | T' μ α' TS' — i         | ° ® ° ° i —<br>m' a ° — Q | 3 TM — UW š α' —<br>° « » . . — Q |         |   |
| — °                     | œ I m ° ©          | UIX                          | V!TV                | ZXSZTSSS                | ° ® ° ° i —<br>m' a ° — Q | 3 TM — UW š α' —<br>° « » . . — Q |         | ° TM — « ° . . —<br>n — ® — TZU' ®<br>ÿ   — — Q |
| ° μ³ μ ° 3 Ž 2 TMž q  « | œ I m ° ©          | UIX                          | V!TV                | ZXSZTSSS                | ° ® ° ° i —<br>m' a ° — Q | 3 TM — UW š α' —<br>° « » . . — Q |         | ° TM — « ° . . —<br>n — ® — TZU' ®<br>ÿ   — — Q |
| ±                       | œ I m ° ©          | UIX                          | V!TV                | ZXSZTSSS                | ° ® ° ° i —<br>m' a ° — Q | 3 TM — UW š α' —<br>° « » . . — Q |         | ° TM — « ° . . —<br>n — ® — TZU' ®<br>ÿ   — — Q |
| 2 α'                    | TM n'<br>œ I m ° © | UIX                          | V!TV                | ZXSZTSSS                | ° ® ° ° i —<br>m' a ° — Q | 3 TM — UW š α' —<br>° « » . . — Q |         | ° TM — « ° . . —<br>n — ® — TZU' ®<br>ÿ   — — Q |
| 2 œ                     | œ I m ° ©          | UIX                          | V!TV                | ZXSZTSSS                | ° ® ° ° i —<br>m' a ° — Q | 3 TM — UW š α' —<br>° « » . . — Q |         | ° TM — « ° . . —<br>n — ® — TZU' ®<br>ÿ   — — Q |

Caution: Í Not to Be Used on Crops Other Than Specified on This Label/Leaflet! "



|        |            |     |         |          |                                  |                                    |  |
|--------|------------|-----|---------|----------|----------------------------------|------------------------------------|--|
| 2 TM μ | αâ—'®   œ  | UzW | UixzXIS | ZXSzTSSS | · - ®©·° · j - - -<br>m· a · ©—Q | 3 TM — UWš π' —<br>° «' »' · · —'Q | ' TM — «° · · —<br>n · —'®' TzU'® ·<br>ÿ   — · —'Q |
| ° °    | œ'   m ° © | UzW | UixzXIS | ZXSzTSSS | · - ®©·° · j - - -<br>m· a · ©—Q | 3 TM — UWš π' —<br>° «' »' · · —'Q | ' TM — «° · · —<br>n · —'®' TzU'® ·<br>ÿ   — · —'Q |

Note:-

q®3 TM — μw —«·

®κ a | — — | '©' 2 · —' q®3 TM —'Q · ®κ a | — — | '©' —' —' 2 · 2 · mçÿ · —'° · 2 μ w Q

2 ° 2 · —' a ©

° ° ©Z» · | ' TM2 | —®' m · —' —' «' —' ÿ | — · —'Q

2 π' | '© —

3 »'®κ a | ® · ÿ | — · —' μw q®3 TM —3 · j · ©' »'Q o° μw 2 π'°° —'© —' —'p' '©' —' »' »'Q j μ3 —'1'2' | '°° —'n ° ·®° ·  
q®3 TM —' —'Q

° ° μ' m · a

· - ®©·° · j - - - m · a · ©—Q

n · «' —'© — —

qçœ · ý3 2 · · μ' 3 ° | — j ' w ® · ÿ | — · —'Q

—ú · —' —'® · 3 'Z' π' 3 'Z' » p' w j μ · ý3 2 · · 3 '13' ° π' ° œ μ© · 3 '1' —' q®3 TM —'Q

» μ' —' —' j μ

2-4 kg a.i./ha (2.5-5.0 kg formulation/ha) in 750-1000 litres of water on Apple, Grapes & Groundnut; 2.5 kg a.i./ha (3.13 kg formulation/ha) in 750-1000 litres of water on Cowpea, Moong, Urad, Pea, Chillies, Okra, Mango & Citrus; 2.4-3.2 g a.i./kg seeds (3-4 g formulation/kg seeds) in 1 litres of water for 10 kg seeds on Sorghum.

« · —' n · 3 —'2 · —'® —' —' a È' 2 · 2 · 2 μ —' w —' š È' š μ ©3 · —' —'® · XZTS' 2 —'° —'° «'® —' —' j · —'2 · 2 μ —' —' » μ 3 ·  
© a · š μ' ñ3 · —'Q

3 TM — UWš π' —° «' »' · · —'Q

® · ÿ | — · —'Q ' TM — · n © · μ¼ · —' j · —' n —'® · 3 TM —'Q

n · «' —' —'° 2 3

° ° »' | ' · 2 · —'° 2 3 · ° ©2 μ' —' —' é3 «' ° »©'' » ©' »'Q

Caution: Not to Be Used on Crops Other Than Specified on This Label/Leaflet

TM-«°-n-®TzU®-Y|-Q

°μ®-|°μ-«°-»μq®3 TM-°Q

.1-μ¼

2°μ Ž qyαŽ®α²««Ž« ©m™™-™μ™™ Qj°°°²°²-μ®²μj©°° δ-³μ-μ³|°°°Ê-°r©-²jμ-»°Q

®«®n .1 μ©

°y-°[S-|ø³j®-°©³™™²-°³™™-°®°°μ®°°m°-»°®Ê°»°Q

\_\_\_\_\_:

T!-™μj-°®°³ «y³ ä©»²|°°©-»Ž©®-°°²»-°yμ-°|°°q°T³U™μ°®-°μwQ°»,y³ ä©-²»°-Y±-«Q|äα-°μwQj°°©-°æ-°-y«°-»-°j wqyα-°-°wQU!°°²j-°°²j-°-°μ»²μw|°°°-°®²-°-ä³μ-°wQ²j°°-°»μ°®»°³°°μ-²-°-¥-p»°°»°°q°²»-°-°²-°-«Q°æ-°-°-°®²j-°-QV!ñæ-°-°-°mçY°°»°°°-°°°j«®-°°°μ|°-°-°-°æ°»°°-°±°°»°-°±°μQ«Žμμ³jμ-°j°°°»°°j äα°°®²j-°Q°±°«1°-°Êmμ™mμ™|°mçY°°»°mμ™°j q®3 TM-°-°®μ°°-°|°®-°°°wj-°æ»wQWn°-°-°-°n°j«®-°°»y-°-°²-°-°TX²-°-°-°wQ°m™™««Žjμ-Žμμ³-°-°³j°°°»°°»°°-°°°1½°°®²j-°Q

.1-°-°

-p°-°-°°1»°|1-°-°»°Qμ¼-°-m-°°|°°æ-°-°-°n-°®°°j«j-°æ»wQ

°»-°-°°

T!®«°[°-|°°±°j°°-°°mμ™-²°²-°-°æ»wj»°|°-°p«°°°²-°-°-°j°°»Žj°°-°-°-°æj°m°-°-°-°mμ™nμ²°²°q°-²°°®°°-°±°-°-m-°°®μ°μ™-°-°Q

U!±°j°°°»mçY°®-°°°-°»n°»j°²°»°w°-°-°qæ®°°°-°»|°°q°-°n-°±°x°°»j°mçY°μú°pæj°p-°-°»°Q-²°Ž¥§°|°°°°»°Q

\_\_\_\_\_:

YÊ-°-°²j-°-°°²³j°°®°®°§-°μ-°-°®μ°μQ YÊ-°-°«™-°-°|°°-°-°μ»°-°mçY°°»°®-°°-°μQ°-°-°w-°-°²-°-°μQ YÊ-°-°«°-°-°®-°-°-°Ž-Y-°-°wŽ°-°w³°æ°wQ

\_\_\_\_\_:

T!μ°μ|°°æ°®°j°m±«°»Žq°°±°°m°³°³j-²°q®3 TM-°μw-»°Q  
U!®æ°®°-«l°qyμ-°-m-°°-°³™™-°«-°-°fi|ø°fl-°-°-°«°Q  
V!°y-°-°³™™°y-°-°-°μ°-°μ°°ø³-°-°μw°y-°-°-°-°-°-°j°°»Žj°°-°ú»Ê°|°-°Y°°-°²Ž-°®°°|°°m°³°μj»°qçæ°®²-°»f[X°|°-°-°»o!°°VS°|°°y°³°°fl°y-°-°°°αα°-°»°°Q

\_\_\_\_\_:

Caution: Not to Be Used on Crops Other Than Specified on This Label/Leaflet

1! '3 »' — 2 2 { Žy @' 2 μ 2 μ w w — ° ¼ © ' — °  
2! q 3 TM — 3 » w' @ — μ 2 — Ÿ È © — q — @ — 3 TM — 3 ' — ° — Q  
3! @ — Ÿ È — ° — n ° — « — ' i 2 — — — œ TM È — « Q

qñ® « — @ ' — ° —

μ ° ' o ð 3 ' μ 2 3 ž 5 6 ž w 2 ! n o ! ! ° ! ' ° ž 3 ž , . — ž m — μ ' ž  
444104ž 2 » ' —

μ ° ' o ð 3 ' μ 2 3 ž 6 μ — ! 2808ž i ! n o ! ! ° ! ' o ð i 3 μ ' w 2 ž  
i μ ' ± œ ž m — μ . 393002ž TM ' — ©

μ ° ' o ð 3 ' μ 2 3 ž 6 μ — ! 3301ž i ! n o ! ! ° ! ' o ð i 3 μ ' w 3 ž  
i μ ' ± œ ž m — μ . 393002ž TM ' — ©

» — « — ± μ ' — ° —

qñ® « —

μ ° ' o ð 3 ' μ 2 3 ž 3' 6 μ — ž 2' — μ ' ž — w 2 ! ° ! w 2 ! w 2 ! ' μ !  
6 μ ' i 6 TM ž 8 ž — 6 — 6 TM 2 ' i ž ° 6 TM μ ' > 560052 ' μ ° ' o ð 3 ' —  
μ 2 3 ž 156/157ž — ' 2 — ' ± . — ž 15' — μ ' ž 227' — ' 2 — ' © o ð 2 ž  
2 ú ° p ' > 400021 ' ° 6 TM μ ' 560052

© — Rallis India Limited, 111rd Block, 11nd Floor,  
KSCMF Ltd., Building, 8, Cunningham Road, Bangalore -  
560052,  
Contact No: 09810991089,  
p 2 μ — kjsrivalli@rallis.co.in

° ' ¼ ' œ ' μ @ -



Caution: Not to Be Used on Crops Other Than Specified on This Label/Leaflet

**Sulphur 80% WP**

( Contact Fungicide )

Sulphur 80% WP is a contact fungicide used for the control of Powdery mildew on Apple, Grapes, Cowpea, Moong, Urad, Chillies, Okra, Mango & Citrus; Tikka leaf spot on Groundnut; Rust & Powdery mildew on Pea and Grain smut on Sorghum crops.

| <b>Chemical Composition:</b>   | <b>Ingredient</b>           | <b>%W/W</b>        |
|--|-----------------------------|--------------------|
| China clay   | other ingredient            | 14.6 % w/w         |
| Sulphur Technical (Based on 99.5% w/w A.I.)                          | active ingredient           | 80.4 % w/w         |
| Wetting or dispersing agent (Na-salt of alkylaryl sulfonate and CMC) | Wetting or dispersing agent | 5.0 % w/w          |
| <b>Total:</b>  |                             | <b>100.00% w/w</b> |

**Recommendation**

| <b>Crop(s)</b>             | <b>Common Name of Pest</b> | <b>Dosage/HA</b>        |   | <b>Dilution in Water<br/>Dilution in water<br/>(Litre)</b> | <b>Crop Stage</b>                 | <b>Re-entry Period</b> | <b>Pre Harvest</b> | <b>Frequency</b>                                 |
|----------------------------|----------------------------|-------------------------|---|--|-----------------------------------|------------------------|--------------------|--|
|                            |                            | <b>AI<br/>a.i. (kg)</b> | <b>Formulation<br/>Formulation (kg)</b> |  |                                   |                        |                    |  |
| Grapes                     | Powdery mildew             | 2-4                     | 2.5-5.0                                 | 750-1000   | Vegetative to reproductive stage. | 24 hours of spraying   | -                  | 1-2 foliar sprays depending on disease pressure. |
| Mango                      | Powdery mildew             | 2.5                     | 3.13                                    | 750-1000   | Vegetative to reproductive stage. | 24 hours of spraying   | -                  | 1-2 foliar sprays depending on disease pressure. |
| Sorghum                    | Grain smut                 | 2.4-3.2 g/kg/seed       | 3-4 g/kg/seed                           | 1 liter/10 kg seed   | Vegetative to reproductive stage. | 24 hours of spraying   | -                  |  |
| Citrus                     | Powdery mildew             | 2.5                     | 3.13                                    | 750-1000   | Vegetative to reproductive stage. | 24 hours of spraying   | -                  | 1-2 foliar sprays depending on disease pressure. |
| Beans Cowpea, Moong, Urad. | Powdery mildew             | 2.5                     | 3.13                                    | 750-1000   | Vegetative to reproductive stage. | 24 hours of spraying   | -                  | 1-2 foliar sprays depending on disease pressure. |
| Okra                       | Powdery mildew             | 2.5                     | 3.13                                    | 750-1000   | Vegetative to reproductive stage. | 24 hours of spraying   | -                  | 1-2 foliar sprays depending on disease pressure. |
| Pea                        | Rust<br>Powdery mildew     | 2.5                     | 3.13                                    | 750-1000   | Vegetative to reproductive stage. | 24 hours of spraying   | -                  | 1-2 foliar sprays depending on disease pressure. |
| Chillies                   | Powdery mildew             | 2.5                     | 3.13                                    | 750-1000   | Vegetative to reproductive stage. | 24 hours of spraying   | -                  | 1-2 foliar sprays depending on disease pressure. |
| Groundnut                  | Tikka leaf spot            | 2-4                     | 2.5-5.0                                 | 750-1000   | Vegetative to reproductive stage. | 24 hours of spraying   | -                  | 1-2 foliar sprays depending on disease pressure. |
| Apple                      | Powdery mildew             | 2-4                     | 2.5-5.0                                 | 750-1000   | Vegetative to reproductive stage. | 24 hours of spraying   | -                  | 1-2 foliar sprays depending on disease pressure. |

**Note:-**

Good Practices relating to pesticide application techniques

**Direction of Use**

Use recommended dose. Dilute the formulation in required quantity of water.

**Weather Condition(in general):**

Do not apply during rainy, windy and hot sunny period.

**Soil & Water(where ever applicable):**

**Caution: Not to Be Used on Crops Other Than Specified on This Label/Leaflet "**

This is foliar application product, so hardly have any relation to soil. Avoid using near aquaculture.

**Crop Stage for application:**

Vegetative to reproductive stage.

**Application Technique**

Foliar spray using high volume sprayers.

**Equipment Type:**

**Use compression Knapsack sprayer, Foot sprayer, High & low volume sprayer or Battery operated sprayers.**

**NozzleType:**

**hollow cone nozzle**

**Dosage:**

2-4 kg a.i./ha (2.5-5.0 kg formulation/ha) in 750-1000 litres of water on Apple, Grapes & Groundnut; 2.5 kg a.i./ha (3.13 kg formulation/ha) in 750-1000 litres of water on Cowpea, Moong, Urad, Pea, Chillies, Okra, Mango & Citrus; 2.4-3.2 g a.i./kg seeds (3-4 g formulation/kg seeds) in 1 litres of water for 10 kg seeds on Sorghum.

**Instruction for Mixing:**

Mix the required quantity in a small quantity of water to thick uniform paste. Allowed to soak 5 to 10 minutes. Add remaining quantity of water slowly while stirring continuously and make up the volume.

**Re-entry Period**

24 hours of spraying

**Manner and Time of Application**

Foliar spray. As soon as the disease appears.

**Application Timing**

Should be applied preferably in the morning or evening hours.

**Frequency**

1-2 foliar sprays depending on disease pressure.

**Stages during which pesticides should not be applied on any crop :**

**Not to be applied during crop maturity and just before crop harvest.**

**Precautions to be taken to avoid harm to the beneficial insects like honey bees and natural enemies of pests :**

**Symptoms Of Poisoning**

Nausea, vomiting, abdominal pain, diarrhoea if swallowed. When inhaled as fine dust irritation to bronchial tubes and lungs tissues.

**First Aid**

1. If ingested : If person is conscious and alert, rinse mouth with water and give 1 or 2 glass of water to drink. Never give anything by mouth to an unconscious person. Call the doctor. Do not induce vomiting until and unless desired by attending physician. 2. If inhaled : Take the patient to fresh air and take care of body temperature. If patient is not breathing or breathing with difficulty, give artificial respiration, preferably with mouth to mouth breathing. Consult a physician. 3. In case of skin contact : Wash thoroughly the affected part of body with soap and plenty of water including hairs and under fingernails. If pain, redness or irritation persists, consult a doctor. All the contaminated clothes should be segregated and thoroughly washed with soap and water separately before use. 4. In case of eye contact : Rinse gently with plenty of water for at least 15 minutes. If pain, irritation, redness or photophobia persists, consult eye specialist.

**Antidote**

There is no specific antidote. Hence symptomatic and supportive therapy should be given.

**Caution:Í Not to Be Used on Crops Other Than Specified on This Label/LeafletÍ "**

### **Phytotoxicity**

Sulphur 80% WP is not phytotoxic when used as per recommendations

### **Storage Conditions**

1. The packages containing the fungicide shall be stored in separate rooms or premises away from the rooms or premises used for storing other articles particularly food articles or shall be kept in separate almirahs under lock and key depending on the quantity and the nature of the fungicide.

2. The store room should be well built, well lit, ventilated and sufficient in dimensions. The condition of the store should be dry and cool.

### **Safety Precaution:**

Protective clothing should be worn while application. Wash contaminated clothes and body part after application. Avoid inhalation, do not smoke, drink, eat & chew anything during application

### **Cautionary Statement:**

- 1. Not to be used for any purpose other than subscribed on label & leaflets.**
- 2. Destroy container after use as directed on leaflet.**
- 3. Sulphur is not recommended for application on sulphur "shy" vegetables e.g. cucurbits etc and certain variety of apples, pears & other fruits where high temperature (85 of or 30 degree Celsius) prevail sulphur phytotoxic.**

### **Disposal of used containers, washing from equipment and surplus material :**

1. It shall be the duty of manufactures, formulators of insecticides and operators to dispose packages or surplus material and washings in a safe manner so as to prevent environmental or water pollution.
2. The used packages shall not be left outside to prevent their re-use.
3. The packages shall be broken and buried away from habitation.

### **Manufacturer Premises :**

M/s Rallis India Limited, C-5/C-6, MIDC Industrial Area,Phase-III,  
Shivani, Akola . 444 104, MAHARASTHRA  
Karnataka

M/s Rallis India Limited, Plot No. 2808, G.I.D.C. Estate,  
Ankleshwar - 393002, Dist. Bharuch, GUJARAT  
Karnataka

M/s Rallis India Limited, Plot No. 3301, GIDC Industrial Area, Dist.  
Bharuch, Ankleshwar-393 002, GUJARAT  
Karnataka

### **Manufactured by**

Rallis India Limited  
Rallis India Limited, IIIrd Block, IIInd Floor, KSCMF Ltd., Building, 8,  
Cunningham Road, Bangalore - 560052 Rallis India Limited  
156/157, Nariman Bhavan, 15th Floor, 228, Nariman Point,  
Mumbai - 400021 Bangalore Karnataka 560052

### **Customer Care Details:**

Address: Rallis India Limited, IIIrd Block, IIInd Floor,  
KSCMF Ltd., Building, 8, Cunningham Road, Bangalore -  
560052,  
Contact No: 09810991089,  
Email: kjsrivalli@rallis.co.in

### **Safety Pictograms:**



**Caution: Not to Be Used on Crops Other Than Specified on This Label/Leaflet "**