

© 2012 Bayer CropScience AG

2012 Bayer CropScience AG

2012 Bayer CropScience AG. All rights reserved. Bayer CropScience, Bayer, and the Bayer logo are trademarks of Bayer CropScience AG.

2012 Bayer CropScience AG

» Bayer CropScience AG

© Bayer CropScience AG

© Bayer CropScience AG. All rights reserved.

© Bayer CropScience AG

© Bayer CropScience AG

© Bayer CropScience AG

© Bayer CropScience AG. All rights reserved. Bayer CropScience, Bayer, and the Bayer logo are trademarks of Bayer CropScience AG.

© Bayer CropScience AG

© Bayer CropScience AG

© Bayer CropScience AG

Refer to the above recommendation.

© Bayer CropScience AG

© Bayer CropScience AG

© Bayer CropScience AG

UWS AG

© Bayer CropScience AG

© Bayer CropScience AG

© Bayer CropScience AG

© Bayer CropScience AG. All rights reserved.

© Bayer CropScience AG

1) 2) 3) 4) 5) 6) 7) 8) 9) 10) 11) 12) 13) 14) 15) 16) 17) 18) 19) 20) 21) 22) 23) 24) 25) 26) 27) 28) 29) 30) 31) 32) 33) 34) 35) 36) 37) 38) 39) 40) 41) 42) 43) 44) 45) 46) 47) 48) 49) 50) 51) 52) 53) 54) 55) 56) 57) 58) 59) 60) 61) 62) 63) 64) 65) 66) 67) 68) 69) 70) 71) 72) 73) 74) 75) 76) 77) 78) 79) 80) 81) 82) 83) 84) 85) 86) 87) 88) 89) 90) 91) 92) 93) 94) 95) 96) 97) 98) 99) 100)

2) 3) 4) 5) 6) 7) 8) 9) 10) 11) 12) 13) 14) 15) 16) 17) 18) 19) 20) 21) 22) 23) 24) 25) 26) 27) 28) 29) 30) 31) 32) 33) 34) 35) 36) 37) 38) 39) 40) 41) 42) 43) 44) 45) 46) 47) 48) 49) 50) 51) 52) 53) 54) 55) 56) 57) 58) 59) 60) 61) 62) 63) 64) 65) 66) 67) 68) 69) 70) 71) 72) 73) 74) 75) 76) 77) 78) 79) 80) 81) 82) 83) 84) 85) 86) 87) 88) 89) 90) 91) 92) 93) 94) 95) 96) 97) 98) 99) 100)

© Bayer CropScience AG

© Bayer CropScience AG. All rights reserved.

© Bayer CropScience AG

Caution: Not to Be Used on Crops Other Than Specified on This Label/Leaflet

0. 1. 2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20. 21. 22. 23. 24. 25. 26. 27. 28. 29. 30. 31. 32. 33. 34. 35. 36. 37. 38. 39. 40. 41. 42. 43. 44. 45. 46. 47. 48. 49. 50. 51. 52. 53. 54. 55. 56. 57. 58. 59. 60. 61. 62. 63. 64. 65. 66. 67. 68. 69. 70. 71. 72. 73. 74. 75. 76. 77. 78. 79. 80. 81. 82. 83. 84. 85. 86. 87. 88. 89. 90. 91. 92. 93. 94. 95. 96. 97. 98. 99. 100.

_____:

mTM 2 » 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67 68 69 70 71 72 73 74 75 76 77 78 79 80 81 82 83 84 85 86 87 88 89 90 91 92 93 94 95 96 97 98 99 100

3 « 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67 68 69 70 71 72 73 74 75 76 77 78 79 80 81 82 83 84 85 86 87 88 89 90 91 92 93 94 95 96 97 98 99 100

n œ 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67 68 69 70 71 72 73 74 75 76 77 78 79 80 81 82 83 84 85 86 87 88 89 90 91 92 93 94 95 96 97 98 99 100

n 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67 68 69 70 71 72 73 74 75 76 77 78 79 80 81 82 83 84 85 86 87 88 89 90 91 92 93 94 95 96 97 98 99 100

_____:

— p 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67 68 69 70 71 72 73 74 75 76 77 78 79 80 81 82 83 84 85 86 87 88 89 90 91 92 93 94 95 96 97 98 99 100

_____:

T 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67 68 69 70 71 72 73 74 75 76 77 78 79 80 81 82 83 84 85 86 87 88 89 90 91 92 93 94 95 96 97 98 99 100

U 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67 68 69 70 71 72 73 74 75 76 77 78 79 80 81 82 83 84 85 86 87 88 89 90 91 92 93 94 95 96 97 98 99 100

_____:

1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67 68 69 70 71 72 73 74 75 76 77 78 79 80 81 82 83 84 85 86 87 88 89 90 91 92 93 94 95 96 97 98 99 100

_____:

T 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67 68 69 70 71 72 73 74 75 76 77 78 79 80 81 82 83 84 85 86 87 88 89 90 91 92 93 94 95 96 97 98 99 100

U 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67 68 69 70 71 72 73 74 75 76 77 78 79 80 81 82 83 84 85 86 87 88 89 90 91 92 93 94 95 96 97 98 99 100

_____:

1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67 68 69 70 71 72 73 74 75 76 77 78 79 80 81 82 83 84 85 86 87 88 89 90 91 92 93 94 95 96 97 98 99 100

2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67 68 69 70 71 72 73 74 75 76 77 78 79 80 81 82 83 84 85 86 87 88 89 90 91 92 93 94 95 96 97 98 99 100

3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67 68 69 70 71 72 73 74 75 76 77 78 79 80 81 82 83 84 85 86 87 88 89 90 91 92 93 94 95 96 97 98 99 100

qñ@«—@—

qñ@«—

50xŽ j !n p! !° !Ž—μ μŽ°—! 317-318Ž ————2. « Ž | μ Ž n 3 | μ o o o o | 3 μ 2 μ | | μ @œ » μ Ž TM | © Ž ± © 3 ———— q° Ž TT. © Ž ———— Ž ———— fi fi 2 ú° p 400052

Caution: Not to Be Used on Crops Other Than Specified on This Label/Leaflet

o { ' 3 ' ž ' 3 - p ' 11 , ° . ' - ! ' U X ž V S Ž - μ μ ' - p ' o ' ' w ' 3 Ž
« ' μ ž - μ μ ž - μ μ ž @ œ » μ ž ' V [\ ' W S Ž ' ' ' © !

» - « ' ± μ ' . . ' ' -

© - Arysta LifeScience India Limited, Uniphos House, 11th Road, Opp.
Madhu Park, Khar (W),
p² μ - prena.tara@upl-ltd.com
Contact no: 022-71528224

° ' 1/4 ' œ ' μ @-



Caution: Not to Be Used on Crops Other Than Specified on This Label/Leaflet

Sulphur 85% DP

(Contact Fungicide)

Sulphur 85% DP is a contact fungicide which is used for the control of Powdery mildew of Grapes, Rubber, Cumin, Coriander, Pea & Tobacco (on ground) and Tikka & Leaf spot of Groundnut, Rust and Powdery mildew of Beans(Cowpea, Mung & Urd) and Grain smut of Sorghum.

| Chemical Composition: | Ingredient | %W/W |
|------------------------------------|-------------------|--------------------|
| China clay | Inert | 14.57 % w/w |
| Sulphur tech (Based on 99.5% a.i.) | active ingredient | 85.43 % w/w |
| Total: | | 100.00% w/w |

Recommendation

| Crop(s) | Common Name of Pest | Dosage/HA | | Dilution in Water L/ha | Crop Stage | Re-entry Period | Pre Harvest | Frequency |
|-----------------------------|----------------------------|------------------------|--------------------------|-------------------------------|-----------------------------------|------------------------|--------------------|---|
| | | AI Kg/ha | Formulation Kg/ha | | | | | |
| Grapes | Powdery Mildew | 12.75-17 | 15-20 | - | Vegetative to reproductive stage. | 24 hr. | | Successive application depending on disease pressure. |
| Cumin & Coriander | Powdery Mildew | 12.75-17 | 15-20 | - | Vegetative to reproductive stage. | 24 hr | | Successive application depending on disease pressure. |
| Sorghum | Grain smut | 2.55-3.40 g/kg of seed | 3-4 g/kg of seed | - | Vegetative to reproductive stage. | 24 hr | | Successive application depending on disease pressure. |
| Tobacco (on ground) | Powdery Mildew | 85 | 100 | - | Vegetative to reproductive stage. | 24 hr | | Successive application depending on disease pressure. |
| Beans (Cowpea, Mung & Urid) | Rust & Powdery Mildew | 12.75-17 | 15-20 | - | Vegetative to reproductive stage. | 24 hr | | Successive application depending on disease pressure. |
| Pea | Powdery Mildew | 12.75-17 | 15-20 | - | Vegetative to reproductive stage. | 24 hr | | Successive application depending on disease pressure. |
| Groundnut | Tikka & Leafspot | 12.75-17 | 15-20 | - | Vegetative to reproductive stage. | 24 hr | - | Successive application depending on disease pressure. |
| Rubber | Powdery Mildew | 31.875 | 37.50 | - | Vegetative to reproductive stage. | 24 hr | | Successive application depending on disease pressure. |

Note:-

Good Practices relating to pesticide application techniques

Direction of Use

Use recommended dose as per table.

Weather Condition(in general):

Should be used during favorable weather conditions and should not be used during extreme weather conditions.

Soil & Water(where ever applicable):

Caution: Not to Be Used on Crops Other Than Specified on This Label/Leaflet "

Light to heavy soil.

Crop Stage for application:

Vegetative to reproductive stage.

Application Technique

Dusting

Equipment Type:

Sulphur 85% DP can be applied on the crops by hands after wearing the rubber gloves, Rotary duster or by powder operated duster depending upon the quantity to be used.

NozzleType:

Not applicable

Dosage:

Refer to the above recommendation.

Instruction for Mixing:

Not applicable.

Re-entry Period

24 hr.

Manner and Time of Application

Application on appearance of disease symptoms.

Application Timing

Should be used preferably in early morning or evening hours

Frequency

Successive application depending on disease pressure.

Stages during which pesticides should not be applied on any crop :

Not to be applied during crop maturity and just before crop harvest.

Precautions to be taken to avoid harm to the beneficial insects like honey bees and natural enemies of pests :

1. Intoxicated for fish and other aquatic animals. Therefore, aquaculture should not be used for driving.
- 2.Speed ??for bees. Therefore, active foraging of bees should not be used during more than.

Symptoms Of Poisoning

Headache, giddiness, nausea, vomiting, irritation of eyes , skin and bronchial tubes if inhaled.etc.

First Aid

If ingested: if person is conscious and alert, rinse mouth with water and give 1 or 2 glass of water to drink. Never give anything by mouth to an unconscious person. Call the doctor. Do not induced vomiting until and unless desired by attending physician.

If inhaled: Take the patient to fresh air and take care of body temperature. If patient is not breathing or breathing with difficulty, give artificial respiration, Consult a physician.

In case of skin contact: Wash thoroughly the affected part of body with soap and plenty of water including hairs and under fingernails. If pain, redness or irritation persists, consult a doctor. All contaminated clothes should be segregated and thoroughly washed with soap and water separately before use.

In case of eye contact: Rinse gently with plenty of water at least for15 minutes. If pain, irritation, redness or photophobia persists. Consult eye specialist

Antidote

No specific antidote, symptomatic and supportive therapy

Caution:Í Not to Be Used on Crops Other Than Specified on This Label/Leafletí "

Phytotoxicity

The product is not phytotoxic when used as per recommendation.

Storage Conditions

1. it shall be the duty of manufacturers, formulators of insecticides and operators to dispose The packages containing the fungicide shall be stored in separate rooms or premises away from the rooms or premises used for storing other articles particularly articles of food or shall be kept in separate almirahs under lock and key depending upon the quantity and nature of fungicide.
2. The rooms or premises meant for storing the fungicide shall be well-built, dry, well-lit and ventilated and of sufficient dimension to avoid contamination with vapour.

Safety Precaution:

Avoid inhalation and skin contact. Do not eat, drink and smoke while handling. Do not mix with bare hands. The user should be full protective clothing include rubber gloves, boots face mask or respirator and an overall or rubber apron hood or hat.

Cautionary Statement:

- 1. Not to be used on crops and pests other than those subscribed on label & leaflets.**
- 2. Destroy the container after use as directed on leaflet.**
- 3. Do not use in those situations if there is possibility of harming bees and fish, livestock, birds and animals.**

Disposal of used containers, washing from equipment and surplus material :

1. It shall be the duty of manufactures, formulators of insecticides and operators to dispose packages or surplus material and washings in a safe manner so as to prevent environmental or water pollution.
2. The used packages shall not be left outside to prevent their re-use.
3. The packages shall be broken and buried away from habitation.

Manufacturer Premises :

50-A, G.I.D.C. Kalol, Survey No. 317-318, Kankarna Muvada,
Derol, Distt., Panchmahal, Gujarat, India
Maharashtra

EOU-Unit II, Survey No. 229-230, Kalol Notified Area, Derol-Kalol,
Kalol, Panchmahal-389 330, Gujarat.
Maharashtra

Manufactured by

Arysta LifeScience India Limited
Uniphos House, 11th Road, Opp. Madhu Park, Khar (W) Mumbai
Maharashtra 400052

Customer Care Details:

Address: Arysta LifeScience India Limited, Uniphos House, 11th Road,
Opp. Madhu Park, Khar (W),
Email:prerna.taral@upl-ltd.com
Contact no: 022-71528224

Safety Pictograms:



Caution: Not to Be Used on Crops Other Than Specified on This Label/Leaflet

Primary Package Label

[Ultra-small (1ml or gm to 50 ml or gm)] & [small (51 ml or gm to 250 ml or gm)]

Read leaflet before use:

Common Name:

Sulphur 85% DP

BRAND NAME: -

Chemical Composition :

Content % w/w

| | | |
|------------------------------------|-------------------|-------------|
| Sulphur tech (Based on 99.5% a.i.) | active ingredient | 85.43 % w/w |
| China clay | Inert | 14.57 % w/w |

Total: 100.00%

Please refer leaflet for details

Antidote

No specific antidote, symptomatic and supportive therapy

Manufactured by

Arysta LifeScience India Limited
Uniphos House, 11th Road, Opp. Madhu Park, Khar (W) Mumbai
Mumbai Maharashtra 400052

Premises Address

(1). 50-A, G.I.D.C. Kalol, Survey No. 317-318, Kankarna Muvada, Derol, Distt., Panchmahal, Gujarat, India
Gujarat

(2). EOU-Unit II, Survey No. 229-230, Kalol Notified Area, Derol, Kalol, Panchmahal-389 330, Gujarat.

Customer Care Details

Address: Arysta LifeScience India Limited, Uniphos House, 11th Road, Opp. Madhu Park, Khar (W),
Email:prerna.taral@upl-ltd.com
Contact no: 022-71528224

Sulphur 85% DP

° y- r [X' °, ° | °

Contact Fungicide

® 3 - - « - , -



° çæ- - ®æ° ° « - -

Keep out of reach of children.

° - - | ° ÷ ð | ° | ° ° ® ° n ° ° « - -

Keep in cool, dry place away from heat and open flame.

Regn. No. ° | ° - !

Mfg. Lic. No. 2 - 3 ! ° µ ! - !

Batch No. ° æ - !

Mfg Date 2 - 3 ! ° © !

Exp. Date ç ñ² ° » - - ! ° © - -

Net Content / Volume , ° ± ° ñ³ © -

Max. Retail Price m - - ©² ° ° « ° ° ² y³

Customercare

q®³ ° ° ° ® µ ° - - ® £ -

° y- r [X' °, ° | °

® 3 - - « - , -

° çæ- - ®æ° ° ° « - -

° y- r ma - - µ fl \ X' ° ° 3 ° ç ñ [XIV] ° ° w/w

© | ° - - © | ° °

n - - ° fl

æo- ° à µ

o- ð |

TW XZ ° ° ° w/w

3 ° ° - TSSISS

qñ® « -

n 3 | µ ° µ ° ° ° ° ° | 3 ° µ ² µ | °

3 - - ° ° » q° Z TT ° ° ° © Z ° ° - Z ° ° ° ° ° ° ° ° p 400052

® ° ° ° ° ° ° ° ° ° °

(1). 50-?, ??,??,??,??, ?????, ????? ?? 317-318, ?????? ??????, ??????, ??????, ??????, ??????, ??????

(2). ? ? ? ? - ????? II , ????? ??, ???-???, ????? ????????? ??????, ?????-?????, ?????, ??????- ??? ???, ??????.

» - « ° ± µ ° ° ° ° ° °

® © - Arysta LifeScience India Limited, Uniphos House, 11th Road, Opp. Madhu Park, Khar (W),
p² µ - prerna.taral@upl-ltd.com
Contact no: 022-71528224

Safety Pictograms:



(1). 50-A, G.I.D.C. Kalol, Survey No. 317-318, Kankarna Muvada,
Derol, Distt., Panchmahal, Gujarat, India
Gujarat

(2). EOU-Unit II, Survey No. 229-230, Kalol Notified Area, Derol-
Kalol, Kalol, Panchmahal-389 330, Gujarat.
Gujarat

(1). 50-?, ???.??.??.??., ?????, ????? ??. 317-318, ?????? ??????,
?????, ??????. ??????, ??????, ????

(2). ? ? ? ? - ?????? II , ?????? ??. ???-???, ????? ????????? ??????,
?????-?????, ?????, ??????- ??? ??, ??????

Customer Care Details

Address: Arysta LifeScience India Limited, Uniphos House, 11th
Road, Opp. Madhu Park, Khar (W),
Email:prerna.taral@upl-ltd.com
Contact no: 022-71528224

» « ± μ · · ·

©© - Arysta LifeScience India Limited, Uniphos House, 11th Road, Opp.
Madhu Park, Khar (W),
p² μ - prerna.taral@upl-ltd.com
Contact no: 022-71528224

Safety Pictograms:

