

Primary Package Label

[Ultra-small (1ml or gm to 50 ml or gm)] & [small (51 ml or gm to 250 ml or gm)]

Read leaflet before use:

Common Name:

Verticillium Chlamydosporium 1%WP, ITCC-6898, Strain Name: IIHR-VC-3

BRAND NAME: -

Chemical Composition :

Content % w/w

Table with 3 columns: Ingredient, Quantity, and Content % w/w. Rows include Carboxy methyl cellulose, Talc powder, and Verticillium Chlamydosporium 1%WP.

Total: 100.00%

Please refer leaflet for details

Antidote

treat symptomatically.

Manufactured by

CURATIVE MICROBES PVT. LTD. Plot No.1628, G.I.D.C.-2, Dolatpara, Taluka and Distt.-Junagadh-362 003 (Gujarat)

Premises Address

(1). Plot No.1628, G.I.D.C.-2, Dolatpara, Taluka and Distt.-Junagadh-362 003 (Gujarat)

Customer Care Details

M/S Curative Microbes Pvt. Ltd.Plot no 1628, GIDC-2, Dolatpara, taluka and Dist Junagadh-362003 Gujrat

Verticillium Chlamydosporium 1%WP, ITCC-6898, Strain Name: IIHR-VC-3

Verticillium Chlamydosporium 1%WP, ITCC-6898, Strain Name: IIHR-VC-3

Selective Nematicide

Green



Keep in cool, dry place away from heat and open flame.

Regn. No.

Mfg. Lic. No.

Batch No.

Mfg Date

Exp. Date

Net Content / Volume

Max. Retail Price

Customercare

Verticillium Chlamydosporium 1%WP, ITCC-6898, Strain Name: IIHR-VC-3

Verticillium Chlamydosporium 1%WP, ITCC-6898, Strain Name: IIHR-VC-3

Green

Keep in cool, dry place away from heat and open flame.

Regn. No.

Mfg. Lic. No.

Batch No.

Mfg Date

Exp. Date

Net Content / Volume

Max. Retail Price

Customercare

(1).

Green

Safety Pictograms:



Secondary Package Label

[Ultra-small (1ml or gm to 50 ml or gm)] & [small (51 ml or gm to 250 ml or gm)]

Read leaflet before use:

Common Name:

Verticillium Chlamydosporium 1%WP, ITCC-6898, Strain Name: IIHR-VC-3

BRAND NAME: -

Crops and Pest Groups: Tomato, Brinjal, Carrot, okra-Root knot nematodes (Meloidogyne incognita)

Dosage, Direction for use and Manner and time of application : Please refer leaflet for details

Purpose:

For agricultural use

Re-entry:

12 hours

Chemical Composition :

Content % w/w

Carboxy methyl cellulose	Carboxy methyl cellulose	01.00% w/w
Talc powder	Talc powder	98.00% w/w
	Total	100.00% w/w
Verticillium Chlamydosporium 1%WP, ITCC-6898, Strain Name: IIHR-VC-3	CFU 2x10 ⁶ /gm.min	01.00% wp

Total: 100.00%

Safety Precautions, Symptom of Poisoning and First Aid :Please refer leaflet for details.

Antidote Statement:

treat symptomatically.

Cautionary statement:

1. Not to be used for any purpose other than those subscribed on label and leaflet 2. Destroy the container after use as directed on leaflet.

Verticillium Chlamydosporium 1%WP, ITCC-6898, Strain Name: IIHR-VC-3

Verticillium Chlamydosporium 1%WP, ITCC-6898, Strain Name: IIHR-VC-3

Selective Nematicide

Green



Keep in cool, dry place away from heat and open flame.

Regn. No.

Mfg. Lic. No.

Batch No.

Mfg Date

Exp. Date

Net Content / Volume

Verticillium Chlamydosporium 1%WP, ITCC-6898, Strain Name: IIHR-VC-3

Verticillium Chlamydosporium 1%WP, ITCC-6898, Strain Name: IIHR-VC-3

Green

Verticillium Chlamydosporium 1%WP, ITCC-6898, Strain Name: IIHR-VC-3

Green

Verticillium Chlamydosporium 1%WP, ITCC-6898, Strain Name: IIHR-VC-3

Carboxy methyl cellulose 01.00% w/w

Talc powder 98.00% w/w

Total 100.00% w/w

Verticillium Chlamydosporium 1%WP, ITCC-6898, Strain Name: IIHR-VC-3

CFU 2x10⁶/gm.min 01.00% wp

Verticillium Chlamydosporium 1%WP, ITCC-6898, Strain Name: IIHR-VC-3

Verticillium Chlamydosporium 1%WP, ITCC-6898, Strain Name: IIHR-VC-3

Verticillium Chlamydosporium 1%WP, ITCC-6898, Strain Name: IIHR-VC-3

Verticillium Chlamydosporium 1%WP, ITCC-6898, Strain Name: IIHR-VC-3

Verticillium Chlamydosporium 1%WP, ITCC-6898, Strain Name: IIHR-VC-3

Verticillium Chlamydosporium 1%WP, ITCC-6898, Strain Name: IIHR-VC-3

Verticillium Chlamydosporium 1%WP, ITCC-6898, Strain Name: IIHR-VC-3

Verticillium Chlamydosporium 1%WP, ITCC-6898, Strain Name: IIHR-VC-3

Verticillium Chlamydosporium 1%WP, ITCC-6898, Strain Name: IIHR-VC-3

Verticillium Chlamydosporium 1%WP, ITCC-6898, Strain Name: IIHR-VC-3

Verticillium Chlamydosporium 1%WP, ITCC-6898, Strain Name: IIHR-VC-3

Verticillium Chlamydosporium 1%WP, ITCC-6898, Strain Name: IIHR-VC-3

Max. Retail Price _____

Manufactured by

CURATIVE MICROBES PVT. LTD.
Plot No.1628, G.I.D.C.-2, Dolatpara, Taluka and Distt.-
Junagadh-362 003 (Gujarat) Junagadh Junagadh Gujarat

Premises Address
(1). Plot No.1628, G.I.D.C.-2, Dolatpara, Taluka and Distt.-
Junagadh-362 003 (Gujarat)

Customer Care Details

M/S Curative Microbes Pvt. Ltd. Plot no 1628, GIDC-2, Dolatpara,
taluka and Dist Junagadh-362003 Gujrat

(1).

M/S Curative Microbes Pvt. Ltd. Plot no 1628, GIDC-2, Dolatpara,
taluka and Dist Junagadh-362003 Gujrat

Safety Pictograms:



Big Label

(> 250 mL Primary and Secondary Package Label)

Read leaflet before use:

Common Name:

Verticillium Chlamydosporium 1%WP, ITCC-6898, Strain Name: IIHR-VC-3

BRAND NAME: -

Crops and Pest Groups: Tomato, Brinjal, Carrot, okra-Root knot nematodes (*Meloidogyne incognita*)

Dosage, Direction for use and Manner and time of application : Please refer leaflet for details

Purpose:

For agricultural use

Re-entry:

12 hours

Chemical Composition :

Content % w/w

Carboxy methyl cellulose	Carboxy methyl cellulose	01.00% w/w
Talc powder	Talc powder	98.00% w/w
	Total	100.00% w/w
Verticillium Chlamydosporium 1%WP, ITCC-6898, Strain Name: IIHR-VC-3	CFU 2x10 ⁶ /gm.min	01.00% wp

Total:100.00%

Safety Precautions:

Verticillium Chlamydosporium 1%WP, ITCC-6898, Strain Name: IIHR-VC-3

Verticillium Chlamydosporium 1%WP, ITCC-6898, Strain Name: IIHR-VC-3
Selective Nematicide

Verticillium Chlamydosporium 1%WP, ITCC-6898, Strain Name: IIHR-VC-3



Keep in cool, dry place away from heat and open flame.

Keep in cool, dry place away from heat and open flame.

Regn. No.	
Mfg. Lic. No.	
Batch No.	
Mfg Date	
Exp. Date	
Net Content / Volume	
Max. Retail Price	

Verticillium Chlamydosporium 1%WP, ITCC-6898, Strain Name: IIHR-VC-3

Verticillium Chlamydosporium 1%WP, ITCC-6898, Strain Name: IIHR-VC-3

Verticillium Chlamydosporium 1%WP, ITCC-6898, Strain Name: IIHR-VC-3

Verticillium Chlamydosporium 1%WP, ITCC-6898, Strain Name: IIHR-VC-3

Verticillium Chlamydosporium 1%WP, ITCC-6898, Strain Name: IIHR-VC-3

Verticillium Chlamydosporium 1%WP, ITCC-6898, Strain Name: IIHR-VC-3

Verticillium Chlamydosporium 1%WP, ITCC-6898, Strain Name: IIHR-VC-3

Verticillium Chlamydosporium 1%WP, ITCC-6898, Strain Name: IIHR-VC-3

Verticillium Chlamydosporium 1%WP, ITCC-6898, Strain Name: IIHR-VC-3

Verticillium Chlamydosporium 1%WP, ITCC-6898, Strain Name: IIHR-VC-3

Verticillium Chlamydosporium 1%WP, ITCC-6898, Strain Name: IIHR-VC-3

Verticillium Chlamydosporium 1%WP, ITCC-6898, Strain Name: IIHR-VC-3

Verticillium Chlamydosporium 1%WP, ITCC-6898, Strain Name: IIHR-VC-3

Verticillium Chlamydosporium 1%WP, ITCC-6898, Strain Name: IIHR-VC-3

Verticillium Chlamydosporium 1%WP, ITCC-6898, Strain Name: IIHR-VC-3

Verticillium Chlamydosporium 1%WP, ITCC-6898, Strain Name: IIHR-VC-3

Verticillium Chlamydosporium 1%WP, ITCC-6898, Strain Name: IIHR-VC-3

Verticillium Chlamydosporium 1%WP, ITCC-6898, Strain Name: IIHR-VC-3

Verticillium Chlamydosporium 1%WP, ITCC-6898, Strain Name: IIHR-VC-3

Verticillium Chlamydosporium 1%WP, ITCC-6898, Strain Name: IIHR-VC-3

Verticillium Chlamydosporium 1%WP, ITCC-6898, Strain Name: IIHR-VC-3

Verticillium Chlamydosporium 1%WP, ITCC-6898, Strain Name: IIHR-VC-3

Verticillium Chlamydosporium 1%WP, ITCC-6898, Strain Name: IIHR-VC-3

Verticillium Chlamydosporium 1%WP, ITCC-6898, Strain Name: IIHR-VC-3

Verticillium Chlamydosporium 1%WP, ITCC-6898, Strain Name: IIHR-VC-3

Verticillium Chlamydosporium 1%WP, ITCC-6898, Strain Name: IIHR-VC-3

Verticillium Chlamydosporium 1%WP, ITCC-6898, Strain Name: IIHR-VC-3

1. Avoid inhalation and skin contact while diluting because of spillage or splashes. 2. Do not mix with bare hands. 3. After each operation, the mixing and spraying equipment is to be rinsed thoroughly with plenty of water and detergent or soap solution before being put to use for spraying other pesticides. 4. Any surplus spray solution must not be disposed off in crop lands in stagnant or flowing water, where there is a possibility of polluting water sources. 5. The user should use full protective clothings which include rubber gloves boots, either face shield or dust mask and overall rubber apron, hood or hat. 6. Do not smoke, eat or drink during handling and application.

Symptom of Poisoning:

Headache, Nausea, Vomiting, irritation & allergy may occur.

First Aid:

1. If swallowed, induce vomiting by tickling the back of throat. 2. If skin and clothes are contaminated, wash the contaminated skin and clothes with plenty of water and soap. 3. If eyes are contaminated, flush the contaminated eyes with normal saline and water for 10 to 15 minutes. 4. Remove the patient into fresh air.

Antidote

treat symptomatically.

Cautionary statements:

1. Not to be used for any purpose other than those subscribed on label and leaflet 2. Destroy the container after use as directed on leaflet.

Manufactured by

CURATIVE MICROBES PVT. LTD.
Plot No.1628, G.I.D.C.-2, Dolatpara, Taluka and Distt.-
Junagadh-362 003 (Gujarat) Junagadh Junagadh Gujarat

Premises Address

(1). Plot No.1628, G.I.D.C.-2, Dolatpara, Taluka and Distt.-
Junagadh-362 003 (Gujarat)

© 2013 Curative Microbes Pvt. Ltd. All rights reserved. No part of this document may be reproduced without the prior written permission of Curative Microbes Pvt. Ltd.

© 2013 Curative Microbes Pvt. Ltd. All rights reserved.

Curative Microbes Pvt. Ltd. is a registered trademark of Curative Microbes Pvt. Ltd. All other trademarks are the property of their respective owners.

© 2013 Curative Microbes Pvt. Ltd. All rights reserved.

Curative Microbes Pvt. Ltd. is a registered trademark of Curative Microbes Pvt. Ltd. All other trademarks are the property of their respective owners.

© 2013 Curative Microbes Pvt. Ltd. All rights reserved.

© 2013 Curative Microbes Pvt. Ltd. All rights reserved.

(1).

Customer Care Details

M/S Curative Microbes Pvt. Ltd. Plot no 1628, GIDC-2, Dolatpara,
taluka and Dist Junagadh-362003 Gujrat

Safety Pictograms:



»—« ± μ · · ·

M/S à³ ´ µ · · ·² o ø´ ´ Pvt. Ltd.µ µ´´ -°´´´ \$) %+ž GIDC-2, « µ ©®´´
ž © µ—´´´ µ´´´´ -™E´ ž&) %##&´™´´´ ©

Verticillium Chlamydosporium 1%WP, ITCC-6898, Strain Name: IIHR-VC-3

(Selective Nematicide)

CFU 2 x 10⁶ /gm min

It is a selective bio agent and effectively control the soil borne nematodes and disease on tomato, brinjal, carrot and okra crops.

Chemical Composition:	Ingredient	%W/W
	Total	100.00% w/w
Carboxy methyl cellulose	Carboxy methyl cellulose	01.00% w/w
Talc powder	Talc powder	98.00% w/w
Verticillium Chlamydosporium 1%WP, ITCC-6898, Strain Name: IIHR-VC-3	CFU 2x10 ⁶ /gm.min	01.00% wp
Total:		100.00% w/w

Recommendation

Note:- -

Good Practices relating to pesticide application techniques

Direction of Use

Treat the seeds and nursery beds with Verticillium Chlamydosporium and also and also treat the soil before sowing / transplanting.

Weather Condition(in general):

Clear weather

Soil & Water(where ever applicable):

Any type

Crop Stage for application:

-

Application Technique

Seed treatment and soil treatment .

Equipment Type:

Seed treatment drums or by hand wearing rubber gloves. Broadcasting byhand wearing rubber gloves

NozzleType:

Not applicable

Dosage:

20gm/kg seed
Nursery Bed- 50 gm/sq.m
Field-5 Kg/ha

Instruction for Mixing:

Treat the seeds with Verticillium Chlamydosporium 1% WP @20 gm/kg of seeds & nursery beds with the verticillium chlamydosporium-1%wP @ 50 gm/sq. m. and also applyverticillium chlamydosporium -1%wP (@ 5kg/hectare) enriched FYM* @ 5 tons/hectare to the soil before transplanting

Re-entry Period

12Hrs.

Caution:Í Not to Be Used on Crops Other Than Specified on This Label/Leafletí "

Manner and Time of Application

Treat the seeds with Verticillium Chlamydosporium 1% WP @20 gm/kg of seeds & nursery beds with the verticillium chlamydosporium-1%WP @ 50 gm/sq. m. and also apply verticillium chlamydosporium -1%WP (@ 5kg/hectare) enriched FYM* @ 5 tons/hectare to the soil before transplanting

Application Timing

Morning and evening

Frequency

-

Stages during which pesticides should not be applied on any crop :

=

Precautions to be taken to avoid harm to the beneficial insects like honey bees and natural enemies of pests :

-

Symptoms Of Poisoning

Headache, Nausea, Vomiting, irritation & allergy may occur.

First Aid

1. If swallowed, induce vomiting by tickling the back of throat. 2. If skin and clothes are contaminated, wash the contaminated skin and clothes with plenty of water and soap. 3. If eyes are contaminated, flush the contaminated eyes with normal saline and water for 10 to 15 minutes. 4. Remove the patient into fresh air.

Antidote

Treat Symptomatically.

Phytotoxicity

The product is not phytotoxic when used as per field recommendation.

Storage Conditions

1. The packages containing the material shall be stored in separate rooms or premises away from the rooms of premises used for storing other articles particulars articles of food or shall be kept in separate almirahs under key and lock depending upon the quantity and nature of the material. 2. The rooms or premises meant for storing the material shall be well built. Dry, well lit and ventilated and of sufficient dimension to avoid contaminated with vapour

Safety Precaution:

1. Avoid inhalation and skin contact while diluting because of spillage or splashes. 2. Do not mix with bare hands. 3. After each operation, the mixing and spraying equipment is to be rinsed thoroughly with plenty of water and detergent or soap solution before being put to use for spraying other pesticides. 4. Any surplus spray solution must not be disposed off in crop lands in stagnant or flowing water, where there is a possibility of polluting water sources. 5. The user should use full protective clothings which include rubber gloves boots, either face shield or dust mask and overall rubber apron, hood or hat. 6. Do not smoke, eat or drink during handling and application.

Cautionary Statement:

1. Not to be used for any purpose other than those subscribed on label and leaflet 2. Destroy the container after use as directed on leaflet.

Disposal of used containers, washing from equipment and surplus material :

1. It shall be the duty of manufactures, formulators of insecticides and operators to dispose packages or surplus material and washings in a safe manner so as to prevent environmental or water pollution.
2. The used packages shall not be left outside to prevent their re-use.
3. The packages shall be broken and buried away from habitation.

Manufacturer Premises :

Plot No.1628, G.I.D.C.-2, Dolatpara, Taluka and Distt.-
Junagadh-362 003 (Gujarat)
Gujarat

Manufactured by

CURATIVE MICROBES PVT. LTD.
Plot No.1628, G.I.D.C.-2, Dolatpara, Taluka and Distt.-
Junagadh-362 003 (Gujarat) Junagadh Gujarat

Caution: Not to Be Used on Crops Other Than Specified on This Label/Leaflet "

Customer Care Details:

M/S Curative Microbes Pvt. Ltd. Plot no 1628, GIDC-2, Dolatpara, taluka
and Dist Junagadh-362003 Gujrat

Safety Pictograms:



Caution: Not to Be Used on Crops Other Than Specified on This Label/Leaflet