

Primary Package Label

[Ultra-small (1ml or gm to 50 ml or gm)] & [small (51 ml or gm to 250 ml or gm)]

Read leaflet before use:

Common Name:

Trichoderma viride 1%WP, TNAU-TV-1, ITCC-6914,CFU:
2x10⁶/gm.min

BRAND NAME: -

| Chemical Composition : | Content % w/w |
|---|----------------------|
| Talc powder | 98.50% w/w |
| Trichoderma viridi 1%WP, TNAU-TV-1, ITCC-6914 | 01.00% wp |
| Carboxy methyl cellulose | 0.5% w/w |
| Total: | 100.00% |

Please refer leaflet for details

Antidote

Treat Symptomatically.

Manufactured by

RELEGARE AGRO LIFE BIO SCIENCE PVT. LTD.
Plot No.10, Sharda Housing Society, Near LAW College,
Sangamner, Distt.- Ahmednagar-422605 (Maharashtra) Sangamner
Ahmadnagar Maharashtra

Premises Address

(1). Sr. No.51/1/1, Plot No.166A, Gunjalwadi, MIDC, Sangamner,
Tal-Sangamner, Distt.- Ahmednagar-422605 (Maharashtra)
Maharashtra

Customer Care Details

Trichoderma viride 1%WP, TNAU-TV-1, ITCC-6914,CFU:
2x10⁶/gm.min

Trichoderma viride 1%WP, TNAU-TV-1, ITCC-6914,

Fungicide



Keep in cool, dry place away from heat and open flame.

Keep in cool, dry place away from heat and open flame.

| | |
|----------------------|-------|
| Regn. No. | _____ |
| Mfg. Lic. No. | _____ |
| Batch No. | _____ |
| Mfg Date | _____ |
| Exp. Date | _____ |
| Net Content / Volume | _____ |
| Max. Retail Price | _____ |
| Customercare | _____ |

Trichoderma viride 1%WP, TNAU-TV-1, ITCC-6914,CFU:
2x10⁶/gm.min

Trichoderma viride 1%WP, TNAU-TV-1, ITCC-6914,

Fungicide

| Chemical Composition : | Content % w/w |
|---|----------------------|
| Talc powder | 98.50% w/w |
| Trichoderma viridi 1%WP, TNAU-TV-1, ITCC-6914 | 01.00% wp |
| Carboxy methyl cellulose | 0.5% w/w |
| Total: | 100.00% |

Please refer leaflet for details

Antidote

Treat Symptomatically.

Manufactured by

RELEGARE AGRO LIFE BIO SCIENCE PVT. LTD.
Plot No.10, Sharda Housing Society, Near LAW College,
Sangamner, Distt.- Ahmednagar-422605 (Maharashtra) Sangamner
Ahmadnagar Maharashtra

Premises Address

(1). Sr. No.51/1/1, Plot No.166A, Gunjalwadi, MIDC, Sangamner,
Tal-Sangamner, Distt.- Ahmednagar-422605 (Maharashtra)
Maharashtra

Customer Care Details

Safety Pictograms:



Secondary Package Label

[Ultra-small (1ml or gm to 50 ml or gm)] & [small (51 ml or gm to 250 ml or gm)]

Read leaflet before use:

Common Name:

Trichoderma viride 1%WP, TNAU-TV-1, ITCC-6914,CFU:
2x10⁶/gm.min

BRAND NAME: -

Crops and Pest Groups: Trichoderma viride 1% WP is a bio-fungicide which effectively controls Root rot disease in Urd Bean(Black Gram).

Dosage, Direction for use and Manner and time of application : Please refer leaflet for details

Purpose:

For agriculture use.

Re-entry:

Not required.

Chemical Composition :

Content % w/w

| | | |
|---|---------------------------|------------|
| Talc powder | | 98.50% w/w |
| Trichoderma viridi 1%WP, TNAU-TV-1, ITCC-6914 | 2x10 ⁶ /gm.min | 01.00% wp |
| Carboxy methyl cellulose | | 0.5% w/w |

Total: 100.00%

Safety Precautions, Symptom of Poisoning and First Aid :Please refer leaflet for details.

Antidote Statement:

Treat Symptomatically.

Cautionary statement:

1. Not to be used for any purpose other than those subscribed on label and leaflet 2. Destroy the container after use as directed on leaflet.

Manufactured by

**Trichoderma viride 1%WP, TNAU-TV-1, ITCC-6914,CFU:
2x10⁶/gm.min**

Trichoderma viride 1%WP, TNAU-TV-1, ITCC-6914,

Fungicide



Keep in cool, dry place away from heat and open flame.

Regn. No. _____

Mfg. Lic. No. _____

Batch No. _____

Mfg Date _____

Exp. Date _____

Net Content /
Volume _____

Trichoderma viride 1%WP, TNAU-TV-1, ITCC-6914,CFU:
2x10⁶/gm.min

Trichoderma viride 1%WP, TNAU-TV-1, ITCC-6914,

Fungicide

Trichoderma viride 1%WP, TNAU-TV-1, ITCC-6914,

Fungicide

Trichoderma viride 1%WP, TNAU-TV-1, ITCC-6914,

Content % w/w

Talc powder 98.50% w/w

Trichoderma viridi 2 x 10⁶ / gm.min 01.00% wp

Trichoderma viride 1%WP, TNAU-TV-1,
ITCC-6914

Carboxy methyl cellulose 0.5% w/w

Total: 100.00%

Total: 100.00%

Keep in cool, dry place away from heat and open flame.

Regn. No. _____

Mfg. Lic. No. _____

Batch No. _____

Mfg Date _____

Exp. Date _____

Net Content /
Volume _____

RELEGARE AGRO LIFE BIO SCIENCE PVT. LTD.
Plot No.10, Sharda Housing Society, Near LAW College,
Ahmednagar-422605 (Maharashtra) Sangamner
Ahmadnagar Maharashtra
(1). Sr. No.51/1/1, Plot No.166A, Gunjalwadi, MIDC, Sangamner,
Tal-Sangamner, Distt.- Ahmednagar422605 (Maharashtra)
Maharashtra

Max. Retail Price m 7-02 11 « 12 y3

(1).

»-« ± μ

Customer Care Details

Safety Pictograms:



Big Label

(> 250 mL Primary and Secondary Package Label)

Read leaflet before use:

Common Name:

Trichoderma viride 1%WP, TNAU-TV-1, ITCC-6914,CFU: 2x10⁶/gm.min

BRAND NAME: -

Crops and Pest Groups: Trichoderma viride 1% WP is a bio-fungicide which effectively controls Root rot disease in Urd Bean(Black Gram).

Dosage, Direction for use and Manner and time of application : Please refer leaflet for details

Purpose:

For agriculture use.

Re-entry:

Not required.

Chemical Composition :

Content % w/w

| | | |
|---|---------------------------|------------|
| Talc powder | | 98.50% w/w |
| Trichoderma viridi 1%WP, TNAU-TV-1, ITCC-6914 | 2x10 ⁶ /gm.min | 01.00% wp |
| Carboxy methyl cellulose | | 0.5% w/w |

Total:100.00%

Safety Precautions:

1. Avoid inhalation and skin contact while diluting because of spillage or splashes. 2. Do not mix with bare hands. 3. After each operation, the mixing and spraying equipment is to be rinsed thoroughly with plenty of water and detergent or soap solution before being put to use for spraying other pesticides. 4. Any surplus spray solution must not be disposed off in crop lands in stagnant or flowing water, where there is a possibility of polluting water sources. 5. The user should use full protective clothings which include rubber gloves boots, either face shield or dust mask and overall rubber apron, hood or hat. 6. Do not smoke, eat or drink during handling and application.

Trichoderma viride 1%WP, TNAU-TV-1, ITCC-6914,CFU: 2x10⁶/gm.min

Trichoderma viride 1%WP, TNAU-TV-1, ITCC-6914, Fungicide



Keep in cool, dry place away from heat and open flame.

| | | |
|----------------------|--|-------|
| Regn. No. | | _____ |
| Mfg. Lic. No. | | _____ |
| Batch No. | | _____ |
| Mfg Date | | _____ |
| Exp. Date | | _____ |
| Net Content / Volume | | _____ |
| Max. Retail Price | | _____ |

Trichoderma viride 1%WP, TNAU-TV-1, ITCC-6914, CFU: 2x10⁶/gm.min

Trichoderma viride 1%WP, TNAU-TV-1, ITCC-6914, Fungicide

Keep in cool, dry place away from heat and open flame.

| | | |
|----------------------|--|-------|
| Regn. No. | | _____ |
| Mfg. Lic. No. | | _____ |
| Batch No. | | _____ |
| Mfg Date | | _____ |
| Exp. Date | | _____ |
| Net Content / Volume | | _____ |
| Max. Retail Price | | _____ |

TSSISS

Symptom of Poisoning:

Headache, Nausea, Vomiting, irritation & allergy may occur.

First Aid:

1. If swallowed, induce vomiting by tickling the back of throat. 2. If skin and clothes are contaminated, wash the contaminated skin and clothes with plenty of water and soap. 3. If eyes are contaminated, flush the contaminated eyes with normal saline and water for 10 to 15 minutes. 4. Remove the patient into fresh air.

Antidote

Treat Symptomatically.

Cautionary statements:

1. Not to be used for any purpose other than those subscribed on label and leaflet 2. Destroy the container after use as directed on leaflet.

Manufactured by

RELEGARE AGRO LIFE BIO SCIENCE PVT. LTD.
Plot No.10, Sharda Housing Society, Near LAW College,
Sangamner, Distt.- Ahmednagar-422605 (Maharashtra) Sangamner
Ahmadnagar Maharashtra

Premises Address

(1). Sr. No.51/1/1, Plot No.166A, Gunjalwadi, MIDC, Sangamner,
Tal-Sangamner, Distt.- Ahmednagar-422605 (Maharashtra)
Maharashtra

Customer Care Details

Safety Pictograms:



Symbolic text in Devanagari script, likely representing a chemical formula or product name.

Additional symbolic text in Devanagari script.

Further symbolic text in Devanagari script.

Symbolic text in Devanagari script.

Symbolic text in Devanagari script.

Symbolic text in Devanagari script.

(1).

Symbolic text in Devanagari script.

μ™→»'»

Please refer recommendation table.

—@3'q@3™—'«'«'Q

μ™→»'»

°·p'°'®μQ

n·«—'—'°23

°°»'3'2'—'°23'2'°@2μ'—3'j'—'œ»w

w—'°'j'®œ'—'μw

μ™→»'»á3—'°'qñ«'—'3™'°j'®œ'2'°·p'®μ'—3'j'©'»Q

·1'—'μ¼'

°'««ž²©μžqýžjμ—'|'wμj'»'°—©'»Q

®«®'n·1μ©

°—'—'™B'2'—'m—°'®—'·1â©'—'»Q

\$!m™—'—'—'™μ'μ³'»'©'™μ'—'®Ÿ'™k™k'—'qý—'·wQ%³«'ñ'œ'|'—'®É'«'1©'»'™w»'©'«'1©'ñ'œ'|'—'®É'
—'®—'|'°°—'°°=wQ&³«'n'—'«'1©'»'™B'»'©'n'—'—'°2'ō³'—'2—'|'®—'°'\$#°°'\$(—'2—'—'μw=wQ!'™—'
©j'»'—'2'μ'j'³Q

·1'—'—'

μ¼'—'q®œ'—'Q

°»'—'—'©'

Caution: Not to Be Used on Crops Other Than Specified on This Label/Leaflet

Trichoderma viridi 1%WP, TNAU-TV-1, ITCC-6914,CFU: 2x10⁶/gm.min

(Fungicide)

2 x 10⁶ gm.min

Trichoderma viride 1% WP is a bio-fungicide which effectively control Root rot disease in Urd Bean (Black Gram).

| Chemical Composition: | Ingredient | %W/W |
|------------------------------|--|--------------------|
| | Carboxy methyl cellulose | 0.5% w/w |
| | Talc powder | 98.50% w/w |
| | Trichoderma viridi 1%WP, TNAU-TV-1, ITCC- 2x10 ⁶ /gm.min 6914 | 01.00% wp |
| Total: | | 100.00% w/w |

Recommendation

| Crop(s) | Common Name of Pest | Dosage/HA | | Dilution in Water | Crop Stage | Re-entry Period | Pre Harvest | Frequency |
|-----------------------|------------------------------------|------------------|--|--------------------------|-------------------|------------------------|--------------------|----------------------------|
| | | AI | Formulation | | | | | |
| Urd Bean (Black Gram) | Root rot (Macrophomina phaseolina) | 4 gm/kg seed | Seed treatment: Mix required quantity of the seeds with the required quantity of Trichoderma viride-1% WP and ensure uniform coating, shade dry and sow. | | Before sowing | Not applicable | Not applicable | one time as seed treatment |

Note:- One kilogram of formulation contains 10 g of biomass of Trichoderma viride culture

Good Practices relating to pesticide application techniques

Direction of Use

Mix required quantity of the seeds with the required quantity of Trichoderma viride-1% WP and ensure uniform coating, shade dry and sow.

Weather Condition(in general):

Should be used during favorable weather conditions and should not be used during extreme weather conditions.

Soil & Water(when ever applicable):

Light to heavy soil. Clean water to be used.

Crop Stage for application:

Before sowing

Application Technique

Seed treatment

Equipment Type:

Seed treatment drums or by hand wearing rubber gloves.

NozzleType:

Not applicable.

Dosage:

Please refer recommendation table.

Caution: Not to Be Used on Crops Other Than Specified on This Label/Leaflet

Instruction for Mixing:

Please see " direction of use".

Re-entry Period

Not applicable

Manner and Time of Application

Before sowing.

Application Timing

Should be used preferably in early morning or evening hours.

Frequency

one time as seed treatment

Stages during which pesticides should not be applied on any crop :

Not applicable as the product is applied as seed treatment before sowing.

Precautions to be taken to avoid harm to the beneficial insects like honey bees and natural enemies of pests :**Symptoms Of Poisoning**

Headache, Nausea, Vomitting, irritation & allergy may occur.

First Aid

1. If swallowed, induce vomiting by tickling the back of throat. 2. If skin and clothes are contaminated, wash the contaminated skin and clothes with plenty of water and soap. 3. If eyes are contaminated, flush the contaminated eyes with normal saline and water for 10 to15 minutes. 4. Remove the patient into fresh air.

Antidote

Treat Symptomatically.

Phytotoxicity

Not phytotoxic at recommended dosage.

Storage Conditions**Safety Precaution:**

1. Avoid inhalation and skin contact while diluting because of spillage or splashes. 2. Do not mix with bare hands. 3. After each operation, the mixing and spraying equipment is to be rinsed thoroughly with plenty of water and detergent or soap solution before being put to use for spraying other pesticides. 4. Any surplus spray solution must not be disposed off in crop lands in stagnant or flowing water, where there is a possibility of polluting water sources. 5. The user should use full protective clothings which include rubber gloves boots, either face shield or dust mask and overall rubber apron, hood or hat. 6. Do not smoke, eat or drink during handling and application.

Cautionary Statement:

1. Not to be used for any purpose other than those subscribed on label and leaflet 2. Destroy the container after use as directed on leaflet.

Disposal of used containers, washing from equipment and surplus material :

1. It shall be the duty of manufactures, formulators of insecticides and operators to dispose packages or surplus material and washings in a safe manner so as to prevent environmental or water pollution.
2. The used packages shall not be left outside to prevent their re-use.
3. The packages shall be broken and buried away from habitation.

Caution:Í Not to Be Used on Crops Other Than Specified on This Label/LeafletÍ "

Manufacturer Premises :

Sr. No.51/1/1, Plot No.166A, Gunjalwadi, MIDC, Sangamner, Tal-
Sangamner, Distt.- Ahmednagar-422605 (Maharashtra)
Maharashtra

Manufactured by

RELEGARE AGRO LIFE BIO SCIENCE PVT. LTD.
Plot No.10, Sharda Housing Society, Near LAW College,
Sangamner, Distt.- Ahmednagar-422605 (Maharashtra)
Sangamner Maharashtra

Customer Care Details:

Safety Pictograms:



Caution: Not to Be Used on Crops Other Than Specified on This Label/Leaflet "