

R.B. HERBAL AGRO
Herbal House, 120, Savarkar Nagar, Satana 423301, Distt: -
Nashik (M.S.)
email- rbherbalagro@gmail.com
tel no. 02555225206

n !° !'»° μ'w
»° μ' » q° Ž 120Ž° . '—'—™Ž° ©— ' 423301Ž i μ -'ž - ° —
fW? !w? !fl
email- rbherbalagro@gmail.com
Tel No. 02555225206

Safety Pictograms:



Secondary Package Label

[Ultra-small (1ml or gm to 50 ml or gm)] & [small (51 ml or gm to 250 ml or gm)]

Read leaflet before use:

Common Name:

Verticillium lecanii 3.0% AS strain : MPKV/Biocontrol/RVN/VL-01, Acc.No: MCC-1127

BRAND NAME: -

Crops and Pest Groups: It is used to control thrips tabaci in onion.

Dosage, Direction for use and Manner and time of application : Please refer leaflet for details

Purpose:

For Agriculture use

Re-entry:

12 hrs

Chemical Composition :

Content % w/w

Verticillium lecanii 3.0% AS strain : MPKV/Biocontrol/RVN/VL-01, Acc.No: MCC-1127	spores with Nutrient medium residues	03.0% W/W
Spore Count	CFU	1 x 10 ⁹ ml. min.
Total	Total	100.00% W/W
Glycerol	Glycerol	05.0% W/W
Carrier	Distilled water	Q.S. to make W/W

Total: 100.00%

Safety Precautions, Symptom of Poisoning and First Aid : Please refer leaflet for details.

Antidote Statement:

treat symptomatically.

Cautionary statement:

**Verticillium lecanii 3.0% AS strain :
MPKV/Biocontrol/RVN/VL-01, Acc.No: MCC-1127**

**Verticillium lecanii 3.0% AS strain :
MPKV/Biocontrol/RVN/VL-01, Acc.No: MCC-1127**

Contact Insecticide

3.0% AS strain



Keep in cool, dry place away from heat and open flame.

Regn. No.	_____
Mfg. Lic. No.	_____
Batch No.	_____
Mfg Date	_____
Exp. Date	_____
Net Content / Volume	_____

Verticillium lecanii 3.0% AS strain

Verticillium lecanii 3.0% AS strain : MPKV/Biocontrol/RVN/VL-01, Acc.No: MCC-1127

3.0% AS strain

3.0% AS strain

3.0% AS strain

3.0% AS strain

Verticillium lecanii 3.0% AS strain : MPKV/Biocontrol/RVN/VL-01, Acc.No: MCC-1127

Verticillium lecanii 3.0% AS strain : MPKV/Biocontrol/RVN/VL-01, Acc.No: MCC-1127

Verticillium lecanii 3.0% AS strain : MPKV/Biocontrol/RVN/VL-01, Acc.No: MCC-1127

Spore Count CFU 1 x 10⁹ ml. min.

Total TSS/SS % W/W

Glycerol SXIS % W/W

Carrier Distilled water Q.S. to make W/W

3.0% AS strain

3.0% AS strain

Big Label

(> 250 mL Primary and Secondary Package Label)

Read leaflet before use:

Common Name:

Verticillium lecanii 3.0% AS strain : MPKV/Biocontrol/RVN/VL-01, Acc.No: MCC-1127

BRAND NAME: -

Crops and Pest Groups: It is used to control thrips tabaci in onion.

Dosage, Direction for use and Manner and time of application : Please refer leaflet for details

Purpose:

For Agriculture use

Re-entry:

12 hrs

Chemical Composition :

Content % w/w

Verticillium lecanii 3.0% AS strain : MPKV/Biocontrol/RVN/VL-01, Acc.No: MCC-1127	spores with Nutrient medium residues	03.0% W/W
Spore Count	CFU	1 x 10 ⁹ ml. min.
Total	Total	100.00% W/W
Glycerol	Glycerol	05.0% W/W
Carrier	Distilled water	Q.S. to make W/W

Total:100.00%

Safety Precautions:

Verticillium lecanii 3.0% AS strain : MPKV/Biocontrol/RVN/VL-01, Acc.No: MCC-1127

MPKV/Biocontrol/RVN/VL-01, Acc.No: MCC-1127

Contact Insecticide



Keep in cool, dry place away from heat and open flame.

Regn. No.	_____
Mfg. Lic. No.	_____
Batch No.	_____
Mfg Date	_____
Exp. Date	_____
Net Content / Volume	_____
Max. Retail Price	_____

MPKV/Biocontrol/RVN/VL-01, Acc.No: MCC-1127

MPKV/Biocontrol/RVN/VL-01, Acc.No: MCC-1127

MPKV/Biocontrol/RVN/VL-01, Acc.No: MCC-1127

MPKV/Biocontrol/RVN/VL-01, Acc.No: MCC-1127

MPKV/Biocontrol/RVN/VL-01, Acc.No: MCC-1127

MPKV/Biocontrol/RVN/VL-01, Acc.No: MCC-1127

MPKV/Biocontrol/RVN/VL-01, Acc.No: MCC-1127

MPKV/Biocontrol/RVN/VL-01, Acc.No: MCC-1127

MPKV/Biocontrol/RVN/VL-01, Acc.No: MCC-1127

MPKV/Biocontrol/RVN/VL-01, Acc.No: MCC-1127

MPKV/Biocontrol/RVN/VL-01, Acc.No: MCC-1127

MPKV/Biocontrol/RVN/VL-01, Acc.No: MCC-1127

110 ml.min

MPKV/Biocontrol/RVN/VL-01, Acc.No: MCC-1127

MPKV/Biocontrol/RVN/VL-01, Acc.No: MCC-1127

TSSISS

MPKV/Biocontrol/RVN/VL-01, Acc.No: MCC-1127	MPKV/Biocontrol/RVN/VL-01, Acc.No: MCC-1127	MPKV/Biocontrol/RVN/VL-01, Acc.No: MCC-1127		MPKV/Biocontrol/RVN/VL-01, Acc.No: MCC-1127	MPKV/Biocontrol/RVN/VL-01, Acc.No: MCC-1127	MPKV/Biocontrol/RVN/VL-01, Acc.No: MCC-1127	MPKV/Biocontrol/RVN/VL-01, Acc.No: MCC-1127
		MPKV/Biocontrol/RVN/VL-01, Acc.No: MCC-1127	MPKV/Biocontrol/RVN/VL-01, Acc.No: MCC-1127				
MPKV/Biocontrol/RVN/VL-01, Acc.No: MCC-1127	MPKV/Biocontrol/RVN/VL-01, Acc.No: MCC-1127	MPKV/Biocontrol/RVN/VL-01, Acc.No: MCC-1127	MPKV/Biocontrol/RVN/VL-01, Acc.No: MCC-1127	MPKV/Biocontrol/RVN/VL-01, Acc.No: MCC-1127	MPKV/Biocontrol/RVN/VL-01, Acc.No: MCC-1127	MPKV/Biocontrol/RVN/VL-01, Acc.No: MCC-1127	MPKV/Biocontrol/RVN/VL-01, Acc.No: MCC-1127

Note:-

MPKV/Biocontrol/RVN/VL-01, Acc.No: MCC-1127

MPKV/Biocontrol/RVN/VL-01, Acc.No: MCC-1127

MPKV/Biocontrol/RVN/VL-01, Acc.No: MCC-1127

MPKV/Biocontrol/RVN/VL-01, Acc.No: MCC-1127

MPKV/Biocontrol/RVN/VL-01, Acc.No: MCC-1127

MPKV/Biocontrol/RVN/VL-01, Acc.No: MCC-1127

MPKV/Biocontrol/RVN/VL-01, Acc.No: MCC-1127

MPKV/Biocontrol/RVN/VL-01, Acc.No: MCC-1127

MPKV/Biocontrol/RVN/VL-01, Acc.No: MCC-1127

MPKV/Biocontrol/RVN/VL-01, Acc.No: MCC-1127

Caution: Not to Be Used on Crops Other Than Specified on This Label/Leaflet

ASPEE HTP

NA

Dilute 2-2.5 litres of Verticillium Lecanii AS in 500 ltrs. Of water and spray twice at 15 days interval.

ASPEE HTP

ASPEE HTP

ASPEE HTP

ASPEE HTP

ASPEE HTP

ASPEE HTP

ASPEE HTP

ASPEE HTP

ASPEE HTP

ASPEE HTP

ASPEE HTP

ASPEE HTP

ASPEE HTP

Caution: Not to Be Used on Crops Other Than Specified on This Label/Leaflet

T! j » w j »
m^a »
U! j »
» »

1! »
q[®] »
š »
» »
Q 6! »

\$! »
Q 2! »

1! »
2! »
3! »

qñ® « — »

qñ® « — »

» « ± μ »

n !° ! » μ w
» μ » q° Ž 120Ž »
email- rbherbalagro@gmail.com
Tel No. 02555225206

° ¼ œ μ ®-



Caution:Í Not to Be Used on Crops Other Than Specified on This Label/LeafletÍ "

Verticillium lecanii 3.0% AS strain : MPKV/Biocontrol/RVN/VL-01, Acc.No: MCC-1127

(Contact Insecticide)

1 10 ml.min

Verticillium Lecanii . 3.0% AS is a Biological Insecticide containing Verticillium Lecanii . 3.0% AS which controls Thrips of Onion.

Chemical Composition:	Ingredient	%W/W
Carrier	Distilled water	Q.S. to make W/W
Glycerol	Glycerol	05.0% W/W
Spore Count	CFU	1 x 10 ⁹ ml. min.
Total	Total	100.00% W/W
Verticillium lecanii 3.0% AS strain : MPKV/Biocontrol/RVN/VL-01, Acc.No: MCC-1127	spores with Nutrient medium residues	03.0% W/W
Total:		100.00% w/w

Recommendation

Crop(s)	Common Name of Pest	Dosage/HA		Dilution in Water Litres.	Crop Stage	Re-entry Period	Pre Harvest	Frequency
		AI Verticillium lecanii 3.0% AS	Formulation Litres.					
Onion	Thrips Thrips tabaci)	Verticillium lecanii 3.0% AS	2-2.5	500 Litre.	NA	12 hrs	-	as required

Note:-

Good Practices relating to pesticide application techniques

Direction of Use

Onion :- Dilute 2-2.5 litres of Verticillium Lecanii . 3.0% AS in 500 ltrs. Of water and spray twice at 15 days interval.

Weather Condition(in general):

Clear sky.

Soil & Water(where ever applicable):

any type.

Crop Stage for application:

NA

Application Technique

Dilute 2-2.5 litres of Verticillium Lecanii . 3.0% AS in 500 ltrs. Of water and spray twice at 15 days interval.

Equipment Type:

Backpack hollow type sprayer machine, bucket sprayer, stirrup pump sprayer, compression knapsack battery sprayer, ASPEE HTP power sprayer

NozzleType:

NA

Caution: Not to Be Used on Crops Other Than Specified on This Label/Leaflet "

Dosage:

Dilute 2-2.5 litres of Verticillium Lecanii . AEA AS in 500 ltrs. Of water and spray twice at 15 days interval.

Instruction for Mixing:

Dilute 2-2.5 litres of Verticillium Lecanii . AEA AS in 500 ltrs. Of water and spray twice at 15 days interval.

Re-entry Period

12 hrs

Manner and Time of Application

Dilute 2-2.5 litres of Verticillium Lecanii . AEA AS in 500 ltrs. Of water and spray twice at 15 days interval.

Application Timing

-

Frequency

as required

Stages during which pesticides should not be applied on any crop :

..

Precautions to be taken to avoid harm to the beneficial insects like honey bees and natural enemies of pests :

-

Symptoms Of Poisoning

Headache, Nausea, Vomitting, irritation & allergy may occur.

First Aid

1. If swallowed, induce vomiting by tickling the back of throat. 2. If skin and clothes are contaminated, wash the contaminated skin and clothes with plenty of water and soap. 3. If eyes are contaminated, flush the contaminated eyes with normal saline and water for 10 to15 minutes. 4. Remove the patient into fresh air.

Antidote

Treat symptomatically.

Phytotoxicity

The Product is not phytotoxic when used as per field recommendation.

Storage Conditions

1. The packages containing the Bio-insecticide shall be stored in separate room or premises away from the rooms or premises used for storing other articles particularly articles of food or shall be kept in separate almirahs under lock and key depending upon the quantity and nature of the Bio- insecticide.
2. The rooms or premises meant for storing the Bio- insecticides shall be well built, dry, well lit and ventilated and of sufficient dimension to avoid contamination with vapour.

Safety Precaution:

1. Avoid inhalation and skin contact while diluting because of spillage or splashes. 2. Do not mix with bare hands. 3. After each operation, the mixing and spraying equipment is to be rinsed thoroughly with plenty of water and detergent or soap solution before being put to use for spraying other pesticides. 4. Any surplus spray solution must not be disposed off in crop lands in stagnant or flowing water, where there is a possibility of polluting water sources. 5. The user should use full protective clothings which include rubber gloves boots, either face shield or dust mask and overall rubber apron, hood or hat. 6. Do not smoke, eat or drink during handling and application.

Cautionary Statement:

1. Not to be used for any purpose other than those subscribed on label and leaflet 2. Destroy the container after use as directed on leaflet.

Caution: Not to Be Used on Crops Other Than Specified on This Label/Leaflet "

Disposal of used containers, washing from equipment and surplus material :

1. It shall be the duty of manufacturers, formulators of insecticides and operators to dispose Packages or surplus materials and washing from the machines and containers should be disposed of in a safe manner so as to prevent environmental water pollution.
2. The used packages shall not be left outside to prevent their re-use.
3. Packages shall be broken and buried away from habitation.

Manufacturer Premises :

Gat No.143, Chaugao, Tal- Satana, Distt:-
Nashik-423301(Maharashtra)
Maharashtra

Manufactured by

R B Herbal Agro
M/s R.B. HERBAL AGRO Herbal House, 120, Savarkar Nagar,
Satana 423301, Distt: - Nashik (M.S.) Nashik Maharashtra

Customer Care Details:

R.B. HERBAL AGRO
Herbal House, 120, Savarkar Nagar, Satana 423301, Distt: - Nashik (M.S.)
email- rbherbalagro@gmail.com
tel no. 02555225206

Safety Pictograms:



Caution: Not to Be Used on Crops Other Than Specified on This Label/Leaflet "