

Primary Package Label

[Ultra-small (1ml or gm to 50 ml or gm)] & [small (51 ml or gm to 250 ml or gm)]

Read leaflet before use:

Common Name:

Zinc phosphide 2% RB

BRAND NAME: RatoI

Chemical Composition :

Content % w/w

Inert ingredients	Inert	98.0 % w/w
Zinc Phosphide	Active ingredient	2.00 % w/w

Total: 100.00%

Please refer leaflet for details

Antidote

No specific antidote, symptomatic and supportive therapy

Manufactured by

UPL Limited
Uniphos House, Madhu Park, 11th Road, Khar (W), Mumbai 400
052 MUMBAI Mumbai Maharashtra 400052

Premises Address

(1), 3 - 11, G.I.D.C., Vapi, Gujarat-396 195
Gujarat

Customer Care Details

Zinc phosphide 2% RB

जिंक फॉस्फाइड २% RB

Rodenticide

कृषि रोग नाशक



Keep out of reach of children.

Keep out of reach of children.

If swallowed or if symptoms of poisoning occur, call physician immediately.

If swallowed or if symptoms of poisoning occur, call physician immediately.

Keep in cool, dry place away from heat and open flame.

Keep in cool, dry place away from heat and open flame.

Regn. No.	_____
Mfg. Lic. No.	_____
Batch No.	_____
Mfg Date	_____
Exp. Date	_____
Net Content / Volume	_____
Max. Retail Price	_____
Customercare	_____

q@3 TM ° '®»μ'® —'®É-

जिंक फॉस्फाइड २% RB

कृषि रोग नाशक

Keep out of reach of children.

Keep out of reach of children.

Keep in cool, dry place away from heat and open flame.

Keep in cool, dry place away from heat and open flame.

Keep in cool, dry place away from heat and open flame.

Keep in cool, dry place away from heat and open flame.

Keep in cool, dry place away from heat and open flame.

Keep in cool, dry place away from heat and open flame.

Keep in cool, dry place away from heat and open flame.

Keep in cool, dry place away from heat and open flame.

Keep in cool, dry place away from heat and open flame.

Keep in cool, dry place away from heat and open flame.

Keep in cool, dry place away from heat and open flame.

Keep in cool, dry place away from heat and open flame.

Keep in cool, dry place away from heat and open flame.

Keep in cool, dry place away from heat and open flame.

Keep in cool, dry place away from heat and open flame.

Keep in cool, dry place away from heat and open flame.

Keep in cool, dry place away from heat and open flame.

Keep in cool, dry place away from heat and open flame.

Keep in cool, dry place away from heat and open flame.

Keep in cool, dry place away from heat and open flame.

Secondary Package Label

[Ultra-small (1ml or gm to 50 ml or gm)] & [small (51 ml or gm to 250 ml or gm)]

Read leaflet before use:

Common Name:

Zinc phosphide 2% RB

BRAND NAME: Ratol

Crops and Pest Groups: For rodents

Dosage, Direction for use and Manner and time of application : Please refer leaflet for details

Purpose:

for agricultural use.

Re-entry:

please refer leaflet for details.

Chemical Composition :

Content % w/w

Inert ingredients	Inert	98.0 % w/w
Zinc Phosphide	Active ingredient	2.00 % w/w

Total: 100.00%

Safety Precautions, Symptom of Poisoning and First Aid : Please refer leaflet for details.

Antidote Statement:

No specific antidote, symptomatic and supportive therapy

Cautionary statement:

1. not to be used on crops and pests other than those subscribed on label & leaflets.
2. destroy the container after use as directed on leaflet.
3. this product is highly toxic to wild life and fish.

Manufactured by

UPL Limited
Uniphos House, Madhu Park, 11th Road, Khar (W), Mumbai 400 052 MUMBAI Maharashtra 400052

Zinc phosphide 2% RB

जहर
POISON

Rodenticide



Keep out of reach of children.

Keep in cool, dry place away from heat and open flame.

If swallowed or if symptoms of poisoning occur, call physician immediately.

Keep in cool, dry place away from heat and open flame.

Regn. No.	_____
Mfg. Lic. No.	_____
Batch No.	_____
Mfg Date	_____

q®3 TM' o' ®»µ' ® — ®É-

जहर
POISON

Exp. Date _____
Net Content / Volume _____
Max. Retail Price _____

3!@!wμ! μ 2 π!
3 - pπ! Ó Ó°' μ 2 π! 3 - Ó °' » r ° Ž 2 š@-1 11' ' | Ž - ' ' fi πfi
2 ú° p' ž 400 052 ' 2 ú° p' 400052

@ °' ' - ' @ @ -

(1). 3-11, ??,??,??,??, ??,??, ??????-396195

Premises Address

(1). 3 - 11, G.I.D.C., Vapi, Gujarat-396 195
Gujarat

Customer Care Details

UPL Limited
Uniphos House, Madhu Park, 11th Road, Khar (W), Mumbai 400
052

»-«- ± μ'

3 @ vμ' μ 2 π!
3 - @ °' » q° Ž 2 - ' @ - Ž 11' . ' ' | Ž - ' ' fi øy³ fž 2 ° p' 400 052

Safety Pictograms:



Big Label

(> 250 mL Primary and Secondary Package Label)

Read leaflet before use:

Common Name:

Zinc phosphide 2% RB

BRAND NAME: Rato!

Crops and Pest Groups: For rodents

Dosage, Direction for use and Manner and time of application : Please refer leaflet for details

Purpose:

for agricultural use.

Re-entry:

please refer leaflet for details.

Chemical Composition :

Content % w/w

Inert ingredients	Inert	98.0 % w/w
Zinc Phosphide	Active ingredient	2.00 % w/w

Total:100.00%

Safety Precautions:

1. keep away from foodstuffs, empty foodstuff containers and animal feed
2. avoid contact with mouth, eyes and skin and inhalation of the spray mist.
3. wash thoroughly the contaminated clothes and body parts after handling.
4. do not eat, drink, smoke or chew while applying.
5. use protective clothing which includes long sleeved shirt and long pants, chemical resistant gloves, shoes, goggles and socks while spraying.

Symptom of Poisoning:

Nausea, vomiting, diarrhea and abdominal pain.

First Aid:

Zinc phosphide 2% RB

जहर
POISON

Rodenticide

जहर
POISON



Keep out of reach of children.

If swallowed or if symptoms of poisoning occur, call physician immediately.

Keep in cool, dry place away from heat and open flame.

Regn. No.

Mfg. Lic. No.

Batch No.

Mfg Date

Exp. Date

Net Content / Volume

Max. Retail Price

g[®] TM[®] o[®] ®µ[®] —@E-

(1). 3 - 11, G.I.D.C., Vapi, Gujarat-396 195
Gujarat

(1). 3-11, ???.???.???, ????, ??????-396195

Customer Care Details

UPL Limited
Uniphos House, Madhu Park, 11th Road, Khar (W), Mumbai 400
052

»—« ± μ

³ @vμ · μ ² π|

³ _@° · » q° Ž ² -· @—Ž 11· · · | Ž · · · f| øy³ fŽ ² ° p· 400 052

Safety Pictograms:



U n

fl

U n

U n	U n	U n
U n	U n	U n
U n		

U n	U n	U n		U n	U n	U n	U n	U n
		U n	U n					
U n	U n	U n	U n	U n	U n	U n	U n	U n
U n	U n	U n	U n	U n	U n	U n	U n	U n

Note:-

U n

U n

U n

U n

U n

U n

U n

U n

U n

U n

Caution: Not to Be Used on Crops Other Than Specified on This Label/Leaflet



Caution: Not to Be Used on Crops Other Than Specified on This Label/Leaflet

Zinc phosphide 2% RB

(Rodenticide)

Zinc phosphide used as a rodent bait against rats, mice and other field rodents in and around buildings, godowns, fields, orchards and other outdoor areas.

Chemical Composition:	Ingredient	%W/W
Inert ingredients	Inert	98.0 % w/w
Zinc Phosphide	Active ingredient	2.00 % w/w
Total:		100.00% w/w

Recommendation

Crop(s)	Common Name of Pest	Dosage/HA		Dilution in Water	Crop Stage	Re-entry Period	Pre Harvest	Frequency
		AI %	Formulation %					
For field rodent control	Rattus rattus, Rattus mettdoda	2	-	Not applicable	Not applicable	Not applicable	Not applicable	Depending upon incidence of rodents.
Residential premises used under expert supervision	Bandicots bengalones Tatera indica, Mus booduga, Mus platythrya, Mus.musculus, Meriones hurrianes, Rattus norvegicus, Sancus caerulens	2	-	Not applicable	Not applicable	Not applicable	Not applicable	Depending upon incidence of rodents.

Note:-

Good Practices relating to pesticide application techniques

Direction of Use

Rodenticide

Weather Condition(in general):

Not to be used during unfavorable conditions.

Soil & Water(where ever applicable):

Not applicable

Crop Stage for application:

Not applicable

Application Technique

Prebaiting: Pre bait with 5-10 grams (1-2 tea spoons) of untreated locally available food like, cereals, grams and other eatables like bread etc. in each bait station two or three days prior to baiting to increase acceptance of treated bait at various bait stations.

Apply 5-10g of bait where most of pre bait is eaten and only to areas where untreated bait was consumed. Treat only once. If rodent nuisance continues repeat pre baiting. Do not treat the same area at less than 2-4 weeks. Collect and dispose of all dead animals and excess bait properly.

Equipment Type:

=

NozzleType:

=

Caution: Not to Be Used on Crops Other Than Specified on This Label/Leaflet "

Dosage:

Refer to the above recommendation.

Instruction for Mixing:

-

Re-entry Period

Not applicable

Manner and Time of Application

-

Application Timing

At the time of rodent incidence.

Frequency

Depending upon incidence of rodents.

Stages during which pesticides should not be applied on any crop :

=

Precautions to be taken to avoid harm to the beneficial insects like honey bees and natural enemies of pests :

-

Symptoms Of Poisoning

Nausea, vomiting, diarrhea and abdominal pain.

First Aid

call the doctor immediately.

If ingested: if person is conscious and alert, rinse mouth with water and give 1 or 2 glass of water to drink. Never give anything by mouth to an unconscious person. Call the doctor. Do not induced vomiting until and unless desired by attending physician.

If inhaled: Take the patient to fresh air and take care of body temperature. If patient is not breathing or breathing with difficulty, give artificial respiration,Consult a physician.

In case of skin contact: Wash thoroughly the affected part of body with soap and plenty of water including hairs and under fingernails. If pain, redness or irritation persists, consult a doctor. All contaminated clothes should be segregated and thoroughly washed with soap and water separately before use.

In case of eye contact: Rinse gently with plenty of water at least for 15 minutes. If pain, irritation, redness or photophobia persists. Consult eye specialist

Antidote

No specific antidote, symptomatic and supportive therapy

Phytotoxicity

Not applicable.

Storage Conditions

1. The packages containing the insecticides shall be stored in separate rooms or premises away from the rooms or premises used for storing other articles or shall be kept in separate almira's under lock and key depending upon the quantity and nature of the insecticide
2. The rooms or premises meant for storing the insecticides shall be well built, dry, well-lit, and ventilated and of sufficient dimensions to avoid contamination with vapours.

Safety Precaution:

1. keep away from foodstuffs, empty foodstuff containers and animal feed
2. avoid contact with mouth, eyes and skin and inhalation of the spray mist.
3. wash thoroughly the contaminated clothes and body parts after handling.
4. do not eat, drink, smoke or chew while applying.
5. use protective clothing which includes long sleeved shirt and long pants, chemical resistant gloves, shoes, goggles and socks while spraying.

Caution: Not to Be Used on Crops Other Than Specified on This Label/Leaflet "

Cautionary Statement:

- 1. not to be used on crops and pests other than those subscribed on label & leaflets.**
- 2. destroy the container after use as directed on leaflet.**
- 3. this product is highly toxic to wild life and fish.**

Disposal of used containers, washing from equipment and surplus material :

1. It shall be the duty of manufacturers, formulators of insecticides and operators to dispose packages or surplus materials and washing in a safe manner so as to prevent environmental or water pollution.
2. The used packages shall not be left outside to prevent their re-use.
3. The packages shall be broken and buried away from habitation.

Manufacturer Premises :

3 - 11, G.I.D.C., Vapi, Gujarat-396 195
Maharashtra

Manufactured by

UPL Limited
Uniphos House, Madhu Park, 11th Road, Khar (W), Mumbai 400
052 MUMBAI Maharashtra 400052

Customer Care Details:

UPL Limited
Uniphos House, Madhu Park, 11th Road, Khar (W), Mumbai 400 052

Safety Pictograms:



Caution: Not to Be Used on Crops Other Than Specified on This Label/Leaflet