

**PESTICIDE FORMULATIONS REGISTERED FOR USE IN THE COUNTRY
UNDER THE INSECTICIDES ACT, 1968:**

(As on 01.10.2022)

APPROVED FORMULATION OF SOLO PESTICIDES	
A. INSECTICIDES	
Sr No.	Formulation registered
1.	Abamectin 1.9 % EC
2.	Acephate 75 % SP
3.	Acephate 95 % SG
4.	Acephate 97 % DF
5.	Acetamiprid 20 % SP
6.	Afidopyropen 50 g/L DC
7.	Allerthrin 0.02 % Coil
8.	Allerthrin 0.05% Coil
9.	Allerthrin 0.2 % Coil
10.	Allerthrin 0.5% Aerosol
11.	Allerthrin 0.5% Coil
12.	Allerthrin 3.6% LV
13.	Allerthrin 4% Mat
14.	Alphacypermethrin 0.1 % RTU
15.	Alphacypermethrin 0.5% Chalk
16.	Alphacypermethrin 0.667 % LLIN
17.	Alphacypermethrin 05 % WP
18.	Alphacypermethrin 10.00% EC
19.	Alphacypermethrin 10.00% SC
20.	Aluminium phosphide 15%Tab (12 gm)
21.	Aluminium phosphide 56% Powder
22.	Aluminium phosphide 56% Tab
23.	Aluminium phosphide 6 % Tab
24.	Aluminium phosphide 77.5% GR
25.	Barium Carbonate 1% P
26.	Benfuracarb 03 % GR
27.	Benfuracarb 40 % EC
28.	Benzoate 00.10 % w/w Gel
29.	Benzpyrimoxan 10% SC
30.	Beta-cyfluthrin 02.45 % SC

31.	Bifenazate 22.60 % SC
32.	Bifenazate 50 % WP
33.	Bifenthrin 0.05 % MC (8 hrs)
34.	Bifenthrin 02.50 % EC
35.	Bifenthrin 08 % SC
36.	Bifenthrin 08.80 % CS
37.	Bifenthrin 10 % EC
38.	Bifenthrin 10% WP
39.	Brodifacoum 0.005 %w/w BB
40.	Broflanilide 20% SC
41.	Broflanilide 300 g/l SC
42.	Bromadiolone 00.005 % RB
43.	Bromadiolone 00.25 % CB
44.	Buprofezin 25 % SC
45.	Buprofezin 70 % DF
46.	Carbofuran 03 % CG
47.	Carbosulfan 06 % Granules
48.	Carbosulfan 25 % DS
49.	Carbosulfan 25 % EC
50.	Cartap Hydrochloride 04 % Granules
51.	Cartap Hydrochloride 50 % SP
52.	Cartap Hydrochloride 75 % SG
53.	Chlorantraniliprole 00.40 % GR
54.	Chlorantraniliprole 18.50 % SC
55.	Chlorantraniliprole 35 % WG
56.	Chlorfenapyr 10 % SC
57.	Chlorfluazuron 05.40 % EC
58.	Chlorpyrifos 01.50 % DP
59.	Chlorpyrifos 10 % Granules
60.	Chlorpyrifos 20 % EC
61.	Chlorpyrifos 50 % EC
62.	Chlorpyriphos 02 % w/w EC
63.	Chlorpyriphos 75 % w/w WG
64.	Chlorpyriphos Methyl 40 % EC
65.	Chromafenozide 80 % WP

66.	Clothianidin 0.5 % GR
67.	Clothianidin 50 % WDG
68.	Coumatetralyl 0.037% Bait
69.	Coumatetralyl 0.75% Gel
70.	Cyantranilprole 10.26% OD
71.	Cyenopyrafen 30 % SC
72.	Cyflumetofen 20 % SC
73.	Cyfluthrin 05 % EW
74.	Cyfluthrin 10 % WP
75.	Cypermethrin 0.1% Aqueous
76.	Cypermethrin 0.25%DP
77.	Cypermethrin 03 % Smoke Generator
78.	Cypermethrin 1% Chalk
79.	Cypermethrin 1% Dust
80.	Cypermethrin 10% EC
81.	Cypermethrin 25% EC
82.	Cyphenothrin 7.2% VP w/w (For use by pest control operator only)
83.	DDT 50 % WP
84.	DDT 75 % WP
85.	Deltamethrin 00.50 % w/w Chalk
86.	Deltamethrin 01 % RTU
87.	Deltamethrin 01.25 % w/w (01.00 % w/v) EC
88.	Deltamethrin 01.80 % EC
89.	Deltamethrin 02.50 % Flow
90.	Deltamethrin 02.50 % WP
91.	Deltamethrin 02.80 % EC
92.	Deltamethrin 1.25 % ULV
93.	Deltamethrin 11% w/w EC
94.	Deltamethrin 25 % Tablet
95.	Deltamethrin 55% mg/m2 (impregnated bed net)
96.	Diafenthiuron 47.80 % SC
97.	Diafenthiuron 50 % WP
98.	Dicofol 18.50 % EC
99.	Diflubenzuron 02 % GR
100.	Diflubenzuron 02 % Tablets

101.	Diflubenzuron 25 % WP
102.	Dimethoate 30 % EC
103.	Dinotefuran 0.5% RB Gel
104.	Dinotefuran 20 % SG
105.	D-trans allethrin 0.1% Coil
106.	D-trans allethrin 2% Mat
107.	D-trans allethrin 21.97% Mos. Mat
108.	Emamectin benzoate 01.90 % EC
109.	Emamectin benzoate 05 % SG
110.	Ethion 50 % EC
111.	Ethofenprox 10 % EC
112.	Ethylene Dichloride and Carbon Tetrachloride mixture (EDCT mixture 3: 1)
113.	Etoxazole 10 % SC
114.	Fenazaquin 10 % EC
115.	Fenazaquin 18.3 % SC
116.	Fenitrothion 2% spray
117.	Fenitrothion 20 % OL
118.	Fenitrothion 40 % WP
119.	Fenobucarb (BPMC) 50 % EC
120.	Fenpropathrin 10 % EC
121.	Fenpropathrin 10% EW
122.	Fenpropathrin 30 % EC
123.	Fenpyroximate 05 % EC
124.	Fenpyroximate 05 % SC
125.	Fenvalerate 00.40 % DP
126.	Fenvalerate 02 % Conc.
127.	Fenvalerate 20 % EC
128.	Fipronil 00.03 % & 0.5 % Gel
129.	Fipronil 00.05 % GEL
130.	Fipronil 00.30 % GR
131.	Fipronil 00.60 % w/w GR
132.	Fipronil 02.92 % EC
133.	Fipronil 05 % SC
134.	Fipronil 18.87 % w/w SC
135.	Fipronil 80 % WG

136.	Flocoumafen 0.005% Block Bait (Strom)
137.	Flonicamid 50 % WG
138.	Flubendiamide 00.70 % GR
139.	Flubendiamide 20 % WG
140.	Flubendiamide 39.35 % w/w SC
141.	Flufenoxuron 10 % DC
142.	Flumite 20 % SC / Flufenzine 20 % SC
143.	Fluopyram 34.48 % w/w SC
144.	Flupyradifurone 17.09 % w/w SL
145.	Flupyrimin 10% EC
146.	Flupyrimin 2% GR
147.	Fluvalinate 25 % EC
148.	Fluxametamide 10% EC
149.	Hexythiazox 05.45 % w/w EC
150.	Imidacloprid 00.03 % w/w Gel
151.	Imidacloprid 00.30 % GR
152.	Imidacloprid 02.15 % w/w Gel
153.	Imidacloprid 17.1 % w/w SL
154.	Imidacloprid 17.80 % SL
155.	Imidacloprid 30.50 % m/m SC
156.	Imidacloprid 48 % FS
157.	Imidacloprid 70 % WG
158.	Imidacloprid 70 % WS
159.	Indoxacarb 14.50 % SC
160.	Indoxacarb 15.80 % EC
161.	Lambda-cyhalothrin 00.50 % Chalk
162.	Lambda-cyhalothrin 02.43 % CS
163.	Lambda-cyhalothrin 02.50 % EC
164.	Lambda-cyhalothrin 04.90 % CS
165.	Lambda-cyhalothrin 05 % EC
166.	Lambda-cyhalothrin 10 % WP
167.	Lufenuron 05.40 % EC
168.	Malathion 02 % House Hold Spray
169.	Malathion 05 % DP
170.	Malathion 25 % WP

171.	Malathion 50 % EC
172.	Malathion 96 % ULV
173.	Metaflumizone 22 % SC
174.	Metaldehyde 2.5% DP
175.	Methomyl 40 % SP
176.	Methoxyfenozide 21.8 % w/w SC
177.	Methyl Bromide 98 % w/w
178.	Metofluthrin 0.005% Mosquito coil (12 Hrs)
179.	Metofluthrin 0.005% Mosquito coil (7 Hrs)
180.	Metofluthrin 0.32% LV
181.	Milbemectin 01 % EC
182.	Monocrotophos 15 % SG
183.	Monocrotophos 36 % SL
184.	Novaluron 08.80 % SC
185.	Novaluron 10 % EC
186.	Oxydemeton-methyl 25 % EC
187.	Permethrin 02.00% (Olyset@ Net) w/w for Import only
188.	Permethrin 25 % EC
189.	Phenthoate 02 % DP
190.	Phenthoate 50 % EC
191.	Phosalone 04 % DP
192.	Phosalone 35 % EC
193.	Phosmet 50% WP
194.	Pirimiphos methyl 50 % EC
195.	Pirimiphos-methyl 01 % Spray
196.	Prallethrin 0.04% Mosquito coil (11 Hrs)
197.	Prallethrin 0.04% Mosquito coil (12 Hrs)
198.	Prallethrin 0.04% Mosquito coil (6 Hrs)
199.	Prallethrin 0.5% Mosquito coil
200.	Prallethrin 0.8% Red mosquito mat
201.	Prallethrin 0.8% Vaporizer
202.	Prallethrin 1.2% Mat
203.	Prallethrin 19 % w/w VP
204.	Profenofos 50 % EC
205.	Propargite 57 % EC

206.	Propetamphos 01 % Spray
207.	Propoxur 01 % Spray
208.	Propoxur 02 % Bait
209.	Propoxur 20 % EC
210.	Pymetrozine 50 % WG
211.	Pyrethrin 00.20 % Spray
212.	Pyridaben 20 % w/w WP
213.	Pyridalyl 10 % EC
214.	Pyrifluinazon 20% WG
215.	Pyriproxyfen 00.50 % GR
216.	Pyriproxyfen 10 % EC
217.	Pyriproxyfen 10% EW
218.	Quinalphos 01.50 % DP
219.	Quinalphos 05 % Granules
220.	Quinalphos 20 % AF
221.	Quinalphos 25 % EC
222.	Quinalphos 25 % Gel
223.	Renofluthrin 0.025% w/w Mosquito Coil
224.	Renofluthrin 5% MUP
225.	S-Bioallethrin 2.4% Mat
226.	Spinetoram 11.70 % SC
227.	Spinosad 02.50 % SC
228.	Spinosad 45 % SC
229.	Spiromesifen 22.90 % SC
230.	Spirotetramat 15.31 % w/w OD
231.	Sulfoxaflor 21.8 % w/w SC
232.	Temephos 50 % EC
233.	Tetraniliprole 18.18 SC
234.	Tetraniliprole 40.34% FS
235.	Thiaclopid 21.70 % SC
236.	Thiamethoxam 00.01 % w/w Gel Bait
237.	Thiamethoxam 25 % WG
238.	Thiamethoxam 30 % FS
239.	Thiamethoxam 70 % WS
240.	Thiamethoxam 75 % w/w SG

241.	Thiocyclam Hydrogen Oxalate 50% SP
242.	Thiodicarb 75 % WP
243.	Tolfenpyrad 15 % EC
244.	Transfluthrin 0.03% Mos. Coil
245.	Transfluthrin 0.08% Aerosol
246.	Transfluthrin 0.88% Liquid Vaporiser
247.	Transfluthrin 1% EU
248.	Transfluthrin 1.2% LV
249.	Transfluthrin 1.6% LV
250.	Transfluthrin 12.0% AE
251.	Transfluthrin 20% MV Gel (30 days mat tray)
252.	Zinc Phosphide 01 % bait (Household Product)
253.	Zinc Phosphide 80 % Powder
B. FUNGICIDES	
Sr No.	Formulation registered
254.	Amisulbrom 17.7% (20% w/v) SC
255.	Aureofungin 46.15% SP
256.	Azoxystrobin 23% SC
257.	Bitertanol 25% WP
258.	Buprimate 26.7 % EC
259.	Captan 50% WG
260.	Captan 50% WP
261.	Captan 75% WS
262.	Captan 75% WP
263.	Carbendazim 25% DS
264.	Carbendazim 46.27% SC
265.	Carbendazim 5% Gr
266.	Carbendazim 50% WP
267.	Carboxin 75% WP
268.	Carpropamid 27.8 % SC
269.	Chlorothalonil 75% WP
270.	Copper Hydroxide 46.1% WG
271.	Copper Hydroxide 53.8% DF
272.	Copper Hydroxide 77% WP
273.	Copper Oxychloride 40% paste

274.	Copper Oxychloride 50% WP
275.	Copper Oxychloride 50% WG
276.	Copper Oxychloride 56% OP
277.	Copper Sulphate 2.62% SC
278.	Cyazofamid 34.5% SC
279.	Cyflufenamide 5% EW
280.	Cymoxanil 50% WP
281.	Difenoconazole 25% EC
282.	Difenoconazole 3% WS
283.	Dimethomorph 50% WP
284.	Dinocap 48% EC
285.	Dithianon 75% WP
286.	Dodine 40% SC
287.	Dodine 65% WP
288.	Edifenphos 50% EC
289.	Ethaboxam 40% SC
290.	Fluopyram 34.48% SC
291.	Flusilazole 40% EC
292.	Fluxapyroxad 333g/l FS
293.	Fosetyl-Al 80% WP
294.	Hexaconazole 0.5% GR
295.	Hexaconazole 2% SC
296.	Hexaconazole 5% EC
297.	Hexaconazole 5% SC
298.	Hexaconazole 75% WG
299.	Iprobenfos (Kitazin) 17% Gr.
300.	Iprobenfos (Kitazin) 48% EC
301.	Iprodione 50% WP
302.	Isoprothiolane 40% EC
303.	Kasugamycin 3% SL
304.	Kresoxim-methyl 44.3% (500 g/l)SC
305.	Lime Sulphur 22% SC
306.	Mancozeb 35% SC
307.	Mancozeb 75% WP
308.	Mancozeb 75% WG

309.	Mandipropamid 23.4% SC
310.	Meptyldinocap 35.7% EC
311.	Metalaxyl – M 31.8% ES
312.	Metalaxyl 35% WS
313.	Metiram 70% WG
314.	Metrafenone 500g/l SC
315.	Myclobutanil 10% WP
316.	Oxathiapipron 10.1% OD
317.	Oxycarboxin 20% EC
318.	Paclobutarzole 23% SC
319.	Paclobutrazole 40% SC
320.	Penconazole 10% EC
321.	Pencycuron 22.9% SC
322.	Penflufen 22.43% FS
323.	Picoxystrobin 22.52% SC
324.	Polyoxin D Zinc salt 5% SC
325.	Prochloraz 39.6% EC
326.	Propiconazole 25% EC
327.	Propineb 70% WP
328.	Pyraclostrobin 100 g/l CS
329.	Pyraclostrobin 20% WG
330.	Sulphur 40% SC
331.	Sulphur 52% Flowable
332.	Sulphur 55.16% SC (800 gm/L)
333.	Sulphur 80% WG
334.	Sulphur 80% WP
335.	Sulphur 85% DP
336.	Tebuconazole 2% DS
337.	Tebuconazole 25% WG
338.	Tebuconazole 25.9% EC
339.	Tebuconazole 38.39% SC
340.	Tebuconazole 5.36% FS
341.	Tebuconazole 5.4% (6.0% w/v) FS
342.	Tetraconazole 11.6% w/w (12.5% w/v) SL
343.	Tetraconazole 3.8% EW

344.	Thifluzamide 24% SC
345.	Thiophanate-methyl 41.7% SC
346.	Thiophanate-methyl 70% WG
347.	Thiophanate-methyl 70% WP
348.	Thiram 40% FS
349.	Thiram 75% WS
350.	Thiram 80% WP
351.	Triadimefon 25% WP
352.	Tricyclazole 70% WG
353.	Tricyclazole 75% WP
354.	Triflumizole 42.14% w/w SC
355.	Validamycin 3% L
356.	Zineb 75% WP
357.	Zineb 80% WP
358.	Ziram 27% SC
359.	Ziram 80% WP

C. HERBICIDES

Sr No.	Formulation registered
360.	Fluroxypyr meptyl 48% w/v (45.5% w/w) EC
361.	Oxyflourfen 0.35% GR
362.	Anilofos 2% G
363.	Penoxsulam 2.67% OD
364.	Quizalofop-p-tefuryl 4.41% EC
365.	Butachlor 5% GR
366.	Glyphosate Ammonium Salt 5% SL
367.	Pendimethalin 5% Gr.
368.	Quizalofop-ethyl 5% EC
369.	Pinoxaden 5.1% EC
370.	Oxadiargyl 6% EC
371.	Fenoxaprop-p-ethyl 6.7% w/w EC
372.	Fenoxaprop-p-ethyl 9% w/w DF

373.	Fenoxaprop-p-ethyl 9.3% w/w EC
374.	Bispyribac Sodium 10% SC
375.	Cinmethylin 10% EC
376.	Cyhalofop-butyl 10% EC
377.	Fenoxaprop-p-ethyl 10% EC
378.	Flucetosulfuron 10% WG
379.	Imazethapyr 10% SL + Surfactant
380.	Metamifop 10% EC
381.	Propaquizafop 10% EC
382.	Pyrazosulfuron-ethyl 10% WP
383.	Pyrithiobac Sodium 10% EC
384.	Quizalofop-ethyl 10% EC
385.	Fluthiacet methyl 10.3% EC
386.	Haloxyfop R Methyl 10.5% w/w EC
387.	Fluazifop-p-butyl 13.4% EC
388.	Glufosinate Ammonium 13.5% SL
389.	Clodinafop- propargyl 15% DF
390.	Clodinafop- propargyl 15% WP
391.	Ethoxysulfuron 15% WDG
392.	Anilofos 18% EC
393.	Flurochloridone 18.3% CS
394.	Glyphosate Ammonium Salt 20 % SL
395.	Metsulfuron-methyl 20% WG
396.	Metsulfuron-methyl 20% WP
397.	Oxyfluorfen 20% DF
398.	Triasulfuron 20% WG

399.	Glyphosate 20.2% SL (IPA Salt)
400.	Penoxsulam 21.7% SC
401.	Oxyflourfen 23.5% EC
402.	Paraquat dichloride 24% SL
403.	Chlorimuron Ethyl 25% WP + Surfactant
404.	Clethodim 25% EC
405.	Oxadiazon 25% EC
406.	Diclofop-methyl 28% EC
407.	Anilofos 30% EC
408.	Pendimethalin 30% EC
409.	Pretilachlor 30.7% EC
410.	Tembotrione 34.4% SC
411.	Propanil 35% EC
412.	Pretilachlor 37% EW
413.	Pendimethalin 38.7% CS
414.	Sulfentrazone 39.6% SC
415.	Carfentrazone ethyl 40% DF
416.	MCPA, Amine salt 40% WSC
417.	Glyphosate 41% SL (IPA Salt)
418.	Fluchloralin 45% EC
419.	Atrazine 50% WP
420.	Azimsulfuron 50% DF
421.	Butachlor 50% EC
422.	Butachlor 50% EW
423.	Clomazone 50% EC
424.	Flumioxazin 50% SC

425.	Isoproturon 50% WP
426.	Isoproturon 50% flow
427.	Metolachlor 50% EC
428.	Orthosulfamuron 50% WG
429.	Pretilachlor 50% EC
430.	Triallate 50% EC
431.	Glyphosate 54% SL (IPA Salt)
432.	Bensulfuron Methyl 60% DF
433.	Flufenacet 60% DF
434.	Imazethapyr 70% WG + Surfactant
435.	Metamitron 70% SC
436.	Methabenzthiazuron 70% WP
437.	Metribuzin 70% WP
438.	Pyrazosulfuron-ethyl 70% WDG
439.	Saflufenacil 70.0% WG
440.	Glyphosate Ammonium Salt 71% SG
441.	Halosulfuron methyl 75% WG
442.	Isoproturon 75% WP
443.	Sulfosulfuron 75% WG
444.	Ametryn 80% WG
445.	Diuron 80% WP
446.	Oxadiargyl 80% WP
447.	Propanil 80% DF
448.	Diclosulam 84% WDG
449.	Pyroxasulfone 85% WG

450.	2,4-D Sodium Salt 80% min.
451.	2,4-D Amine Salt 58% SL
452.	2,4-D Ethyl Ester 38% EC
453.	2,4-D Ethyl Ester 20% WP
454.	2,4-D Ethyl Ester 4.5% GR
455.	Topramezone 336 g/l w/v SC
456.	Bentazone 480 g/l SL
D: PLANT GROWTH REGULATORS	
Sr No.	Formulation registered
457.	1-Methylcyclopropene 3.3% VP (Vapour Releasing Product)
458.	Alpha Naphthyl Acetic Acid 4.5% SL (Na salt)
459.	Chlormequat Chloride 50% SL
460.	Chlorpropham 50% HN
461.	Ethephon 10% Paste
462.	Ethephon 39% SL
463.	Forchlorfenuron (CPPU) 0.1% L
464.	Forchlorfenuron 0.12% EC
465.	Gibberellic Acid 0.001% L
466.	Gibberellic Acid 0.1% GR
467.	Gibberellic Acid 0.186% SP
468.	Gibberellic Acid 0.45% SL
469.	Gibberellic Acid 40% WSG
470.	Hydrogen Cyanamide 49% AS
471.	Hydrogen Cyanamide 50% SL
472.	Mepiquat chloride 5% AS
473.	Paclobutrazol 23% SC
474.	Paclobutrazol 40% SC

475.	Prohexadione-Ca 10% WG
476.	Sodium paranitrophenolate 0.3% SL
477.	Sodium paranitrophenolate 1.8% SL
478.	Triaccontanol 0.05% EC
479.	Triaccontanol 0.05% w/w min. GR
480.	Triaccontanol 0.1% EW
E: BIO-INSECTICIDES	
Sr No.	Formulation registered
481.	Azadirachtin 0.15% EC w/w Min. Neem Seed Kernel Based
482.	Azadirachtin 0.15% EC
483.	Azadirachtin 00.30% EC (3000 PPM) Min. Neem Seed Kernel Based
484.	Azadirachtin 01.00% EC Min. Neem Based
485.	Azadirachtin 01.00% EC (10000 PPM) Min. Neem Based
486.	Azadirachtin 00.03% EC Min. Neem Oil Based
487.	Azadirachtin 00.03% WSP (300 PPM) Neem Oil Based
488.	Azadirachtin 05.00% w/w Min. Neem Extract Concentrates
489.	<i>Bacillus thuringiensis</i> var. <i>galleriae</i> 1593 M sero type H 59 5b, 1.3%
490.	<i>Bacillus thuringiensis</i> var. <i>4rustaki</i>
491.	<i>Bacillus thuringiensis</i> var. <i>4rustaki</i> , serotype H-39, 3B, Strain Z-52
492.	<i>Bacillus thuringiensis</i> serovar <i>4rustaki</i> (3a, 3b, 3c) 5.0% WP Potency 55000 SU
493.	<i>Bacillus thuringiensis</i> var. <i>5rustaki</i> 0.5% WP serotype 3a, 3b, 3c, Strain DOR Bt-1, Potency 9000 IU/mgmin. U/s 9(3b)
494.	<i>Bacillus thuringiensis</i> var. <i>5rustaki</i> 0.5% WP serotype 3a, 3b, 3c, Strain DOR Bt-1 NAIMCC-B-01118, Potency 13329 IU/mg min. U/s 9(3b)
495.	<i>Bacillus thuringiensis</i> var. <i>5rustaki</i> 0.5% WP serotype 3a, 3b, 3c, Strain DOR Bt-1, Potency 16000IU/mg min.
496.	<i>Bacillus thuringiensis</i> var. <i>5rustaki</i> 2.5% AS
497.	<i>Bacillus thuringiensis</i> var. <i>6rustaki</i> Strain HD-1, serotype 3a, 3b, 3.5% ES for Import & repack. Potency 17600 IU/mg
498.	<i>Bacillus thuringiensis</i> var. <i>6rustaki</i> Serotype 3a, 3b, SA II WG Potency:- 53000 SU/mg, 32000 IU/mg
499.	<i>Bacillus thuringiensis</i> var. <i>israelensis</i> WP
500.	<i>Bacillus thuringiensis</i> var. <i>israelensis</i> , Serotype H-14 (VECTOBAC 12 AS)

	Potency 1200 ITU / MG
501.	<i>Bacillus thuringiensis</i> var. israelensis, Serotyp H-14 (Vectobac 12 AS) potency 1200 ITU/mg
502.	<i>Bacillus thuringiensis</i> var. israelensis 5.0% AS (Strain VCRC-B-17, Serotype H-14, Accession No.-MTCC 5596
503.	<i>Bacillus thuringiensis</i> var. israelensis (H-14) 5.0% AS
504.	<i>Bacillus thuringiensis</i> var. israelensis, Serotyp H-14, 5% WP Potency 2000 ITU/mg
505.	<i>Bacillus thuringiensis</i> var. israelensis, Strain Designation- ABIL, Accession No. NAMICC-B01318 (CFUCount- 4.8×10^8) Serotyp H-14, 5% WP Potency 7000 ITU/mg
506.	<i>Bacillus thuringiensis</i> var. sphaericus1593 M sero type H 59 5b
507.	<i>Bacillus thuringiensis</i> var. israelensis 12% AS (Vectobac)
508.	<i>Bacillus thuringiensis</i> var. israelensis 00.50% WP
509.	<i>Bacillus thuringiensis</i> var. israelensis 05.00% WP
510.	<i>Bacillus sphaericus</i> 1593 M sero type H 59 5b, 1.3% flowable concentrate Potency 13000 IU/mg
511.	<i>Beauveria bassiana</i> 1.15% WP
512.	<i>Beauveria bassiana</i> 1.15% WP. (1×10^8 /gm min) Strain BB-ICAR-RJP, Accession No – MCC 1022
513.	<i>Beauveria bassiana</i> 1.15% WP (Strain : BB – 5372, own R & D Isolate)
514.	<i>Beauveria bassiana</i> 1.15% WP (1×10^8 /gm min) Strain ICAR, Research Complex, Umiam, Meghalaya,Accession No – NAIMCC-F-03045
515.	<i>Beauveria bassiana</i> 1.15% WP (1×10^8 /gm min) Accession No – NAIMCC-F-03045, Strain No. NBAIM,MAU.
516.	<i>Beauveria bassiana</i> 1.15% WP (1×10^8 /spores/ml) Strain BCRL, Accession No – BCRL Bbpx-6892
517.	<i>Beauveria bassiana</i> 1.0% WP, Strain No: NBRI – 9947 (1×10^8 CFU/gm Min.)
518.	<i>Beauveria bassiana</i> 1.0% WP (1×10^9 CFU/gm min), Strain No. IPL/BB/MI/01
519.	<i>Beauveria bassiana</i> 1.0% WP (1×10^8 CFU/gm min), Strain No. SVBPU/CSP/Bb-10, Accession No. ITCC-7520
520.	<i>Beauveria bassiana</i> 5.0% WP, (1×10^8 CFU/gm min) Strain IARI, Accession No. ITCC-7353
521.	<i>Beauveria bassiana</i> 5.0% SC, Strain: NBAII , Bangalore , Accession No. ITCC-7102

522.	<i>Beauveria bassiana</i> 5.0% AS Strain : BB-AAU-RJP Accession No. MCC – 1024
523.	<i>Beauveria bassiana</i> 1.15% WP (1×10^8 /gm min) Accession No – NAIMCC-F-03048
524.	<i>Beauveria bassiana</i> 10.00% SC
525.	<i>Beauveria bassiana</i> 1.5% Liquid Formulation (CFU count 10×10^8) Accession No.MTCC-5171
526.	<i>Beauveria bassiana</i> 1.15% WP (1×10^6 CFU /gm min)
527.	<i>Metarhizium anisopliae</i> 1.0% WP (1×10^8 CFU/gm min) Strain No. IPL/KC/44 (Own R & D Isolate),Accession No. 6895
528.	<i>Metarhizium anisopliae</i> 1.15% WP (1×10^8 CFU/gm min) Accession No. MTCC – 5173
529.	<i>Metarhizium anisopliae</i> 1.15% WP (1×10^8 CFU/gm min) Strain No. AAI, Allahabad, Accession No.NAIMCC-F-03037.
530.	<i>Metarhizium anisopliae</i> 10% GR (CFU count 1×10^8 /gm. min.) Strain BCRL– Me,Accession No. ITCC 6911
531.	NPV of <i>Helicoverpa armigera</i> 0.5% AS, (1×10^9 POB/ml Min.)
532.	NPV of <i>Helicoverpa armigera</i> 2.0% AS, (1×10^9 POBs count / ml min) Biological Insecticide
533.	Nuclear Polyhedrosis Virus of <i>Helicoverpa armigera</i> 0.43% AS (1×10^9 POB/ml)
534.	Nuclear Polyhedrosis Virus of <i>Helicoverpa armigera</i> 0.43% AS, Strain No. BIL/HV-9 (1×10^9 POB/mlMin.)
535.	Nuclear Polyhedrosis Virus of <i>Helicoverpa armigera</i> 2.0% AS, Strain No. GBS/HNPV -01 (1×10^9 POB/ml Min.)
536.	Nuclear Polyhedrosis Virus of <i>Helicoverpa armigera</i> 2.0% AS, Strain No. NBRI-8821 (1×10^9 POB/mlMin.)
537.	Nuclear Polyhedrosis Virus of <i>Helicoverpa armigera</i> 2.0% AS, Strain No. IBH-17268 (1×10^9 POB/mlMin.)
538.	Nuclear Polyhedrosis Virus of <i>Helicoverpa armigera</i> 2.0% AS, Strain No. BIL/HV-9 POB(1×10^9 POB/mlMin.)
539.	Nuclear Polyhedrosis Virus of <i>Helicoverpa armigera</i> 2.0% AS, Strain No. IBL-17268
540.	Nuclear Polyhedrosis Virus of <i>Spodoptera litura</i> 0.5% AS, (1×10^9 POB/ml Min.)
541.	<i>Paecilomyces lilacinus</i> 01.15% WP
542.	PB Rope L
543.	<i>Pseudomonas fluorescens</i> 1.0% WP (Strain No. IIHR-PF-2, Accession No. ITCC-

	B0034)
544.	<i>Trichoderma harzianum</i> 1.0% WP (Strain No. IIHR-TH-2 Accessions No. ITCC 6888)
545.	<i>Trichoderma harzianum</i> 1.5% WP (Strain No. IIHR-TV-5 Accessions No. ITCC 6889)
546.	<i>Trichoderma viride</i> 1.5% WP (Strain No. IIHR-TV-5 Accessions No. ITCC 6889)
547.	<i>Verticillium chlamydosporium</i> 1.0% WP, (2x10 ⁶ CFU/gm min) Strain – IIHR-VC-3 Accession No –ITCC-6898
548.	<i>Verticillium lecanii</i> 1.15%WP, (1x10 ⁸ CFU/gm min) Strain – AS MEGH-VL Accession No – MCC-1028
549.	<i>Verticillium Lecanii</i> 1.50% Liquid Formulation, (1x10 ⁸ CFU/ml. min.) Strain – T Stanes VI-1,Accession No – MTCC-5172
550.	<i>Verticillium lecanii</i> 3.0% AS, (strain: Accession No. MCC-1127, Strain No. MPKV / Biocontrol/ RVN/VL-01
551.	<i>Verticillium lecanii</i> 5.0% SC, (1x10 ⁸ CFU/gm Min.) Strain – Own Red Isolate, Strain No. VI-17874,MTCC No.5716
552.	<i>Verticillium lecanii</i> 5.0% SC, (Strain: Accession No. NFCCI - 2638
F: BIO-FUNGICIDES	
Sr No.	Formulation registered
553.	<i>Ampelomycesquisqualis</i> 2.0% WP (Aq-1 MTCC-5683)
554.	<i>Bacillus subtilis</i> 1.0 %WP (CPBT 15, MTCC5527)
555.	<i>Bacillus subtilis</i> 1.15% A.S
556.	<i>Bacillus subtilis</i> 1.5 %LF (Bs-1, MTCC25072)
557.	<i>Bacillus subtilis</i> 1.5% A.S. (BIL, BS-168)
558.	<i>Bacillus subtilis</i> 1.5% A.S. (KTSBMTCC 5786)
559.	<i>Bacillus subtilis</i> 2.0%A.S. (IPL/BS/09,MTCC-5728)
560.	<i>Pseudomonas flourescens</i> 1.5% LF (PF-1, MTCCNo.5671)
561.	<i>Pseudomonas fluorecens</i> 0.5% W.P. (TNAUPF1 ITCCBE-0005)
562.	<i>Pseudomonas fluorecens</i> 1.0% W.P. (IIHR-PF-2, ITCCB-0034)
563.	<i>Pseudomonas fluorecens</i> 1.0% W.P. (IPL/PS-01, MTCC-5727)
564.	<i>Pseudomonas fluorecens</i> 1.5% A.S. (AS-AAIF, MCC2539)
565.	<i>Pseudomonas fluorecens</i> 1.5% WP
566.	<i>Pseudomonas fluorecens</i> 1.75% WP (PF-1 MTCCNo.5671)
567.	<i>Pseudomonas fluorecens</i> 2.0% A.S. (IPL/PS-01)

568.	<i>Trichoderma harzianum</i> 0.5% WS (T-39)
569.	<i>Trichoderma harzianum</i> 1.0 % WP (Th3, ITCC-5593)
570.	<i>Trichoderma harzianum</i> 1.0% W.P. (IIHR-Th-2, ITCC-6888)
571.	<i>Trichoderma harzianum</i> 2.0% A.S. (IPL/VT/102 6893)
572.	<i>Trichoderma harzianum</i> 2.0% WP (NBRI-1055)
573.	<i>Trichoderma harzianum</i> 5.0% SC (ITCC-7111)
574.	<i>Trichoderma harzianum</i> 5.0% WP
575.	<i>Trichoderma reesei</i> 3.0% WP (CSR-T-3, NAIMCC-SF-0030)
576.	<i>Trichoderma viride</i> 0.50% W.P.
577.	<i>Trichoderma viride</i> 1.0% AS (TV-AAU-RJP, MCC-1013)
578.	<i>Trichoderma viride</i> 1.0% W.P.(Tv-1, ITCC-6914)
579.	<i>Trichoderma viride</i> 1.00% W.P.(IPL/VT/101)
580.	<i>Trichoderma viride</i> 1.00% W.P.(T-14)
581.	<i>Trichoderma viride</i> 1.5% LF (Tv-1, MTCC-5170)
582.	<i>Trichoderma viride</i> 1.5% W.P. (IIHR-Tv-5, ITCC-6889)
583.	<i>Trichoderma viride</i> 2% W.P. (BHU, NAIMCC-F-02976)
584.	<i>Trichoderma viride</i> 5% LF (NAIM-F-03034)

FORMULATIONS OF COMBINATION OF PESTICIDES

A. INSECTICIDES

Sr No.	Formulation registered
585.	Acephate 25% + Fenvalerate 3% EC
586.	Acephate 45% + Cypermethrin 5% DF
587.	Acephate 50% + Bifenthrin 10% WDG
588.	Acephate 50% + Fipronil 5% WDG
589.	Acephate 50% + Imidacloprid 1.8% SP
590.	Acetamiprid 0.4% + Chlorpyrifos 20% EC
591.	Acetamiprid 1.1% + Cypermethrin 5.5% EC
592.	Beta cyfluthrin 8.49% + Imidacloprid 19.81% OD
593.	Bifenthrin 3% + Chlorpyrifos 30% EC
594.	Bifenthrin 8% + Clothianidin 10% SC
595.	Buprofezin 20% + Acephate 50% WP

596.	Buprofezin 20% + Acetamiprid 2% WP
597.	Buprofezin 22.0% + Fipronil 3.0% SC
598.	Buprofezin 23.1% + Fipronil 3.85% SC
599.	Buprofezin 9.0% + Acephate 24.0% WP
600.	Buprofezin15% + Acephate35% WP
601.	Cartap Hydrochloride 4.0% + Fipronil 0.50% GC
602.	Cartap hydrochloride 50% + Buprofezin 10% WP
603.	Cartap Hydrochloride 7.5% w/w + Emamectine Benzoate 0.25% w/w GR
604.	Chlorantraniliprole 0.50% + Thiamethoxam 1% GR
605.	Chlorantraniliprole 4.3% + Abamectin 1.7% SC
606.	Chlorantraniliprole 8.8% + Thiamethoxam 17.5% SC
607.	Chlorantraniliprole 9.3% + Lambdacyhalothrin 4.6% ZC
608.	Chlorpyrifos 16% + Alphacypermethrin 1% EC
609.	Chlorpyrifos 50% + Cypermethrin 5% EC
610.	Chlorpyrifos 50% + Cypermethrin 5% WG
611.	Clothianidin 3.5% + Pyriproxyfen 8% SE
612.	Cyantraniliprole 16.9% + Lufenuron 16.9% SC
613.	Cyantraniliprole 7.3% + Diafenthiuron 36.4% SC
614.	Cyantraniliprole19.8%+Thiamethoxam1 9.8% FS
615.	Cyclanilide 2.10% + Mepiquat Chloride 8.40% SC
616.	Cyfluthrin0.025% + Tranfluthrin0.04% Aerosol
617.	Cypermethrin 10% +Indoxacarb 10% SC
618.	Cypermethrin 3% + Quinalphos 20% EC
619.	Deltamethrin 0.02% + Allethrin 0.13% EC
620.	Deltamethrin 0.05% + Allethrin 0.04% EC
621.	Deltamethrin 0.15 % + Piperonyl 0.55 % EC
622.	Deltamethrin 0.15% + Fipronil 0.55% EC
623.	Deltamethrin 0.72% + Buprofezin 5.65% EC
624.	Deltamethrin 2.5% + D-trans-allethrin 2.0% EC
625.	Diafenthiuron 30% + Pyriproxyfen 8% SE
626.	Difenthiuron 47.0% + Bifenthrin 9.4% SC
627.	Diflubenzuron 20%+ Deltamethrin 2% SC
628.	Dinotefuran 15% + Pymetrozine 45% WG
629.	Dinotefuran 4% + Acephate 50% SG
630.	D-trans-allethrin 0.1% + Permethrin 0.03% + Imiprothrin 0.02% Aerosol

631.	Emamectin Benzoate 1.5% + Fipronil 3.5% SC
632.	Emamectin Benzoate 1.5% + Profenofos 35% WDG
633.	Emamectin Benzoate 5% + Lufenuron 40% WG
634.	Ethion 40% + Cypermethrin 5% EC
635.	Ethiprole 10.7% + Pymetrozine 40% WG
636.	Ethiprole 40% + Imidacloprid 40% WG
637.	Etofenprox 6% + Diafenthiuron 25% WG
638.	Fenazaquin 10% + Bifenthrin 4% EC
639.	Fenobucarb 20% + Buprofezin 5% SE
640.	Fipronil 15% + Flonicamid 15% WDG
641.	Fipronil 4% + Acetamiprid 4% w/w SC
642.	Fipronil 4% + Thiamethoxam 4% w/w SC
643.	Fipronil 40% + Imidacloprid 40% WG
644.	Fipronil 5% + Buprofezin 20% SC
645.	Fipronil 7% + Hexythiazox 2% w/w SC
646.	Flubendiamide 19.92% + Thiacloprid 19.92% SC
647.	Flubendiamide 3.50% + Hexaconazole 5% WG
648.	Flubendiamide 4% + Buprofezin 20% SC
649.	Flubendiamide 7.5% + Kresoxim methyl 37.5% SC
650.	Flubendiamide 8.33% + Deltamethrin 5.56% SC
651.	Hexythiazox 3.5 + Diafenthiuron 42% WDG
652.	Imidacloprid 18.50% + Hexaconazole 1.50% FS
653.	Imidacloprid 20% + Bifenthrin 8% SL
654.	Imidacloprid 21% + Beta-cyfluthrin 10.5% SC
655.	Imidacloprid 6.0% + Lambdacyhalothrin 4.0% SL
656.	Imiprothrin 0.05% + Cypermethrin 1.0% CL
657.	Imiprothrin 0.07% + Cypermethrin 0.20% Aerosol
658.	Imiprothrin 0.1% + Cyphenothrin 0.15%
659.	Indoxacarb 14.5% + Acetamiprid 7.7% SC
660.	Indoxacarb 5% + Fipronil 5% SC
661.	Isoprothiolane 28% + Fipronil 5% EC
662.	Novaluron 5.25% + Emamectin benzoate 0.9% w/w SC
663.	Novaluron 5.25% + Indoxacarb 4.5% SC
664.	Phenthoate 45% + Cypermethrin 6% EC
665.	Profenofos 40% + Cypermethrin 4% EC

666.	Profenofos 40% + Fenpyroximate 2.50% EC
667.	Propargite 42% + Hexythiazox 2% EC
668.	Propargite 50% + Bifenthrin 5% SE
669.	Propoxur 0.5% + Cyfluthrin 0.025% Spray
670.	Propoxur 0.75% + Cyfluthrin 0.025% Aerosol
671.	Pyrethrin 0.05% + Malathion 1% Household
672.	Pyriproxyfen 10% + Bifenthrin 10% EC
673.	Pyriproxyfen 5% + Fenpropathrin 15% EC
674.	Pyriproxyfen 5.0% + Diafenthiuron 25% SE
675.	Pyriproxyfen 8% + Dinotefuran 5% + Diafenthiuron 18% SC
676.	Spirotetramat 11.01% + Imidacloprid 11.01% SC
677.	Thiamethoxam 0.9% + Fipronil 0.2% GR
678.	Thiamethoxam 1.0% + Chlorantraniliprole 0.5% GR
679.	Thiamethoxam 12.6% + Lambda-cyhalothrin 9.5% ZC
680.	Transfluthrin 1.0% + Cypermethrin 0.25 % Spray

B. FUNGICIDES

Sr No.	Formulation registered
681.	Ametoctradin 27% + Dimethomorph 20.27 % SC
682.	Azoxystrobin 11.0% + Tebuconazole 18.3% SC
683.	Azoxystrobin 11.5% + Mancozeb 30.0% WP
684.	Azoxystrobin 12.5% + Tebuconazole 12.5% SC
685.	Azoxystrobin 120 g/l + Tebuconazole 240 g/l SC
686.	Azoxystrobin 14% + Epoxiconazole 09% SC
687.	Azoxystrobin 16.7% + Tricyclazole 33.3% SC
688.	Azoxystrobin 18.2% + Cyproconazole 7.3% SC
689.	Azoxystrobin 18.2% + Difenconazole 11.4% SC
690.	Azoxystrobin 4.7% + Mancozeb 59.7% + Tebuconazole 5.6% WG
691.	Azoxystrobin 4.8% + Chlorothalonil 40.0% SC
692.	Azoxystrobin 5.1 % + Tebuconazole 9.1 % + Prochloraz 18.2 % EC
693.	Azoxystrobin 7.1 % + Propiconazole 11.9% SE
694.	Azoxystrobin 8.3% + Mancozeb 66.7% WG
695.	Benalaxyl 8.0 % + Mancozeb 65% WP
696.	Benalaxyl-M 4.0% + Mancozeb 65.0% WP
697.	Boscalid 25.2 + Pyraclostrobin 12.8% WG
698.	Captan 70% + Hexaconazole 5% WP

699.	Carbendazim 1.92% + Mancozeb 10.08% GR
700.	Carbendazim 12% + Mancozeb 63% WP
701.	Carbendazim 12% + Mancozeb 63% WS
702.	Carbendazim 25% + Flusilazole 12.5% SE
703.	Carbendazim 25% + Mancozeb 50% WS
704.	Carboxin 17.5% + Thiram 17.5% FF
705.	Carboxin 37.5% + Thiram 37.5% WS
706.	Chlorothalonil 40% + Difenconazole 4% w/w SC
707.	Copper Sulphate 47.15 % + Mancozeb30 % WDG
708.	Cymoxanil 8% + Mancozeb 64% WP
709.	Difenconazole 10% + Mancozeb 50 % WDG
710.	Dimethomorph 12% + Pyraclostrobin 6.7% WG
711.	Famoxadone 16.6% + Cymoxanil 22.1% SC
712.	Fenamidone 10% + Mancozeb 50% WDG
713.	Fenamidone 4.44% + Fosetyl-Al 66.66% WDG
714.	Fenoxanil 5% + Isoprothiolane 30% EC
715.	Fluopicolide 5.56% + Propamocarb hydrochloride 55.6% SC
716.	Fluopyram 17.7 % + Tebuconazole 17.7% SC
717.	Fluxapyroxad 167 g/L + Pyraclostrobin 333g/l SC
718.	Fluxapyroxad 250 g/l + Pyraclostrobin 250 g/l SC
719.	Fluxapyroxad 62.5 g/l + Epoxiconazole 62.5 g/l EC
720.	Fluxapyroxad 75 g/l + Difenconazole 50g/l SC
721.	Hexaconazole 4% + Carbendazim 16% w/w SC
722.	Hexaconazole 4% + Zineb 68% WP
723.	Hexaconazole 5% + Validamycin 2.5% SC
724.	Iprodion 25% + Carbendazim 25% WP
725.	Iprovalicarb 5.5% + Propineb 61.25% WP
726.	Kasugamycin 5% + Copper Oxychloride 45% WP
727.	Kasugamycin 6% + Thiafluzamide 26% SC
728.	Kresoxim methyl 15% + chlorothalonil56% WG
729.	Kresoxim methyl 18% + Mancozeb 54% w/w WP
730.	Kresoxim methyl 40% + Hexaconazole 8% w/w WG
731.	Mancozeb 40% + Azoxytrobin 7.0% w/w OS
732.	Mancozeb 50% + Thiophanate methyl 25% WG
733.	Mandipropamid 5.0% + Mancozeb 60.0% WG

734.	Mefentrifluconazole 133 g/l + Fluxapyroxad 89 g/l + Pyraclostrobin 178 g/l SC
735.	Metalaxyl -M 3.3% + Chlorothalonil 33.1% SC
736.	Metalaxyl -M 3.9% + Mancozeb 64% WG
737.	Metalaxyl -M 8% + Mancozeb 64% WP
738.	Metalaxyl-M 4% + Mancozeb 64% WP
739.	Metiram 44% + Dimethomorph 9% WG
740.	Metiram 55% + Pyraclostrobin 5% WG
741.	Penflufen 13.28% + Trifloxystrobin 13.28 FS
742.	Picoxystrobin 6.78 % + Tricyclazole 20.33% SC
743.	Picoxystrobin 7.05 % + Propiconazole 11.7% SC
744.	Prochloraz 23.5% + Tricyclazole 20% SE
745.	Prochloraz 24.4% + Tebuconazole 12.1% EW
746.	Prochloraz 34.8% + Propiconazole 7.8% EC
747.	Prochloraz 5.7% + Tebuconazole 1.4% ES
748.	Propiconazole 10.7% + Tricyclazole 34.2% SE
749.	Propiconazole 13.9% + Difenconazole 13.9% EC
750.	Propineb 54.2% + Tricyclazole 15.0% WP
751.	Pyraclostrobin 133g/l + Epoxiconazole 50 g/l (w/v) SE
752.	Sedaxane 12.61% + Azoxystrobin 3.15% + Thiamethoxam 22.06% FS
753.	Streptomycin + Tetracycline (90+10)
754.	Tebuconazole 10% + Sulphur 65% WG
755.	Tebuconazole 15% + Zineb 57% WDG
756.	Tebuconazole 50% + Trifloxystrobin 25% WG
757.	Tebuconazole 6.7% + Captan 26.9% SC
758.	Thiophanate Methyl 38 % + Kasugamycin 2.23 SC
759.	Thiophanate Methyl 450g/L + Pyraclostrobin 50 g/L FS
760.	Tricyclazole 18% + Mancozeb 62% WP
761.	Tricyclazole 18.0 + Tebuconazole 14.4% SC
762.	Tricyclazole 20.4 % + Azoxystrobin 6.8% SC
763.	Tricyclazole 45% + Hexaconazole 10% WG
764.	Triticonazole 80 g/l + Pyraclostrobin 40% g/l FS
765.	Valifenalate 6% + Mancozeb 60% WG
C. HERBICIDES	
Sr No.	Formulation registered
766.	2,4-D Sodium Salt 44% + Metribuzin 35% + Pyrazosulfuron ethyl 1.0% WDG

767.	Ametryn 73.1% + Trifloxysulfuron Sodium 1.8% WG
768.	Anilofos 24% + 2,4-D Ethyl Ester 32% EC
769.	Bensulfuron methyl 0.6% + Pretilachlor 6% Gr.
770.	Bispyribac Sodium 20% + Pyrazosulfuron Ethyl 15% WDG
771.	Carfentrazone ethyl 0.43% + Glyphosate 30.82% EW
772.	Carfentrazone ethyl 20% + Sulfosulfuron 25% WG
773.	Clodinafop propargyl 15% + Metsulfuron methyl 1% WP
774.	Clodinafop propargyl 9% + Metribuzin 20% WP (w/w)
775.	Clomazone 20% + 2,4-D Ethyl Ester 30% EC
776.	Clomazone 22.5% + Metribuzin 21% WP
777.	Fenoxaprop-p-ethyl 7.77% + Metribuzin 13.6% EC
778.	Florpyrauxifen- benzyl 1.31% + Penoxasulam 2.1% OD
779.	Fluazifop-p-butyl 11.1% + Fomesafen 11.1% SL
780.	Fomesafen 12% + Quizalofop ethyl 3% SC
781.	Halauxifen methyl 20.8% + Florasulam 20.0% w/w WG (With Surfactant)
782.	Halosulfuron methyl 12% + Metribuzin 55% WG
783.	Halosulfuron methyl 15% + Atrazine 48% WG
784.	Hexazinone 13.2% + Diuron 46.8 % WP
785.	Imazethapyr 35% + Imazamox 35% WG
786.	Indaziflam 1.65% + Glyphosate Isopropyl Ammonium 44.63% SC
787.	Mesosulfuron methyl 3% + Iodosulfuron methyl sodium 0.6% WG
788.	Mesotrione 2.27% + Atrazine 22.7% SC
789.	Metribuzin 42% + Clodinafop propargyl 12% WG
790.	Metsulfuron methyl 10% + Carfentrazone ethyl 40% DF
791.	Metsulfuron methyl 10% + Chlorimuron ethyl 10% WP

792.	Oxyfluorfen 2.5% + Glyphosate (Isopropyl amine salt) 41% SC
793.	Pendimethalin 30% + Imazethapyr 2% EC
794.	Pendimethalin 35% + Metribuzin 3.5% SE
795.	Pendimethalin 38.4% + Pyrazosulfuron ethyl 0.85% ZC
796.	Pendimethalin 40% + Metribuzin 8% EC
797.	Penoxsulam 0.97% + Butachlor 38.8% SE
798.	Penoxsulam 1.02 % + Cyhalofop-butyl 5.1% OD
799.	Pretilachlor 30.0% + Pyrazosulfuron Ethyl 0.75% WG
800.	Pretilachlor 6% + Pyrazosulfuron Ethyl 0.15% (H)
801.	Pretilachlor 6.0% +Pyrazosulfuron Ethyl 0.15% GR
802.	Propaquizafop 2.5% + Imazethapyr 3.75% w/w ME
803.	Propaquizafop 5% + Oxyfluorfen 12% w/w EC
804.	Pyrifthalid 31.0% w/w + Bensulfuron methyl 15.7% w/w SC
805.	Pyriithiobac Sodium 6% EC w/w + Quizalofop-ethyl 4% EC w/w MEC
806.	Quizalofop ethyl 10% EC + Chlorimuron ethyl 25% WP + Surfactant (0.2) (Herbicide) (Twin pack)
807.	Quizalofop ethyl 4% + Oxyfluorfen 6% EC
808.	Quizalofop ethyl 7.5% + Imazethapyr 15% w/w EC
809.	Sodium Acifluorfen 16.5% + Clodinafop propargyl 8% EC
810.	Sulfentrazone 28% + Clomazone 30% WP
811.	Sulfosulfuron 75%+ Metsulfuron Methyl 5% WG
812.	Topramezone 10 g/l + Atrazine 300 g/l SC
813.	Triafamone 20% + Ethoxysulfuron 10% WG
D. INSECTICIDE + FUNGICIDE	
Sr No.	Formulation registered
814.	Azoxystrobin 1.3 % + Tebuconazole 0.22 % + Thiamethoxam 25.9% FS

815.	Azoxystrobin 2.5%+ Thiophanate Methyl 11.25% + Thiamethoxam 25% FS
816.	Flubendiamide 3.5% + Hexaconzole 5% WG
817.	Flubendiamide 7.5% + Kresoxim methyl 37.5% SC
818.	Imidacloprid 18.5% + Hexaconzole 1.5% FS
819.	Isoprothiolane 28% + Fipronil 5% EC
E. PGR + Fungicide	
820.	Tricentanol 80g/ L + Pyraclostrobin 40g /L FS