

· «±| ° 3 μ ° ·
22/1Ž « ° œ— Ž —3 ° ° ° ·
- á ° ° 3. ©² μ ° 2 » ° ° ° ° 445001

Safety Pictograms:



Manufactured by

Vidarbha Biotech Lab
M/s Vidarbha Biotech Lab, 22/1, Datta Chowk, Near Sugrass
Factory Yavatmal Yavatmal Maharashtra 445001

(1). M/s Vidarbha Biotech Lab, A-56, MIDC, Lohara,
Yavatmal, -445001

Customer Care Details

Vidarbha Biotech Lab
M/s Vidarbha Biotech Lab, 22/1, Datta Chowk, Near Sugrass
Factory Yavatmal Yavatmal Maharashtra 445001

Safety Pictograms:



qñ® «—

445001 - © -

(1).

»— « ± μ ' . . ' "

. « ± | ' ° 3 « — ' μ ° ' .

22/1Z « ' ' œ — Z - 3 ' ' ' ° . ° ' .

- â ' ' 3 . © 2 μ ' 2 » ' ' ' ' 445001

Big Label

(> 250 mL Primary and Secondary Package Label)

Read leaflet before use:

Common Name:

Verticillium lecanii 1.15 % W.P., ICAR, Research Complex, Umiam, MCC-1028

BRAND NAME: -

Crops and Pest Groups: Citrus -Mealy bug

Dosage, Direction for use and Manner and time of application : Please refer leaflet for details

Purpose:

for control of mealy bug of citrus

Re-entry:

12 hrs

Chemical Composition :

Content % w/w

Total	100.00%W/W	W/W %
Verticillium lecanii 1.15 % W.P., ICAR, Research Complex, Umiam, MCC-1028	1.15 % W.P.	% wp
Spore Count (CFU)	1 x 10 ⁸ /g.min	% per g.min
Moisture	8.00%w/w	w/w %
Carrier (Tale)	90.85% w/w	w/w % W/W
Total:100.00%		

Safety Precautions:

Verticillium lecanii 1.15 % W.P., ICAR, Research Complex, Umiam, MCC-1028

Verticillium lecanii 1.15 % W.P., ICAR, Research Complex, Umiam, MCC-1028

Contact Insecticide



Keep in cool, dry place away from heat and open flame.

- Regn. No. _____
- Mfg. Lic. No. _____
- Batch No. _____
- Mfg Date _____
- Exp. Date _____
- Net Content / Volume _____
- Max. Retail Price _____

g 3 TM o ' ® μ ' ® — ' @ E -

Verticillium lecanii 1.15 % W.P., ICAR, Research Complex, Umiam, MCC-1028

Contact Insecticide

Verticillium lecanii 1.15 % W.P., ICAR, Research Complex, Umiam, MCC-1028

Keep in cool, dry place away from heat and open flame.

Regn. No. _____

Mfg. Lic. No. _____

Batch No. _____

Mfg Date _____

Exp. Date _____

Net Content / Volume _____

Max. Retail Price _____

Verticillium lecanii 1.15 % W.P., ICAR, Research Complex, Umiam, MCC-1028

Verticillium lecanii 1.15 % W.P., ICAR, Research Complex, Umiam, MCC-1028

Contact Insecticide

Verticillium lecanii 1.15 % W.P., ICAR, Research Complex, Umiam, MCC-1028

Keep in cool, dry place away from heat and open flame.

Regn. No. _____

Mfg. Lic. No. _____

Batch No. _____

Mfg Date _____

Exp. Date _____

Net Content / Volume _____

Max. Retail Price _____

Customer Care Details

Vidarbha Biotech Lab
M/s Vidarbha Biotech Lab, 22/1, Datta Chowk, Near Sugrass
Factory Yavatmal Yavatmal Maharashtra 445001

Safety Pictograms:



»—« ± μ

. « ± | ° 3 ± — μ ° .

22/1Z « Z — 3 / ° . .

- ā © 2 μ » 445001

ŷ» ¼° μ³² μ— '\$!(~ ' |øý³®!' ICAR, Research Complex, Umiam, MCC-1028

fl ® ³ '—æ— , — fl

1 10 gm min

ŷ» ¼° μ³² μ— '\$!(~ ' |øý³®!

° ³ —° œ— '—

· »— fl— fl , #!+(~ ' |øý³ ' " | øý³ | øý³ ' " | øý³ ' " W/W
 { μ · +!#~ ' | øý³ ' " | øý³ | øý³ ' " | øý³ ' " ' .
 ® ' —qæ' ff w³ fl 1 x 10^8 /g.min 2 ' ' per g.min
 w— '\$#!#~ ' | øý³ ' " | øý³ | øý³ ' " | øý³ ' " ' .
 ŷ» ¼° μ³² μ— '\$!(~ ' |øý³®!' ICAR, '\$!(~ ' |øý³®' % wp
 Research Complex, Umiam, MCC-1028

³ TM - TSS!SSS~ ' ± ' ± ' ' .

° μ ' .	—æ' —' — 2	©' »âæ³ ' ' 2		® —' —' 2 ' . lit	° μ ' m . a	® —' — μ	® I ° μ	n .
		° ! ' ©ñ %	° ' œ— ' . kg					
— °	2 ñ—' ' ff® μ — —° ' ° æ' fl	' \$!(~ ' øμ' ®	%(!—'	((# ' μ æ'	— , — j . ' — ' . ' . © ' š æ— ' ®'	\$% š æ	μ TM — »	« ' ° ' .

Note:- -

g®³ TM —' μW —« . ' .

« —' . ¶ ' 15' « . ° ç³ ' m®' —

2 ° 2 ' —' . a ©

· çŸ ' n — ,

2 æ' | ' ' ® —

—' © » ' —'

° μ ' m . a

— , — j . ' — ' . © ' š æ— ' ®'

n . « —' © — —

®' p ° —' !

—® —' . 3 ' ' Ž ° —æ' ' . 3 ' ' æ' ®' ' . 3 ' ' Ž —ú , —' . 3 ' ' Ž ' W® ' ' . 3 ' ' .

» μ ' —

Caution:Í Not to Be Used on Crops Other Than Specified on This Label/LeafletÍ "

Verticillium lecanii 1.15 % W.P., ICAR, Research Complex, Umiam, MCC-1028

(Contact Insecticide)

1 10 gm min

Verticillium lecanii 1.15%W.P.

Chemical Composition:	Ingredient	%W/W
Carrier (Tale)	90.85% w/w	w/w % W/W
Moisture	8.00%w/w	w/w %
Spore Count (CFU)	1 x 10 ⁸ /g.min	% per g.min
Total	100.00%W/W	W/W %
Verticillium lecanii 1.15 % W.P., ICAR, Research Complex, Umiam, MCC-1028	1.15 % W.P.	% wp
Total:		100.000% w/w

Recommendation

Crop(s)	Common Name of Pest	Dosage/HA		Dilution in Water lit	Crop Stage	Re-entry Period	Pre Harvest	Frequency
		AI %	Formulation kg					
Citrus	Mealy bugs (Planococcus citri)	1.15%WP	2.5kg	550 liter	on the incidence of pest initiation	12 hrs	Not required	twice

Note:-

Good Practices relating to pesticide application techniques

Direction of Use

Twice at 15 days interval

Weather Condition(in general):

Clear sky.

Soil & Water(where ever applicable):

Any type.

Crop Stage for application:

on the incidence of pest initiation

Application Technique

Foliar spray.

Equipment Type:

Knapsack sprayer. bucket sprayer stirrup sprayer. compression sprayer aspee power sprayer

NozzleType:

Hollow cone

Dosage:

2.5 kg

Instruction for Mixing:

Caution: Not to Be Used on Crops Other Than Specified on This Label/Leaflet

Dissolve 2.5 kg of Verticillium Lecanii- 1.15%W.P. in 550 ltrs. of water

Re-entry Period

12 hrs

Pre-Harvesting Interval

Not required

Manner and Time of Application

Dissolve 2.5 kg of Verticillium Lecanii- 1.15%W.P. in 550 ltrs. of water and spray twice each at 15 days interval.

Application Timing

In the morning and evening

Frequency

twice

Stages during which pesticides should not be applied on any crop :

=

Precautions to be taken to avoid harm to the beneficial insects like honey bees and natural enemies of pests :

-

Symptoms Of Poisoning

Headache, Nausea, Vomitting, irritation & allergy may occur.

First Aid

1. If swallowed, induce vomiting by tickling the back of throat. 2. If skin and clothes are contaminated, wash the contaminated skin and clothes with plenty of water and soap. 3. If eyes are contaminated, flush the contaminated eyes with normal saline and water for 10 to15 minutes. 4. Remove the patient into fresh air.

Antidote

Treat symptomatically.

Phytotoxicity

Not Phytotoxic at recommend dosage

Storage Conditions

1. The packages containing the Biological -insecticide shall be stored in separate room or premises away from the rooms or premises used for storing other articles particularly articles of food or shall be kept in separate almira's under lock and key depending upon the quantity and nature of the Biological . insecticide.
2. The rooms or premises meant for storing the Biological -insecticide shall be well built, dry, well lit and ventilated and of sufficient dimension to avoid contamination with vapour

Safety Precaution:

1. Avoid inhalation and skin contact while diluting because of spillage or splashes. 2. Do not mix with bare hands. 3. After each operation, the mixing and spraying equipment is to be rinsed thoroughly with plenty of water and detergent or soap solution before being put to use for spraying other pesticides. 4. Any surplus spray solution must not be disposed off in crop lands in stagnant or flowing water, where there is a possibility of polluting water sources. 5. The user should use full protective clothings which include rubber gloves boots, either face shield or dust mask and overall rubber apron, hood or hat. 6. Do not smoke, eat or drink during handling and application.

Cautionary Statement:

1. Not to be used for any purpose other than those subscribed on label and leaflet 2. Destroy the container after use as directed on leaflet.

Disposal of used containers, washing from equipment and surplus material :

Caution:Í Not to Be Used on Crops Other Than Specified on This Label/LeafletÍ "

1. It shall be the duty of manufacturers, formulators of Insecticides and operators to dispose packages or surplus materials and washings in a safe manner so as to prevent Environmental or water pollution.
2. The used packages shall not be left outside to prevent their re-use.
3. Packages shall be broken and buried away from habitation.

Manufacturer Premises :

M/s Vidarbha Biotech Lab, A-56, MIDC, Lohara, Yavatmal,-445001
Maharashtra

Manufactured by

Vidarbha Biotech Lab
M/s Vidarbha Biotech Lab, 22/1, Datta Chowk, Near Sugrass
Factory Yavatmal Maharashtra 445001

Customer Care Details:

Vidarbha Biotech Lab
M/s Vidarbha Biotech Lab, 22/1, Datta Chowk, Near Sugrass
Factory Yavatmal Yavatmal Maharashtra 445001

Safety Pictograms:



Caution: Not to Be Used on Crops Other Than Specified on This Label/Leaflet "